

Hole numb	From	To	Length	Sample Nu	Sample Siz	Sample Ty	Au_Final ppm
SB-2025-01	56	57.4	1.4	K000001	HQ 1/2 Co	Original	0.005
SB-2025-01	57.4	58.25	0.85	K000002	HQ 1/2 Co	Original	0.31
SB-2025-01	58.25	59	0.75	K000003	HQ 1/2 Co	Original	0.005
SB-2025-01	59	59.7	0.7	K000004	HQ 1/2 Co	Original	0.005
SB-2025-01	59.7	60.4	0.7	K000005	HQ 1/2 Co	Original	0.2
SB-2025-01	60.4	61.25	0.85	K000006	HQ 1/2 Co	Original	0.2
SB-2025-01	61.25	62.1	0.85	K000007	HQ 1/2 Co	Original	0.81
SB-2025-01	62.1	62.9	0.8	K000008	HQ 1/2 Co	Original	0.15
SB-2025-01	79	80.34	1.34	K000009	HQ 1/2 Co	Original	0.005
SB-2025-01	80.34	81	0.66	K000011	HQ 1/2 Co	Original	0.005
SB-2025-01	81	81.5	0.5	K000012	HQ 1/2 Co	Original	0.02
SB-2025-01	81.5	82	0.5	K000013	HQ 1/2 Co	Original	0.005
SB-2025-01	82	82.5	0.5	K000014	HQ 1/2 Co	Original	0.005
SB-2025-01	82.5	83.1	0.6	K000015	HQ 1/2 Co	Original	0.005
SB-2025-01	83.1	84.1	1	K000016	HQ 1/2 Co	Original	0.01
SB-2025-01	84.1	85.35	1.25	K000017	HQ 1/2 Co	Original	0.005
SB-2025-01	120	121.5	1.5	K000018	HQ 1/2 Co	Original	0.005
SB-2025-01	121.5	123	1.5	K000019	HQ 1/2 Co	Original	0.005
SB-2025-01	123	123.68	0.68	K000021	HQ 1/2 Co	Original	0.16
SB-2025-01	123.68	124.9	1.22	K000022	HQ 1/2 Co	Original	1.32
SB-2025-01	124.9	126	1.1	K000023	HQ 1/2 Co	Original	0.11
SB-2025-01	126	127.3	1.3	K000024	HQ 1/2 Co	Original	0.42
SB-2025-01	127.3	128.3	1	K000025	HQ 1/2 Co	Original	1.28
SB-2025-01	128.3	128.8	0.5	K000026	HQ 1/2 Co	Original	0.46
SB-2025-01	128.8	130	1.2	K000027	HQ 1/2 Co	Original	0.04
SB-2025-01	130	131	1	K000028	HQ 1/2 Co	Original	0.005
SB-2025-01	176	177	1	K000029	HQ 1/2 Co	Original	0.005
SB-2025-01	177	177.5	0.5	K000031	HQ 1/2 Co	Original	0.12
SB-2025-01	177.5	179	1.5	K000032	HQ 1/2 Co	Original	0.005
SB-2025-01	179	179.75	0.75	K000033	HQ 1/2 Co	Original	0.005
SB-2025-01	179.75	180.75	1	K000034	HQ 1/2 Co	Original	0.01
SB-2025-01	180.75	181.25	0.5	K000035	HQ 1/2 Co	Original	0.02
SB-2025-01	181.25	181.75	0.5	K000036	HQ 3/4 Co	Original	0.48
SB-2025-01	181.75	182.25	0.5	K000037	HQ 1/2 Co	Original	0.005
SB-2025-01	182.25	182.8	0.55	K000038	HQ 1/2 Co	Original	0.005
SB-2025-01	182.8	184	1.2	K000039	HQ 1/2 Co	Original	0.005
SB-2025-01	184	185	1	K000041	HQ 1/2 Co	Original	0.01
SB-2025-01	185	186	1	K000042	HQ 1/2 Co	Original	0.005
SB-2025-01	222.5	224	1.5	K000043	HQ 1/2 Co	Original	0.01
SB-2025-01	224	225	1	K000044	HQ 1/2 Co	Original	0.005
SB-2025-01	225	226.15	1.15	K000045	HQ 1/2 Co	Original	0.005
SB-2025-01	226.15	227.4	1.25	K000046	HQ 1/2 Co	Original	0.005
SB-2025-01	227.4	228	0.6	K000047	HQ 1/2 Co	Original	0.005

SB-2025-01	228	228.75	0.75	K000048	HQ 1/2 Cor Original	0.005
SB-2025-01	228.75	229.6	0.85	K000049	HQ 1/2 Cor Original	0.005
SB-2025-01	229.6	231	1.4	K000051	HQ 1/2 Cor Original	0.005
SB-2025-01	231	232.5	1.5	K000052	HQ 1/2 Cor Original	0.005
SB-2025-01	232.5	233.5	1	K000053	HQ 1/2 Cor Original	0.005
SB-2025-01	233.5	234.5	1	K000054	HQ 1/2 Cor Original	0.005
SB-2025-01	234.5	235	0.5	K000055	HQ 1/2 Cor Original	0.005
SB-2025-01	235	235.5	0.5	K000056	HQ 1/2 Cor Original	0.005
SB-2025-01	235.5	236.5	1	K000057	HQ 1/2 Cor Original	0.005
SB-2025-01	236.5	237.8	1.3	K000058	HQ 1/2 Cor Original	0.005
SB-2025-01	237.8	239	1.2	K000059	HQ 1/2 Cor Original	0.005
SB-2025-01	239	240	1	K000061	HQ 1/2 Cor Original	0.005
SB-2025-01	251	252	1	K000062	HQ 1/2 Cor Original	0.005
SB-2025-01	252	253.5	1.5	K000063	HQ 1/2 Cor Original	0.005
SB-2025-01	253.5	254.7	1.2	K000064	HQ 1/2 Cor Original	0.005
SB-2025-01	254.7	255.8	1.1	K000065	HQ 1/2 Cor Original	0.005
SB-2025-01	255.8	256.6	0.8	K000066	HQ 1/2 Cor Original	0.27
SB-2025-01	256.6	257.1	0.5	K000067	HQ 3/4 Cor Original	0.55
SB-2025-01	257.1	257.7	0.6	K000068	HQ 3/4 Cor Original	2.27
SB-2025-01	257.7	258.35	0.65	K000069	HQ 3/4 Cor Original	1.92
SB-2025-01	258.35	258.85	0.5	K000071	HQ 3/4 Cor Original	30.5
SB-2025-01	258.85	259.4	0.55	K000072	HQ 3/4 Cor Original	0.07
SB-2025-01	259.4	260.5	1.1	K000073	HQ 1/2 Cor Original	0.005
SB-2025-01	260.5	262	1.5	K000074	HQ 1/2 Cor Original	0.005
SB-2025-01	262	263.5	1.5	K000075	HQ 1/2 Cor Original	0.005
SB-2025-01	263.5	265	1.5	K000076	HQ 1/2 Cor Original	0.005
SB-2025-01	265	266	1	K000077	HQ 1/2 Cor Original	0.005
SB-2025-01	329.5	330.5	1	K000078	HQ 1/2 Cor Original	0.01
SB-2025-01	330.5	331.55	1.05	K000079	HQ 1/2 Cor Original	0.005
SB-2025-01	331.55	333	1.45	K000081	HQ 1/2 Cor Original	0.005
SB-2025-01	333	334.2	1.2	K000082	HQ 1/2 Cor Original	0.005
SB-2025-01	334.2	335	0.8	K000083	HQ 1/2 Cor Original	0.005
SB-2025-01	335	335.5	0.5	K000084	HQ 1/2 Cor Original	0.005
SB-2025-01	335.5	336.5	1	K000085	HQ 1/2 Cor Original	0.005
SB-2025-01	336.5	337.5	1	K000086	HQ 1/2 Cor Original	0.005
SB-2025-01	337.5	338.2	0.7	K000087	HQ 1/2 Cor Original	0.005
SB-2025-01	338.2	339	0.8	K000088	HQ 1/2 Cor Original	0.005
SB-2025-01	339	339.8	0.8	K000089	HQ 1/2 Cor Original	0.005
SB-2025-01	339.8	340.5	0.7	K000091	HQ 3/4 Cor Original	0.03
SB-2025-01	340.5	341	0.5	K000092	HQ 3/4 Cor Original	0.02
SB-2025-01	341	341.5	0.5	K000093	HQ 3/4 Cor Original	0.49
SB-2025-01	341.5	342	0.5	K000094	HQ 3/4 Cor Original	0.29
SB-2025-01	342	342.7	0.7	K000095	HQ 3/4 Cor Original	20.7
SB-2025-01	342.7	343.2	0.5	K000096	HQ 3/4 Cor Original	0.24

SB-2025-01	343.2	343.7	0.5	K000097	HQ 3/4 Cor Original	0.09
SB-2025-01	343.7	344.25	0.55	K000098	HQ 1/2 Cor Original	0.005
SB-2025-01	344.25	345	0.75	K000099	HQ 1/2 Cor Original	0.005
SB-2025-01	345	345.5	0.5	K000101	HQ 1/2 Cor Original	0.6
SB-2025-01	345.5	346	0.5	K000102	HQ 1/2 Cor Original	0.02
SB-2025-01	346	346.7	0.7	K000103	HQ 1/2 Cor Original	0.005
SB-2025-01	346.7	347.5	0.8	K000104	HQ 1/2 Cor Original	0.005
SB-2025-01	347.5	348.75	1.25	K000105	HQ 1/2 Cor Original	0.005
SB-2025-01	348.75	350	1.25	K000106	HQ 1/2 Cor Original	0.005
SB-2025-01	350	350.8	0.8	K000107	HQ 3/4 Cor Original	0.02
SB-2025-01	350.8	351.5	0.7	K000108	HQ 3/4 Cor Original	0.98
SB-2025-01	351.5	352.5	1	K000109	HQ 3/4 Cor Original	2.36
SB-2025-01	352.5	353.5	1	K000111	HQ 1/2 Cor Original	0.005
SB-2025-01	353.5	354.5	1	K000112	HQ 1/2 Cor Original	0.02
SB-2025-01	354.5	355.5	1	K000113	HQ 1/2 Cor Original	0.005
SB-2025-01	355.5	356.5	1	K000114	HQ 1/2 Cor Original	0.005
SB-2025-01	356.5	357.7	1.2	K000115	HQ 1/2 Cor Original	0.09
SB-2025-01	357.7	358.4	0.7	K000116	HQ 3/4 Cor Original	0.53
SB-2025-01	358.4	359	0.6	K000117	HQ 3/4 Cor Original	0.97
SB-2025-01	359	360	1	K000118	HQ 3/4 Cor Original	0.005
SB-2025-01	360	361	1	K000119	HQ 1/2 Cor Original	0.005
SB-2025-01	361	362	1	K000121	HQ 1/2 Cor Original	0.005
SB-2025-01	362	363	1	K000122	HQ 1/2 Cor Original	0.005
SB-2025-01	363	364	1	K000123	HQ 1/2 Cor Original	0.005
SB-2025-01	364	364.7	0.7	K000124	HQ 1/2 Cor Original	0.005
SB-2025-01	364.7	365.7	1	K000125	HQ 1/2 Cor Original	0.005
SB-2025-01	44	45.15	1.15	K000126	HQ 1/2 Cor Original	0.005
SB-2025-01	45.15	46.4	1.25	K000127	HQ 1/2 Cor Original	0.005
SB-2025-01	46.4	47.7	1.3	K000128	HQ 1/2 Cor Original	0.01
SB-2025-01	47.7	48.65	0.95	K000129	HQ 1/2 Cor Original	0.1
SB-2025-01	48.65	49.7	1.05	K000131	HQ 1/2 Cor Original	1.44
SB-2025-01	49.7	50.25	0.55	K000132	HQ 3/4 Cor Original	0.76
SB-2025-01	50.25	50.75	0.5	K000133	HQ 3/4 Cor Original	1.46
SB-2025-01	50.75	51.25	0.5	K000134	HQ 3/4 Cor Original	6
SB-2025-01	51.25	51.75	0.5	K000135	HQ 3/4 Cor Original	1.66
SB-2025-01	51.75	52.25	0.5	K000136	HQ 3/4 Cor Original	0.33
SB-2025-01	52.25	52.75	0.5	K000137	HQ 3/4 Cor Original	0.03
SB-2025-01	52.75	53.5	0.75	K000138	HQ 3/4 Cor Original	0.01
SB-2025-01	53.5	54.65	1.15	K000139	HQ 1/2 Cor Original	0.02
SB-2025-01	54.65	56	1.35	K000141	HQ 1/2 Cor Original	0.005
SB-2025-01	80	80.75	0.75	K000142	HQ 1/2 Cor Original	0.005
SB-2025-01	80.75	81.25	0.5	K000143	HQ 1/2 Cor Original	0.005
SB-2025-01	81.25	81.75	0.5	K000144	HQ 3/4 Cor Original	0.06
SB-2025-01	81.75	82.25	0.5	K000145	HQ 1/2 Cor Original	0.04

SB-2025-01	82.25	83	0.75	K000146	HQ 1/2 Cor Original	0.24
SB-2025-01	119	120.5	1.5	K000147	HQ 1/2 Cor Original	0.005
SB-2025-01	120.5	121.35	0.85	K000148	HQ 1/2 Cor Original	0.005
SB-2025-01	121.35	122	0.65	K000149	HQ 1/2 Cor Original	1.14
SB-2025-01	122	122.5	0.5	K000151	HQ 3/4 Cor Original	1.12
SB-2025-01	122.5	123	0.5	K000152	HQ 3/4 Cor Original	3.27
SB-2025-01	123	123.5	0.5	K000153	HQ 3/4 Cor Original	0.58
SB-2025-01	123.5	124.25	0.75	K000154	HQ 1/2 Cor Original	0.02
SB-2025-01	124.25	125	0.75	K000155	HQ 1/2 Cor Original	0.35
SB-2025-01	125	126	1	K000156	HQ 1/2 Cor Original	0.27
SB-2025-01	126	127	1	K000157	HQ 1/2 Cor Original	0.005
SB-2025-01	127	128	1	K000158	HQ 1/2 Cor Original	0.005
SB-2025-01	128	129.1	1.1	K000159	HQ 1/2 Cor Original	0.005
SB-2025-01	129.1	130	0.9	K000161	HQ 1/2 Cor Original	0.005
SB-2025-01	130	131.25	1.25	K000162	HQ 1/2 Cor Original	0.005
SB-2025-01	176	177.25	1.25	K000163	HQ 1/2 Cor Original	0.01
SB-2025-01	177.25	178	0.75	K000164	HQ 1/2 Cor Original	0.005
SB-2025-01	178	178.5	0.5	K000165	HQ 3/4 Cor Original	0.02
SB-2025-01	178.5	179	0.5	K000166	HQ 3/4 Cor Original	0.38
SB-2025-01	179	179.5	0.5	K000167	HQ 3/4 Cor Original	0.02
SB-2025-01	179.5	180.2	0.7	K000168	HQ 1/2 Cor Original	0.01
SB-2025-01	180.2	181.2	1	K000169	HQ 1/2 Cor Original	0.005
SB-2025-01	236.5	237.95	1.45	K000171	HQ 1/2 Cor Original	0.005
SB-2025-01	237.95	239	1.05	K000172	HQ 1/2 Cor Original	0.005
SB-2025-01	239	239.75	0.75	K000173	HQ 1/2 Cor Original	0.005
SB-2025-01	239.75	240.3	0.55	K000174	HQ 3/4 Cor Original	0.05
SB-2025-01	240.3	240.95	0.65	K000175	HQ 3/4 Cor Original	32.7
SB-2025-01	240.95	241.5	0.55	K000176	HQ 3/4 Cor Original	0.06
SB-2025-01	241.5	242.5	1	K000177	HQ 1/2 Cor Original	0.01
SB-2025-01	242.5	244	1.5	K000178	HQ 1/2 Cor Original	0.005
SB-2025-01	264.7	265.8	1.1	K000179	HQ 1/2 Cor Original	0.005
SB-2025-01	265.8	266.65	0.85	K000181	HQ 1/2 Cor Original	0.005
SB-2025-01	266.65	267.7	1.05	K000182	HQ 1/2 Cor Original	0.005
SB-2025-01	267.7	268.25	0.55	K000183	HQ 3/4 Cor Original	0.005
SB-2025-01	268.25	268.75	0.5	K000184	HQ 3/4 Cor Original	0.005
SB-2025-01	268.75	269.3	0.55	K000185	HQ 3/4 Cor Original	0.005
SB-2025-01	269.3	270.3	1	K000186	HQ 1/2 Cor Original	0.005
SB-2025-01	270.3	271.8	1.5	K000187	HQ 1/2 Cor Original	0.005
SB-2025-01	324.25	325.25	1	K000188	HQ 1/2 Cor Original	0.03
SB-2025-01	325.25	326.3	1.05	K000189	HQ 1/2 Cor Original	0.005
SB-2025-01	326.3	327.2	0.9	K000191	HQ 1/2 Cor Original	0.005
SB-2025-01	327.2	327.9	0.7	K000192	HQ 1/2 Cor Original	0.11
SB-2025-01	327.9	328.5	0.6	K000193	HQ 3/4 Cor Original	0.36
SB-2025-01	328.5	329.15	0.65	K000194	HQ 3/4 Cor Original	24.4

SB-2025-01	329.15	329.9	0.75	K000195	HQ 3/4 Cor Original	3.66
SB-2025-01	329.9	330.55	0.65	K000196	HQ 3/4 Cor Original	0.05
SB-2025-01	330.55	331.4	0.85	K000197	HQ 1/2 Cor Original	0.005
SB-2025-01	331.4	332.35	0.95	K000198	HQ 1/2 Cor Original	0.01
SB-2025-01	332.35	333.35	1	K000199	HQ 1/2 Cor Original	0.005
SB-2025-01	333.35	334.45	1.1	K000201	HQ 1/2 Cor Original	0.01
SB-2025-01	334.45	335	0.55	K000202	HQ 3/4 Cor Original	0.95
SB-2025-01	335	336	1	K000203	HQ 1/2 Cor Original	0.005
SB-2025-01	336	336.8	0.8	K000204	HQ 1/2 Cor Original	0.005
SB-2025-01	336.8	337.4	0.6	K000205	HQ 1/2 Cor Original	0.005
SB-2025-01	337.4	337.9	0.5	K000206	HQ 1/2 Cor Original	0.05
SB-2025-01	337.9	338.4	0.5	K000207	HQ 1/2 Cor Original	0.6
SB-2025-01	338.4	339.15	0.75	K000208	HQ 3/4 Cor Original	2.52
SB-2025-01	339.15	339.75	0.6	K000209	HQ 3/4 Cor Original	30
SB-2025-01	339.75	340.25	0.5	K000211	HQ 3/4 Cor Original	2.07
SB-2025-01	340.25	340.9	0.65	K000212	HQ 3/4 Cor Original	1.29
SB-2025-01	340.9	341.5	0.6	K000213	HQ 1/2 Cor Original	1.14
SB-2025-01	341.5	342.25	0.75	K000214	HQ 1/2 Cor Original	0.12
SB-2025-01	342.25	342.95	0.7	K000215	HQ 3/4 Cor Original	1.2
SB-2025-01	342.95	343.5	0.55	K000216	HQ 3/4 Cor Original	3.28
SB-2025-01	343.5	344.15	0.65	K000217	HQ 3/4 Cor Original	1
SB-2025-01	344.15	345	0.85	K000218	HQ 3/4 Cor Original	0.03
SB-2025-01	345	346	1	K000219	HQ 1/2 Cor Original	0.01
SB-2025-01	346	347	1	K000221	HQ 1/2 Cor Original	0.005
SB-2025-01	347	348.5	1.5	K000222	HQ 1/2 Cor Original	0.005
SB-2025-01	392	393	1	K000223	HQ 1/2 Cor Original	0.01
SB-2025-01	393	393.75	0.75	K000224	HQ 1/2 Cor Original	0.005
SB-2025-01	393.75	395	1.25	K000225	HQ 1/2 Cor Original	0.005
SB-2025-01	395	396.2	1.2	K000226	HQ 1/2 Cor Original	0.005
SB-2025-01	396.2	397	0.8	K000227	HQ 1/2 Cor Original	0.005
SB-2025-01	397	398.5	1.5	K000228	HQ 1/2 Cor Original	0.005
SB-2025-01	398.5	399	0.5	K000229	HQ 1/2 Cor Original	0.01
SB-2025-01	399	400	1	K000231	HQ 1/2 Cor Original	0.005
SB-2025-01	400	401	1	K000232	HQ 1/2 Cor Original	0.005
SB-2025-01	401	402.5	1.5	K000233	HQ 1/2 Cor Original	0.005
SB-2025-01	402.5	404	1.5	K000234	HQ 1/2 Cor Original	0.005
SB-2025-01	404	405	1	K000235	HQ 1/2 Cor Original	0.005
SB-2025-01	405	406.25	1.25	K000236	HQ 1/2 Cor Original	0.03
SB-2025-01	406.25	407.5	1.25	K000237	HQ 1/2 Cor Original	0.02
SB-2025-01	33	34.5	1.5	K000238	HQ 1/2 Cor Original	0.005
SB-2025-01	34.5	35	0.5	K000239	HQ 1/2 Cor Original	1.25
SB-2025-01	35	36.45	1.45	K000241	HQ 1/2 Cor Original	0.005
SB-2025-01	53	54.25	1.25	K000242	HQ 1/2 Cor Original	0.06
SB-2025-01	54.25	54.8	0.55	K000243	HQ 1/2 Cor Original	0.52

SB-2025-01	54.8	56.3	1.5	K000244	HQ 1/2 Cor Original	0.005
SB-2025-01	71.5	73	1.5	K000245	HQ 1/2 Cor Original	0.005
SB-2025-01	73	73.5	0.5	K000246	HQ 1/2 Cor Original	0.31
SB-2025-01	73.5	75	1.5	K000247	HQ 1/2 Cor Original	0.005
SB-2025-01	78.3	79.3	1	K000248	HQ 1/2 Cor Original	0.02
SB-2025-01	79.3	79.8	0.5	K000249	HQ 1/2 Cor Original	0.03
SB-2025-01	79.8	81	1.2	K000271	HQ 1/2 Cor Original	0.005
SB-2025-01	101.6	102.8	1.2	K000251	HQ 1/2 Cor Original	0.005
SB-2025-01	102.8	103.75	0.95	K000252	HQ 1/2 Cor Original	0.005
SB-2025-01	103.75	105.05	1.3	K000253	HQ 1/2 Cor Original	2.08
SB-2025-01	105.05	105.6	0.55	K000254	HQ 1/2 Cor Original	0.01
SB-2025-01	105.6	107	1.4	K000255	HQ 1/2 Cor Original	0.01
SB-2025-01	107	108.5	1.5	K000256	HQ 1/2 Cor Original	0.005
SB-2025-01	108.5	109	0.5	K000257	HQ 1/2 Cor Original	0.23
SB-2025-01	109	110	1	K000258	HQ 1/2 Cor Original	0.005
SB-2025-01	110	111	1	K000259	HQ 1/2 Cor Original	0.005
SB-2025-01	111	111.5	0.5	K000261	HQ 1/2 Cor Original	0.64
SB-2025-01	111.5	112	0.5	K000262	HQ 1/2 Cor Original	0.09
SB-2025-01	112	112.9	0.9	K000263	HQ 1/2 Cor Original	0.66
SB-2025-01	112.9	114	1.1	K000264	HQ 1/2 Cor Original	0.02
SB-2025-01	114	115	1	K000265	HQ 1/2 Cor Original	0.005
SB-2025-01	115	116	1	K000266	HQ 1/2 Cor Original	0.005
SB-2025-01	116	116.7	0.7	K000267	HQ 1/2 Cor Original	0.62
SB-2025-01	116.7	117.3	0.6	K000268	HQ 1/2 Cor Original	0.11
SB-2025-01	117.3	118.5	1.2	K000269	HQ 1/2 Cor Original	0.005
SB-2025-01	169.6	170.5	0.9	K000272	HQ 1/2 Cor Original	0.01
SB-2025-01	170.5	172	1.5	K000273	HQ 1/2 Cor Original	0.04
SB-2025-01	172	172.8	0.8	K000274	HQ 1/2 Cor Original	0.88
SB-2025-01	172.8	173.33	0.53	K000275	HQ 1/2 Cor Original	0.04
SB-2025-01	173.33	174	0.67	K000276	HQ 1/2 Cor Original	0.05
SB-2025-01	174	175	1	K000277	HQ 1/2 Cor Original	0.005
SB-2025-01	220	221.2	1.2	K000278	HQ 1/2 Cor Original	0.005
SB-2025-01	221.2	221.7	0.5	K000279	HQ 3/4 Cor Original	3.25
SB-2025-01	221.7	222.9	1.2	K000281	HQ 1/2 Cor Original	0.005
SB-2025-01	222.9	223.55	0.65	K000282	HQ 1/2 Cor Original	0.005
SB-2025-01	223.55	224.25	0.7	K000283	HQ 1/2 Cor Original	0.005
SB-2025-01	224.25	224.75	0.5	K000284	HQ 3/4 Cor Original	0.02
SB-2025-01	224.75	225.45	0.7	K000285	HQ 1/2 Cor Original	0.005
SB-2025-01	225.45	226.4	0.95	K000286	HQ 3/4 Cor Original	0.005
SB-2025-01	226.4	227.5	1.1	K000287	HQ 1/2 Cor Original	0.005
SB-2025-01	227.5	229	1.5	K000288	HQ 1/2 Cor Original	0.005
SB-2025-01	306.3	307.58	1.28	K000289	HQ 1/2 Cor Original	0.005
SB-2025-01	307.58	308.5	0.92	K000291	HQ 1/2 Cor Original	0.005
SB-2025-01	308.5	310	1.5	K000292	HQ 1/2 Cor Original	0.005

SB-2025-01	310	310.65	0.65	K000293	HQ 1/2 Cor Original	0.005
SB-2025-01	310.65	311.7	1.05	K000294	HQ 1/2 Cor Original	0.005
SB-2025-01	311.7	312.25	0.55	K000295	HQ 1/2 Cor Original	1.25
SB-2025-01	312.25	312.78	0.53	K000296	HQ 3/4 Cor Original	0.18
SB-2025-01	312.78	313.85	1.07	K000297	HQ 3/4 Cor Original	12.9
SB-2025-01	313.85	314.4	0.55	K000298	HQ 3/4 Cor Original	0.7
SB-2025-01	314.4	315.5	1.1	K000299	HQ 1/2 Cor Original	2.13
SB-2025-01	315.5	316.65	1.15	K000301	HQ 1/2 Cor Original	0.005
SB-2025-01	316.65	317.6	0.95	K000302	HQ 1/2 Cor Original	0.005
SB-2025-01	317.6	318.6	1	K000303	HQ 3/4 Cor Original	0.005
SB-2025-01	318.6	319.15	0.55	K000304	HQ 3/4 Cor Original	0.35
SB-2025-01	319.15	320.45	1.3	K000305	HQ 3/4 Cor Original	0.005
SB-2025-01	320.45	321.95	1.5	K000306	HQ 1/2 Cor Original	0.005
SB-2025-01	321.95	323	1.05	K000307	HQ 1/2 Cor Original	0.005
SB-2025-01	323	323.9	0.9	K000308	HQ 3/4 Cor Original	0.005
SB-2025-01	323.9	324.85	0.95	K000309	HQ 3/4 Cor Original	0.005
SB-2025-01	324.85	326	1.15	K000311	HQ 3/4 Cor Original	0.005
SB-2025-01	326	327.4	1.4	K000312	HQ 1/2 Cor Original	0.005
SB-2025-01	327.4	327.95	0.55	K000313	HQ 3/4 Cor Original	0.005
SB-2025-01	327.95	328.48	0.53	K000314	HQ 3/4 Cor Original	2.62
SB-2025-01	328.48	329	0.52	K000315	HQ 3/4 Cor Original	0.005
SB-2025-01	329	330.1	1.1	K000316	HQ 1/2 Cor Original	0.005
SB-2025-01	330.1	331.35	1.25	K000317	HQ 1/2 Cor Original	0.005
SB-2025-01	331.35	332	0.65	K000318	HQ 1/2 Cor Original	0.005
SB-2025-01	332	332.6	0.6	K000319	HQ 1/2 Cor Original	0.005
SB-2025-01	332.6	333.4	0.8	K000321	HQ 3/4 Cor Original	0.005
SB-2025-01	333.4	333.93	0.53	K000322	HQ 3/4 Cor Original	0.005
SB-2025-01	333.93	334.55	0.62	K000323	HQ 3/4 Cor Original	0.005
SB-2025-01	334.55	335.68	1.13	K000324	HQ 3/4 Cor Original	0.005
SB-2025-01	335.68	336.35	0.67	K000325	HQ 3/4 Cor Original	0.59
SB-2025-01	336.35	337.25	0.9	K000326	HQ 3/4 Cor Original	0.005
SB-2025-01	337.25	338	0.75	K000327	HQ 1/2 Cor Original	0.005
SB-2025-01	338	339	1	K000328	HQ 3/4 Cor Original	0.005
SB-2025-01	339	339.6	0.6	K000329	HQ 3/4 Cor Original	0.46
SB-2025-01	339.6	341	1.4	K000331	HQ 3/4 Cor Original	0.005
SB-2025-01	341	342.5	1.5	K000332	HQ 1/2 Cor Original	0.005
SB-2025-01	342.5	343	0.5	K000333	HQ 1/2 Cor Original	0.005
SB-2025-01	343	344	1	K000334	HQ 1/2 Cor Original	0.005
SB-2025-01	344	345.05	1.05	K000335	HQ 1/2 Cor Original	0.005
SB-2025-01	345.05	346.35	1.3	K000336	HQ 1/2 Cor Original	0.005
SB-2025-01	346.35	346.95	0.6	K000337	HQ 1/2 Cor Original	0.005
SB-2025-01	346.95	348	1.05	K000338	HQ 1/2 Cor Original	0.005
SB-2025-01	348	349	1	K000339	HQ 1/2 Cor Original	0.005
SB-2025-01	349	350.5	1.5	K000341	HQ 1/2 Cor Original	0.005

SB-2025-01	390	391.5	1.5	K000342	HQ 1/2 Cor Original	0.005
SB-2025-01	391.5	392.1	0.6	K000343	HQ 1/2 Cor Original	0.005
SB-2025-01	392.1	393	0.9	K000344	HQ 1/2 Cor Original	0.005
SB-2025-01	393	394.2	1.2	K000345	HQ 1/2 Cor Original	0.005
SB-2025-01	394.2	395	0.8	K000346	HQ 1/2 Cor Original	0.005
SB-2025-01	395	395.5	0.5	K000347	HQ 1/2 Cor Original	0.02
SB-2025-01	395.5	396	0.5	K000348	HQ 1/2 Cor Original	0.005
SB-2025-01	396	397	1	K000349	HQ 1/2 Cor Original	0.04
SB-2025-01	397	398.1	1.1	K000351	HQ 1/2 Cor Original	0.35
SB-2025-01	398.1	398.75	0.65	K000352	HQ 1/2 Cor Original	0.005
SB-2025-01	398.75	399.5	0.75	K000353	HQ 1/2 Cor Original	0.55
SB-2025-01	399.5	400	0.5	K000354	HQ 1/2 Cor Original	0.02
SB-2025-01	400	401	1	K000355	HQ 1/2 Cor Original	0.005
SB-2025-01	401	401.6	0.6	K000356	HQ 1/2 Cor Original	0.04
SB-2025-01	401.6	402.4	0.8	K000357	HQ 1/2 Cor Original	0.1
SB-2025-01	402.4	402.9	0.5	K000358	HQ 1/2 Cor Original	0.005
SB-2025-01	402.9	403.45	0.55	K000359	HQ 1/2 Cor Original	1.93
SB-2025-01	403.45	404	0.55	K000361	HQ 1/2 Cor Original	0.005
SB-2025-01	404	404.7	0.7	K000362	HQ 1/2 Cor Original	0.005
SB-2025-01	404.7	406	1.3	K000363	HQ 1/2 Cor Original	0.005
SB-2025-01	37.5	38.55	1.05	K000364	HQ 1/2 Cor Original	0.005
SB-2025-01	38.55	40	1.45	K000365	HQ 1/2 Cor Original	0.005
SB-2025-01	40	40.7	0.7	K000366	HQ 1/2 Cor Original	0.005
SB-2025-01	40.7	42.15	1.45	K000367	HQ 1/2 Cor Original	0.005
SB-2025-01	52	53.3	1.3	K000368	HQ 1/2 Cor Original	0.005
SB-2025-01	53.3	54	0.7	K000369	HQ 1/2 Cor Original	0.005
SB-2025-01	54	55	1	K000371	HQ 1/2 Cor Original	0.03
SB-2025-01	55	56.3	1.3	K000372	HQ 1/2 Cor Original	0.36
SB-2025-01	56.3	57.5	1.2	K000373	HQ 1/2 Cor Original	0.005
SB-2025-01	57.5	58.3	0.8	K000374	HQ 1/2 Cor Original	0.005
SB-2025-01	58.3	59.7	1.4	K000375	HQ 1/2 Cor Original	0.005
SB-2025-01	69	70	1	K000376	HQ 1/2 Cor Original	0.27
SB-2025-01	70	70.65	0.65	K000377	HQ 1/2 Cor Original	1.32
SB-2025-01	70.65	71.15	0.5	K000378	HQ 1/2 Cor Original	2.27
SB-2025-01	71.15	71.8	0.65	K000379	HQ 1/2 Cor Original	1.14
SB-2025-01	71.8	72.5	0.7	K000381	HQ 1/2 Cor Original	0.24
SB-2025-01	72.5	73	0.5	K000382	HQ 1/2 Cor Original	0.36
SB-2025-01	73	74.2	1.2	K000383	HQ 1/2 Cor Original	0.09
SB-2025-01	74.2	75	0.8	K000384	HQ 1/2 Cor Original	0.005
SB-2025-01	75	75.7	0.7	K000385	HQ 1/2 Cor Original	0.09
SB-2025-01	75.7	76.75	1.05	K000386	HQ 1/2 Cor Original	0.17
SB-2025-01	76.75	77.4	0.65	K000387	HQ 1/2 Cor Original	0.3
SB-2025-01	77.4	78	0.6	K000388	HQ 1/2 Cor Original	0.005
SB-2025-01	78	78.8	0.8	K000389	HQ 1/2 Cor Original	0.005

SB-2025-01	78.8	79.4	0.6	K000391	HQ 1/2 Cor Original	0.005
SB-2025-01	79.4	80	0.6	K000392	HQ 1/2 Cor Original	0.18
SB-2025-01	80	80.55	0.55	K000393	HQ 1/2 Cor Original	0.005
SB-2025-01	80.55	81.2	0.65	K000394	HQ 1/2 Cor Original	0.005
SB-2025-01	81.2	82	0.8	K000395	HQ 1/2 Cor Original	0.005
SB-2025-01	82	83	1	K000396	HQ 1/2 Cor Original	0.005
SB-2025-01	97	97.75	0.75	K000397	HQ 1/2 Cor Original	0.005
SB-2025-01	97.75	98.5	0.75	K000398	HQ 1/2 Cor Original	0.005
SB-2025-01	98.5	99	0.5	K000399	HQ 1/2 Cor Original	0.16
SB-2025-01	99	100	1	K000401	HQ 1/2 Cor Original	0.01
SB-2025-01	100	101	1	K000402	HQ 1/2 Cor Original	0.01
SB-2025-01	101	102	1	K000403	HQ 1/2 Cor Original	0.07
SB-2025-01	102	103.15	1.15	K000404	HQ 1/2 Cor Original	0.04
SB-2025-01	103.15	104	0.85	K000405	HQ 1/2 Cor Original	0.005
SB-2025-01	104	105	1	K000406	HQ 1/2 Cor Original	0.005
SB-2025-01	105	105.75	0.75	K000407	HQ 1/2 Cor Original	0.12
SB-2025-01	105.75	107	1.25	K000408	HQ 1/2 Cor Original	0.005
SB-2025-01	107	108	1	K000409	HQ 1/2 Cor Original	0.005
SB-2025-01	120	121	1	K000411	HQ 1/2 Cor Original	0.005
SB-2025-01	121	121.53	0.53	K000412	HQ 1/2 Cor Original	0.005
SB-2025-01	121.53	122.15	0.62	K000413	HQ 1/2 Cor Original	0.29
SB-2025-01	122.15	123	0.85	K000414	HQ 1/2 Cor Original	0.03
SB-2025-01	123	123.6	0.6	K000415	HQ 1/2 Cor Original	0.005
SB-2025-01	157.9	159.07	1.17	K000416	HQ 1/2 Cor Original	0.005
SB-2025-01	159.07	160	0.93	K000417	HQ 1/2 Cor Original	0.005
SB-2025-01	160	160.85	0.85	K000418	HQ 1/2 Cor Original	0.005
SB-2025-01	160.85	161.4	0.55	K000419	HQ 1/2 Cor Original	0.005
SB-2025-01	161.4	162.9	1.5	K000421	HQ 1/2 Cor Original	0.005
SB-2025-01	192.4	193.9	1.5	K000422	HQ 1/2 Cor Original	0.005
SB-2025-01	193.9	194.4	0.5	K000423	HQ 1/2 Cor Original	0.05
SB-2025-01	194.4	195	0.6	K000424	HQ 1/2 Cor Original	0.01
SB-2025-01	195	195.5	0.5	K000425	HQ 1/2 Cor Original	0.005
SB-2025-01	195.5	197	1.5	K000426	HQ 1/2 Cor Original	0.005
SB-2025-01	199.45	200.8	1.35	K000427	HQ 1/2 Cor Original	0.005
SB-2025-01	200.8	201.3	0.5	K000428	HQ 1/2 Cor Original	0.005
SB-2025-01	201.3	201.8	0.5	K000429	HQ 1/2 Cor Original	0.005
SB-2025-01	201.8	202.3	0.5	K000431	HQ 1/2 Cor Original	0.005
SB-2025-01	202.3	203.8	1.5	K000432	HQ 1/2 Cor Original	0.005
SB-2025-01	203.8	205	1.2	K000433	HQ 1/2 Cor Original	0.005
SB-2025-01	205	205.5	0.5	K000434	HQ 1/2 Cor Original	0.005
SB-2025-01	205.5	206	0.5	K000435	HQ 1/2 Cor Original	0.005
SB-2025-01	206	206.5	0.5	K000436	HQ 1/2 Cor Original	0.005
SB-2025-01	206.5	208	1.5	K000437	HQ 1/2 Cor Original	0.005
SB-2025-01	243.4	244.9	1.5	K000438	HQ 1/2 Cor Original	0.005

SB-2025-01	244.9	245.4	0.5	K000439	HQ 3/4 Cor Original	0.11
SB-2025-01	245.4	245.9	0.5	K000441	HQ 3/4 Cor Original	1.33
SB-2025-01	245.9	246.4	0.5	K000442	HQ 3/4 Cor Original	0.005
SB-2025-01	246.4	247.9	1.5	K000443	HQ 1/2 Cor Original	0.005
SB-2025-01	287	288.5	1.5	K000444	HQ 1/2 Cor Original	0.005
SB-2025-01	288.5	289.07	0.57	K000445	HQ 3/4 Cor Original	0.005
SB-2025-01	289.07	289.6	0.53	K000446	HQ 3/4 Cor Original	0.005
SB-2025-01	289.6	290.1	0.5	K000447	HQ 3/4 Cor Original	0.005
SB-2025-01	290.1	291.5	1.4	K000448	HQ 1/2 Cor Original	0.005
SB-2025-01	312	313.5	1.5	K000449	HQ 1/2 Cor Original	0.005
SB-2025-01	313.5	314	0.5	K000451	HQ 3/4 Cor Original	0.005
SB-2025-01	314	314.5	0.5	K000452	HQ 3/4 Cor Original	0.01
SB-2025-01	314.5	315	0.5	K000453	HQ 3/4 Cor Original	0.005
SB-2025-01	315	315.5	0.5	K000454	HQ 1/2 Cor Original	0.04
SB-2025-01	315.5	316.5	1	K000455	HQ 1/2 Cor Original	0.05
SB-2025-01	316.5	318	1.5	K000466	HQ 1/2 Cor Original	0.005
SB-2025-01	330	331	1	K000456	HQ 1/2 Cor Original	0.005
SB-2025-01	331	332	1	K000457	HQ 1/2 Cor Original	0.005
SB-2025-01	332	332.85	0.85	K000458	HQ 1/2 Cor Original	0.005
SB-2025-01	332.85	334	1.15	K000459	HQ 1/2 Cor Original	0.005
SB-2025-01	340.85	342.35	1.5	K000461	HQ 1/2 Cor Original	0.005
SB-2025-01	342.35	342.85	0.5	K000462	HQ 3/4 Cor Original	0.005
SB-2025-01	342.85	343.35	0.5	K000463	HQ 3/4 Cor Original	11.2
SB-2025-01	343.35	343.85	0.5	K000464	HQ 3/4 Cor Original	0.01
SB-2025-01	343.85	345.35	1.5	K000465	HQ 1/2 Cor Original	4.37
SB-2025-01	345.35	346.5	1.15	K000995	HQ 1/2 Cor Original	0.005
SB-2025-01	346.5	347.45	0.95	K000996	HQ 1/2 Cor Original	0.005
SB-2025-01	347.45	348.3	0.85	K000997	HQ 1/2 Cor Original	0.005
SB-2025-01	348.3	349	0.7	K000998	HQ 1/2 Cor Original	0.59
SB-2025-01	349	349.5	0.5	K000999	HQ 1/2 Cor Original	0.005
SB-2025-01	349.5	350.4	0.9	K001001	HQ 1/2 Cor Original	0.005
SB-2025-01	350.4	351	0.6	K001002	HQ 1/2 Cor Original	0.005
SB-2025-01	351	352.1	1.1	K001003	HQ 1/2 Cor Original	0.005
SB-2025-01	27	28.25	1.25	K000467	HQ 1/2 Cor Original	0.02
SB-2025-01	28.25	28.9	0.65	K000468	HQ 1/2 Cor Original	0.83
SB-2025-01	28.9	29.65	0.75	K000469	HQ 1/2 Cor Original	0.1
SB-2025-01	29.65	30.6	0.95	K000471	HQ 1/2 Cor Original	0.35
SB-2025-01	30.6	31.6	1	K000472	HQ 1/2 Cor Original	0.22
SB-2025-01	31.6	32.6	1	K000473	HQ 1/2 Cor Original	0.005
SB-2025-01	42.25	43.75	1.5	K000474	HQ 1/2 Cor Original	0.005
SB-2025-01	43.75	44.5	0.75	K000475	HQ 1/2 Cor Original	0.2
SB-2025-01	44.5	46	1.5	K000476	HQ 1/2 Cor Original	0.005
SB-2025-01	46	47.5	1.5	K000477	HQ 1/2 Cor Original	0.005
SB-2025-01	47.5	48.3	0.8	K000478	HQ 1/2 Cor Original	0.005

SB-2025-01	48.3	48.8	0.5	K000479	HQ 3/4 Cor Original	0.02
SB-2025-01	48.8	49.3	0.5	K000481	HQ 3/4 Cor Original	0.16
SB-2025-01	49.3	49.8	0.5	K000482	HQ 3/4 Cor Original	0.005
SB-2025-01	49.8	50.5	0.7	K000483	HQ 1/2 Cor Original	0.005
SB-2025-01	50.5	52	1.5	K000484	HQ 1/2 Cor Original	0.005
SB-2025-01	58.3	59.75	1.45	K000485	HQ 1/2 Cor Original	0.005
SB-2025-01	59.75	60.25	0.5	K000486	HQ 1/2 Cor Original	0.005
SB-2025-01	60.25	60.75	0.5	K000487	HQ 1/2 Cor Original	0.005
SB-2025-01	60.75	61.25	0.5	K000488	HQ 1/2 Cor Original	0.005
SB-2025-01	61.25	62.75	1.5	K000489	HQ 1/2 Cor Original	0.005
SB-2025-01	62.75	64.15	1.4	K000491	HQ 1/2 Cor Original	0.005
SB-2025-01	64.15	65.25	1.1	K000492	HQ 1/2 Cor Original	0.005
SB-2025-01	65.25	65.75	0.5	K000493	HQ 1/2 Cor Original	0.07
SB-2025-01	65.75	66.3	0.55	K000494	HQ 1/2 Cor Original	0.48
SB-2025-01	66.3	67	0.7	K000495	HQ 1/2 Cor Original	0.07
SB-2025-01	67	68.45	1.45	K000496	HQ 1/2 Cor Original	0.005
SB-2025-01	68.45	68.95	0.5	K000497	HQ 1/2 Cor Original	2.7
SB-2025-01	68.95	69.55	0.6	K000498	HQ 1/2 Cor Original	0.14
SB-2025-01	69.55	70.05	0.5	K000499	HQ 1/2 Cor Original	0.26
SB-2025-01	70.05	70.75	0.7	K000501	HQ 1/2 Cor Original	0.19
SB-2025-01	70.75	71.25	0.5	K000502	HQ 1/2 Cor Original	0.05
SB-2025-01	71.25	71.75	0.5	K000503	HQ 1/2 Cor Original	0.42
SB-2025-01	71.75	72.35	0.6	K000504	HQ 1/2 Cor Original	1.13
SB-2025-01	72.35	72.85	0.5	K000505	HQ 1/2 Cor Original	0.39
SB-2025-01	72.85	73.5	0.65	K000506	HQ 1/2 Cor Original	0.07
SB-2025-01	73.5	75	1.5	K000507	HQ 1/2 Cor Original	0.005
SB-2025-01	75	75.5	0.5	K000508	HQ 1/2 Cor Original	0.04
SB-2025-01	75.5	76	0.5	K000509	HQ 1/2 Cor Original	0.35
SB-2025-01	76	76.5	0.5	K000511	HQ 1/2 Cor Original	0.01
SB-2025-01	76.5	77	0.5	K000512	HQ 1/2 Cor Original	0.01
SB-2025-01	77	78	1	K000513	HQ 1/2 Cor Original	0.005
SB-2025-01	78	79.1	1.1	K000514	HQ 1/2 Cor Original	0.02
SB-2025-01	79.1	80	0.9	K000515	HQ 1/2 Cor Original	0.005
SB-2025-01	80	81	1	K000516	HQ 1/2 Cor Original	0.005
SB-2025-01	81	82	1	K000517	HQ 1/2 Cor Original	0.005
SB-2025-01	82	83	1	K000518	HQ 1/2 Cor Original	0.005
SB-2025-01	83	84	1	K000519	HQ 1/2 Cor Original	0.005
SB-2025-01	84	85.3	1.3	K000521	HQ 1/2 Cor Original	0.005
SB-2025-01	85.3	86.45	1.15	K000522	HQ 1/2 Cor Original	0.005
SB-2025-01	86.45	87.8	1.35	K000523	HQ 1/2 Cor Original	0.005
SB-2025-01	87.8	88.6	0.8	K000524	HQ 1/2 Cor Original	0.005
SB-2025-01	88.6	89.4	0.8	K000525	HQ 1/2 Cor Original	0.005
SB-2025-01	89.4	89.9	0.5	K000526	HQ 1/2 Cor Original	0.12
SB-2025-01	89.9	90.6	0.7	K000527	HQ 1/2 Cor Original	0.005

SB-2025-01	90.6	91.8	1.2	K000528	HQ 1/2 Cor Original	0.005
SB-2025-01	99.95	101	1.05	K000529	HQ 1/2 Cor Original	0.005
SB-2025-01	101	101.5	0.5	K000531	HQ 1/2 Cor Original	0.005
SB-2025-01	101.5	102	0.5	K000532	HQ 1/2 Cor Original	0.005
SB-2025-01	102	102.5	0.5	K000533	HQ 1/2 Cor Original	0.01
SB-2025-01	102.5	103.1	0.6	K000534	HQ 1/2 Cor Original	0.005
SB-2025-01	103.1	104.6	1.5	K000535	HQ 1/2 Cor Original	0.005
SB-2025-01	104.6	105.1	0.5	K000536	HQ 1/2 Cor Original	0.005
SB-2025-01	105.1	105.65	0.55	K000537	HQ 1/2 Cor Original	0.005
SB-2025-01	105.65	106.2	0.55	K000538	HQ 1/2 Cor Original	0.005
SB-2025-01	106.2	107.55	1.35	K000539	HQ 1/2 Cor Original	0.005
SB-2025-01	107.55	109	1.45	K000541	HQ 1/2 Cor Original	0.005
SB-2025-01	109	109.5	0.5	K000542	HQ 1/2 Cor Original	0.005
SB-2025-01	109.5	110	0.5	K000543	HQ 1/2 Cor Original	0.005
SB-2025-01	110	111.45	1.45	K000544	HQ 1/2 Cor Original	0.005
SB-2025-01	153.4	154.75	1.35	K000545	HQ 1/2 Cor Original	0.005
SB-2025-01	154.75	155.6	0.85	K000546	HQ 1/2 Cor Original	0.05
SB-2025-01	155.6	156.1	0.5	K000547	HQ 1/2 Cor Original	0.13
SB-2025-01	156.1	156.6	0.5	K000548	HQ 1/2 Cor Original	0.04
SB-2025-01	156.6	158	1.4	K000549	HQ 1/2 Cor Original	0.005
SB-2025-01	175	176.35	1.35	K000551	HQ 1/2 Cor Original	0.005
SB-2025-01	176.35	177	0.65	K000552	HQ 1/2 Cor Original	0.02
SB-2025-01	177	177.9	0.9	K000553	HQ 1/2 Cor Original	0.09
SB-2025-01	177.9	179	1.1	K000554	HQ 1/2 Cor Original	0.005
SB-2025-01	179	180	1	K000555	HQ 1/2 Cor Original	0.005
SB-2025-01	183.6	185.1	1.5	K000556	HQ 1/2 Cor Original	0.005
SB-2025-01	185.1	185.65	0.55	K000557	HQ 1/2 Cor Original	0.005
SB-2025-01	185.65	186.2	0.55	K000558	HQ 1/2 Cor Original	0.03
SB-2025-01	186.2	186.85	0.65	K000559	HQ 1/2 Cor Original	0.3
SB-2025-01	186.85	187.35	0.5	K000561	HQ 1/2 Cor Original	0.03
SB-2025-01	187.35	187.9	0.55	K000562	HQ 1/2 Cor Original	0.22
SB-2025-01	187.9	188.55	0.65	K000563	HQ 1/2 Cor Original	0.005
SB-2025-01	188.55	190	1.45	K000564	HQ 1/2 Cor Original	0.005
SB-2025-01	203.3	204.7	1.4	K000565	HQ 1/2 Cor Original	0.005
SB-2025-01	204.7	205.25	0.55	K000566	HQ 1/2 Cor Original	0.005
SB-2025-01	205.25	205.8	0.55	K000567	HQ 1/2 Cor Original	0.005
SB-2025-01	205.8	206.35	0.55	K000568	HQ 1/2 Cor Original	0.005
SB-2025-01	206.35	207.65	1.3	K000569	HQ 1/2 Cor Original	0.005
SB-2025-01	234.25	235.75	1.5	K000571	HQ 1/2 Cor Original	0.005
SB-2025-01	235.75	236.25	0.5	K000572	HQ 1/2 Cor Original	0.005
SB-2025-01	236.25	236.75	0.5	K000573	HQ 1/2 Cor Original	1.1
SB-2025-01	236.75	237.3	0.55	K000574	HQ 1/2 Cor Original	0.005
SB-2025-01	237.3	238.7	1.4	K000575	HQ 1/2 Cor Original	0.005
SB-2025-01	267.5	269	1.5	K000576	HQ 1/2 Cor Original	0.005

SB-2025-01	269	269.5	0.5	K000577	HQ 1/2 Cor Original	0.005
SB-2025-01	269.5	270	0.5	K000578	HQ 1/2 Cor Original	0.005
SB-2025-01	270	270.5	0.5	K000579	HQ 1/2 Cor Original	0.005
SB-2025-01	270.5	272	1.5	K000581	HQ 1/2 Cor Original	0.005
SB-2025-01	291	292.5	1.5	K000582	HQ 1/2 Cor Original	0.005
SB-2025-01	292.5	293.4	0.9	K000583	HQ 1/2 Cor Original	0.005
SB-2025-01	293.4	294	0.6	K000584	HQ 1/2 Cor Original	0.53
SB-2025-01	294	294.5	0.5	K000585	HQ 1/2 Cor Original	1.8
SB-2025-01	294.5	295.25	0.75	K000586	HQ 1/2 Cor Original	0.01
SB-2025-01	295.25	296.4	1.15	K000587	HQ 1/2 Cor Original	0.02
SB-2025-01	296.4	297	0.6	K000588	HQ 1/2 Cor Original	0.27
SB-2025-01	297	298	1	K000589	HQ 1/2 Cor Original	0.005
SB-2025-01	298	299	1	K000591	HQ 1/2 Cor Original	0.005
SB-2025-01	299	300	1	K000592	HQ 1/2 Cor Original	0.005
SB-2025-01	306.5	308	1.5	K000593	HQ 1/2 Cor Original	0.005
SB-2025-01	308	309.1	1.1	K000594	HQ 1/2 Cor Original	0.005
SB-2025-01	309.1	309.65	0.55	K000595	HQ 1/2 Cor Original	0.005
SB-2025-01	309.65	310.15	0.5	K000596	HQ 1/2 Cor Original	0.005
SB-2025-01	310.15	310.75	0.6	K000597	HQ 1/2 Cor Original	0.07
SB-2025-01	310.75	311.85	1.1	K000598	HQ 1/2 Cor Original	0.03
SB-2025-01	311.85	312.35	0.5	K000599	HQ 1/2 Cor Original	0.005
SB-2025-01	24	25.5	1.5	K000601	HQ 1/2 Cor Original	0.005
SB-2025-01	25.5	26.15	0.65	K000602	HQ 1/2 Cor Original	0.06
SB-2025-01	26.15	26.7	0.55	K000603	HQ 1/2 Cor Original	0.62
SB-2025-01	26.7	27.4	0.7	K000604	HQ 1/2 Cor Original	4
SB-2025-01	27.4	28.25	0.85	K000605	HQ 1/2 Cor Original	0.18
SB-2025-01	28.25	29	0.75	K000606	HQ 1/2 Cor Original	0.16
SB-2025-01	29	30.5	1.5	K000607	HQ 1/2 Cor Original	0.32
SB-2025-01	30.5	32	1.5	K000608	HQ 1/2 Cor Original	0.05
SB-2025-01	45.9	47.4	1.5	K000609	HQ 1/2 Cor Original	0.005
SB-2025-01	47.4	48	0.6	K000611	HQ 1/2 Cor Original	0.005
SB-2025-01	48	48.5	0.5	K000612	HQ 1/2 Cor Original	0.01
SB-2025-01	48.5	49	0.5	K000613	HQ 1/2 Cor Original	0.1
SB-2025-01	49	49.7	0.7	K000614	HQ 1/2 Cor Original	0.005
SB-2025-01	49.7	51.2	1.5	K000615	HQ 1/2 Cor Original	0.005
SB-2025-01	62.75	64	1.25	K000616	HQ 1/2 Cor Original	0.005
SB-2025-01	64	64.75	0.75	K000617	HQ 1/2 Cor Original	0.47
SB-2025-01	64.75	65.65	0.9	K000618	HQ 1/2 Cor Original	1.35
SB-2025-01	65.65	67	1.35	K000619	HQ 1/2 Cor Original	0.21
SB-2025-01	74.5	76	1.5	K000621	HQ 1/2 Cor Original	0.005
SB-2025-01	76	77.25	1.25	K000622	HQ 1/2 Cor Original	0.36
SB-2025-01	77.25	78.25	1	K000623	HQ 1/2 Cor Original	0.75
SB-2025-01	78.25	79.5	1.25	K000624	HQ 1/2 Cor Original	0.03
SB-2025-01	79.5	80.5	1	K000625	HQ 1/2 Cor Original	0.12

SB-2025-01	80.5	82	1.5	K000626	HQ 1/2 Cor Original	0.02
SB-2025-01	82	83	1	K000627	HQ 1/2 Cor Original	0.1
SB-2025-01	83	84	1	K000628	HQ 1/2 Cor Original	0.005
SB-2025-01	84	85.5	1.5	K000629	HQ 1/2 Cor Original	0.005
SB-2025-01	85.5	86.8	1.3	K000631	HQ 1/2 Cor Original	0.02
SB-2025-01	86.8	87.5	0.7	K000632	HQ 1/2 Cor Original	0.02
SB-2025-01	87.5	88	0.5	K000633	HQ 1/2 Cor Original	1.14
SB-2025-01	88	88.5	0.5	K000634	HQ 1/2 Cor Original	0.96
SB-2025-01	88.5	89.25	0.75	K000635	HQ 1/2 Cor Original	0.03
SB-2025-01	89.25	90.45	1.2	K000636	HQ 1/2 Cor Original	0.005
SB-2025-01	93.5	94.95	1.45	K000637	HQ 1/2 Cor Original	0.005
SB-2025-01	94.95	95.45	0.5	K000638	HQ 1/2 Cor Original	0.005
SB-2025-01	95.45	96	0.55	K000639	HQ 1/2 Cor Original	0.005
SB-2025-01	96	96.55	0.55	K000641	HQ 1/2 Cor Original	0.005
SB-2025-01	96.55	98	1.45	K000642	HQ 1/2 Cor Original	0.005
SB-2025-01	110.75	112.25	1.5	K000643	HQ 1/2 Cor Original	0.01
SB-2025-01	112.25	113.5	1.25	K000644	HQ 1/2 Cor Original	0.005
SB-2025-01	113.5	114.4	0.9	K000645	HQ 1/2 Cor Original	0.005
SB-2025-01	114.4	115.5	1.1	K000646	HQ 1/2 Cor Original	0.005
SB-2025-01	115.5	117	1.5	K000647	HQ 1/2 Cor Original	0.005
SB-2025-01	143.75	145.05	1.3	K000648	HQ 1/2 Cor Original	0.005
SB-2025-01	145.05	146.3	1.25	K000649	HQ 1/2 Cor Original	0.005
SB-2025-01	146.3	147	0.7	K000651	HQ 1/2 Cor Original	0.005
SB-2025-01	147	147.7	0.7	K000652	HQ 1/2 Cor Original	0.005
SB-2025-01	147.7	148.65	0.95	K000653	HQ 1/2 Cor Original	0.005
SB-2025-01	148.65	149.6	0.95	K000654	HQ 1/2 Cor Original	0.005
SB-2025-01	149.6	150.25	0.65	K000655	HQ 1/2 Cor Original	0.005
SB-2025-01	150.25	150.95	0.7	K000656	HQ 1/2 Cor Original	0.005
SB-2025-01	150.95	152	1.05	K000657	HQ 1/2 Cor Original	0.06
SB-2025-01	152	153.25	1.25	K000658	HQ 1/2 Cor Original	0.005
SB-2025-01	153.25	154.6	1.35	K000659	HQ 1/2 Cor Original	0.02
SB-2025-01	179	180.5	1.5	K000661	HQ 1/2 Cor Original	0.005
SB-2025-01	180.5	181.25	0.75	K000662	HQ 1/2 Cor Original	0.03
SB-2025-01	181.25	182	0.75	K000663	HQ 1/2 Cor Original	0.04
SB-2025-01	182	183	1	K000664	HQ 1/2 Cor Original	0.005
SB-2025-01	183	184.5	1.5	K000665	HQ 1/2 Cor Original	0.01
SB-2025-01	184.5	185.25	0.75	K000666	HQ 1/2 Cor Original	0.02
SB-2025-01	185.25	186.5	1.25	K000667	HQ 1/2 Cor Original	0.06
SB-2025-01	186.5	187.2	0.7	K000668	HQ 1/2 Cor Original	2.88
SB-2025-01	187.2	187.9	0.7	K000669	HQ 1/2 Cor Original	1.1
SB-2025-01	187.9	189	1.1	K000671	HQ 1/2 Cor Original	0.81
SB-2025-01	189	190.5	1.5	K000672	HQ 1/2 Cor Original	0.005
SB-2025-01	216	217	1	K000673	HQ 1/2 Cor Original	0.005
SB-2025-01	217	217.7	0.7	K000674	HQ 1/2 Cor Original	0.005

SB-2025-01	217.7	218.25	0.55	K000675	HQ 1/2 Cor Original	1.11
SB-2025-01	218.25	219	0.75	K000676	HQ 1/2 Cor Original	0.16
SB-2025-01	219	220.5	1.5	K000677	HQ 1/2 Cor Original	0.44
SB-2025-01	220.5	222	1.5	K000678	HQ 1/2 Cor Original	0.01
SB-2025-01	222	223.5	1.5	K000679	HQ 1/2 Cor Original	0.005
SB-2025-01	223.5	224.2	0.7	K000681	HQ 1/2 Cor Original	0.005
SB-2025-01	224.2	224.75	0.55	K000682	HQ 1/2 Cor Original	0.34
SB-2025-01	224.75	225.3	0.55	K000683	HQ 1/2 Cor Original	0.005
SB-2025-01	225.3	226.8	1.5	K000684	HQ 1/2 Cor Original	0.005
SB-2025-01	226.8	227.75	0.95	K000685	HQ 1/2 Cor Original	0.005
SB-2025-01	227.75	229	1.25	K000686	HQ 1/2 Cor Original	0.005
SB-2025-01	229	230.35	1.35	K000687	HQ 1/2 Cor Original	0.02
SB-2025-01	250.2	251.3	1.1	K000688	HQ 1/2 Cor Original	0.005
SB-2025-01	251.3	251.8	0.5	K000689	HQ 1/2 Cor Original	0.005
SB-2025-01	251.8	252.75	0.95	K000691	HQ 1/2 Cor Original	0.005
SB-2025-01	274	275	1	K000692	HQ 1/2 Cor Original	0.005
SB-2025-01	275	276	1	K000693	HQ 1/2 Cor Original	0.01
SB-2025-01	276	276.75	0.75	K000694	HQ 3/4 Cor Original	3.11
SB-2025-01	276.75	277.6	0.85	K000695	HQ 3/4 Cor Original	3.23
SB-2025-01	277.6	278.15	0.55	K000696	HQ 3/4 Cor Original	9.22
SB-2025-01	278.15	279	0.85	K000697	HQ 1/2 Cor Original	0.01
SB-2025-01	279	280	1	K000698	HQ 1/2 Cor Original	0.005
SB-2025-01	280	281	1	K000699	HQ 1/2 Cor Original	0.005
SB-2025-01	281	282.2	1.2	K000701	HQ 1/2 Cor Original	0.005
SB-2025-01	289.3	290.65	1.35	K000702	HQ 1/2 Cor Original	0.005
SB-2025-01	290.65	291.35	0.7	K000703	HQ 1/2 Cor Original	0.005
SB-2025-01	291.35	291.85	0.5	K000704	HQ 1/2 Cor Original	0.005
SB-2025-01	291.85	292.5	0.65	K000705	HQ 1/2 Cor Original	0.005
SB-2025-01	292.5	294	1.5	K000706	HQ 1/2 Cor Original	0.005
SB-2025-01	297.75	299.25	1.5	K000707	HQ 1/2 Cor Original	0.005
SB-2025-01	299.25	299.9	0.65	K000708	HQ 1/2 Cor Original	0.005
SB-2025-01	299.9	300.4	0.5	K000709	HQ 1/2 Cor Original	0.28
SB-2025-01	300.4	301.2	0.8	K000711	HQ 1/2 Cor Original	0.02
SB-2025-01	301.2	302.35	1.15	K000712	HQ 1/2 Cor Original	0.005
SB-2025-01	302.35	303.5	1.15	K000713	HQ 1/2 Cor Original	0.005
SB-2025-01	303.5	305	1.5	K000714	HQ 1/2 Cor Original	0.005
SB-2025-01	305	306.2	1.2	K000715	HQ 1/2 Cor Original	0.005
SB-2025-01	306.2	306.9	0.7	K000716	HQ 1/2 Cor Original	0.01
SB-2025-01	306.9	308.05	1.15	K000717	HQ 1/2 Cor Original	0.005
SB-2025-01	308.05	309	0.95	K000718	HQ 1/2 Cor Original	0.005
SB-2025-01	309	309.7	0.7	K000719	HQ 1/2 Cor Original	0.005
SB-2025-01	309.7	310.5	0.8	K000721	HQ 1/2 Cor Original	4.06
SB-2025-01	310.5	311.2	0.7	K000722	HQ 1/2 Cor Original	0.005
SB-2025-01	311.2	312	0.8	K000723	HQ 1/2 Cor Original	0.005

SB-2025-01	312	313.5	1.5	K000724	HQ 1/2 Cor Original	0.005
SB-2025-01	313.5	314.55	1.05	K000725	HQ 1/2 Cor Original	0.005
SB-2025-01	314.55	315.35	0.8	K000726	HQ 1/2 Cor Original	0.04
SB-2025-01	315.35	315.9	0.55	K000727	HQ 1/2 Cor Original	0.81
SB-2025-01	315.9	316.55	0.65	K000728	HQ 1/2 Cor Original	0.2
SB-2025-01	316.55	317.15	0.6	K000729	HQ 1/2 Cor Original	0.005
SB-2025-01	317.15	318.65	1.5	K000731	HQ 1/2 Cor Original	0.005
SB-2025-01	25	26.4	1.4	K000732	HQ 1/2 Cor Original	0.005
SB-2025-01	26.4	27.3	0.9	K000733	HQ 1/2 Cor Original	1.36
SB-2025-01	27.3	27.85	0.55	K000734	HQ 1/2 Cor Original	1.39
SB-2025-01	27.85	29	1.15	K000735	HQ 1/2 Cor Original	0.03
SB-2025-01	29	30	1	K000736	HQ 1/2 Cor Original	0.07
SB-2025-01	30	31.45	1.45	K000737	HQ 1/2 Cor Original	0.08
SB-2025-01	31.45	32.2	0.75	K000738	HQ 1/2 Cor Original	0.02
SB-2025-01	32.2	33	0.8	K000739	HQ 1/2 Cor Original	0.1
SB-2025-01	33	34.5	1.5	K000741	HQ 1/2 Cor Original	0.005
SB-2025-01	60.55	61.5	0.95	K000742	HQ 1/2 Cor Original	0.005
SB-2025-01	61.5	62.1	0.6	K000743	HQ 1/2 Cor Original	0.005
SB-2025-01	62.1	62.7	0.6	K000744	HQ 1/2 Cor Original	0.09
SB-2025-01	62.7	63.35	0.65	K000745	HQ 1/2 Cor Original	0.91
SB-2025-01	63.35	64.4	1.05	K000746	HQ 1/2 Cor Original	0.005
SB-2025-01	64.4	65.5	1.1	K000747	HQ 1/2 Cor Original	0.04
SB-2025-01	65.5	67	1.5	K000748	HQ 1/2 Cor Original	0.005
SB-2025-01	67	68	1	K000749	HQ 1/2 Cor Original	0.01
SB-2025-01	68	68.6	0.6	K000751	HQ 1/2 Cor Original	0.61
SB-2025-01	68.6	70	1.4	K000752	HQ 1/2 Cor Original	0.005
SB-2025-01	78.2	79.5	1.3	K000753	HQ 1/2 Cor Original	0.31
SB-2025-01	79.5	80.5	1	K000754	HQ 1/2 Cor Original	0.11
SB-2025-01	80.5	81.55	1.05	K000755	HQ 1/2 Cor Original	0.005
SB-2025-01	81.55	82.2	0.65	K000756	HQ 1/2 Cor Original	0.03
SB-2025-01	82.2	82.75	0.55	K000757	HQ 1/2 Cor Original	1.36
SB-2025-01	82.75	83.5	0.75	K000758	HQ 1/2 Cor Original	0.02
SB-2025-01	83.5	85	1.5	K000759	HQ 1/2 Cor Original	0.01
SB-2025-01	152.78	154.15	1.37	K000761	HQ 1/2 Cor Original	0.005
SB-2025-01	154.15	154.75	0.6	K000762	HQ 1/2 Cor Original	0.005
SB-2025-01	154.75	155.3	0.55	K000763	HQ 1/2 Cor Original	0.11
SB-2025-01	155.3	156	0.7	K000764	HQ 1/2 Cor Original	0.005
SB-2025-01	156	157.05	1.05	K000765	HQ 1/2 Cor Original	0.005
SB-2025-01	175.25	176.75	1.5	K000766	HQ 1/2 Cor Original	0.005
SB-2025-01	176.75	177.35	0.6	K000767	HQ 1/2 Cor Original	0.005
SB-2025-01	177.35	177.85	0.5	K000768	HQ 1/2 Cor Original	0.005
SB-2025-01	177.85	178.8	0.95	K000769	HQ 1/2 Cor Original	0.005
SB-2025-01	178.8	179.45	0.65	K000771	HQ 1/2 Cor Original	0.005
SB-2025-01	179.45	180.1	0.65	K000772	HQ 1/2 Cor Original	0.15

SB-2025-01	180.1	180.8	0.7	K000773	HQ 1/2 Cor Original	0.04
SB-2025-01	180.8	182.23	1.43	K000774	HQ 1/2 Cor Original	0.005
SB-2025-01	182.23	183.6	1.37	K000775	HQ 1/2 Cor Original	0.005
SB-2025-01	183.6	185.1	1.5	K000776	HQ 1/2 Cor Original	0.005
SB-2025-01	185.1	185.75	0.65	K000777	HQ 1/2 Cor Original	0.005
SB-2025-01	185.75	186.25	0.5	K000778	HQ 1/2 Cor Original	0.03
SB-2025-01	186.25	186.9	0.65	K000779	HQ 1/2 Cor Original	0.02
SB-2025-01	186.9	188	1.1	K000781	HQ 1/2 Cor Original	0.2
SB-2025-01	230.5	232	1.5	K000782	HQ 1/2 Cor Original	0.005
SB-2025-01	232	232.5	0.5	K000783	HQ 1/2 Cor Original	0.005
SB-2025-01	232.5	233	0.5	K000784	HQ 1/2 Cor Original	0.02
SB-2025-01	233	233.6	0.6	K000785	HQ 1/2 Cor Original	0.005
SB-2025-01	233.6	234.1	0.5	K000786	HQ 1/2 Cor Original	0.005
SB-2025-01	234.1	234.62	0.52	K000787	HQ 1/2 Cor Original	0.005
SB-2025-01	234.62	236	1.38	K000788	HQ 1/2 Cor Original	0.005
SB-2025-01	236	237	1	K000789	HQ 1/2 Cor Original	0.005
SB-2025-01	237	237.9	0.9	K000791	HQ 1/2 Cor Original	0.005
SB-2025-01	237.9	238.4	0.5	K000792	HQ 1/2 Cor Original	0.15
SB-2025-01	238.4	239.2	0.8	K000793	HQ 1/2 Cor Original	2.74
SB-2025-01	239.2	239.7	0.5	K000794	HQ 1/2 Cor Original	0.06
SB-2025-01	239.7	240.7	1	K000795	HQ 1/2 Cor Original	0.005
SB-2025-01	240.7	241.45	0.75	K000796	HQ 1/2 Cor Original	0.09
SB-2025-01	241.45	242.55	1.1	K000797	HQ 1/2 Cor Original	0.005
SB-2025-01	258.7	260.2	1.5	K000798	HQ 1/2 Cor Original	0.005
SB-2025-01	260.2	260.7	0.5	K000799	HQ 1/2 Cor Original	0.005
SB-2025-01	260.7	261.2	0.5	K000801	HQ 1/2 Cor Original	0.1
SB-2025-01	261.2	261.7	0.5	K000802	HQ 1/2 Cor Original	0.005
SB-2025-01	261.7	262.88	1.18	K000803	HQ 1/2 Cor Original	0.005
SB-2025-01	262.88	264	1.12	K000804	HQ 1/2 Cor Original	0.005
SB-2025-01	289.2	290.7	1.5	K000805	HQ 1/2 Cor Original	0.005
SB-2025-01	290.7	291.2	0.5	K000806	HQ 1/2 Cor Original	0.005
SB-2025-01	291.2	291.7	0.5	K000807	HQ 3/4 Cor Original	0.005
SB-2025-01	291.7	292.2	0.5	K000808	HQ 3/4 Cor Original	1.51
SB-2025-01	292.2	292.7	0.5	K000809	HQ 3/4 Cor Original	0.93
SB-2025-01	292.7	293.3	0.6	K000811	HQ 3/4 Cor Original	1.18
SB-2025-01	293.3	294.8	1.5	K000812	HQ 1/2 Cor Original	0.005
SB-2025-01	294.8	296	1.2	K000813	HQ 1/2 Cor Original	0.005
SB-2025-01	296	296.5	0.5	K000814	HQ 1/2 Cor Original	0.02
SB-2025-01	296.5	297	0.5	K000815	HQ 1/2 Cor Original	0.005
SB-2025-01	297	298	1	K000816	HQ 1/2 Cor Original	0.005
SB-2025-01	298	298.5	0.5	K000817	HQ 3/4 Cor Original	0.005
SB-2025-01	298.5	299.03	0.53	K000818	HQ 3/4 Cor Original	0.005
SB-2025-01	299.03	299.53	0.5	K000819	HQ 3/4 Cor Original	0.005
SB-2025-01	299.53	301	1.47	K000821	HQ 1/2 Cor Original	0.005

SB-2025-01	307.5	309	1.5	K000822	HQ 1/2 Cor Original	0.005
SB-2025-01	309	309.5	0.5	K000823	HQ 3/4 Cor Original	0.005
SB-2025-01	309.5	310	0.5	K000824	HQ 3/4 Cor Original	2.13
SB-2025-01	310	310.5	0.5	K000825	HQ 3/4 Cor Original	0.005
SB-2025-01	310.5	312	1.5	K000826	HQ 1/2 Cor Original	0.16
SB-2025-01	312	313.3	1.3	K000827	HQ 1/2 Cor Original	0.005
SB-2025-01	313.3	314.6	1.3	K000828	HQ 1/2 Cor Original	0.005
SB-2025-01	314.6	316	1.4	K000829	HQ 1/2 Cor Original	0.005
SB-2025-01	316	317	1	K000831	HQ 1/2 Cor Original	0.005
SB-2025-01	317	318	1	K000832	HQ 1/2 Cor Original	0.005
SB-2025-01	318	319	1	K000833	HQ 1/2 Cor Original	0.04
SB-2025-01	319	320	1	K000834	HQ 1/2 Cor Original	0.005
SB-2025-01	320	321.2	1.2	K000835	HQ 1/2 Cor Original	0.005
SB-2025-01	6	7.5	1.5	K000836	HQ 1/2 Cor Original	0.005
SB-2025-01	7.5	8	0.5	K000837	HQ 1/2 Cor Original	0.005
SB-2025-01	8	8.5	0.5	K000838	HQ 1/2 Cor Original	0.005
SB-2025-01	8.5	9	0.5	K000839	HQ 1/2 Cor Original	0.005
SB-2025-01	9	10.5	1.5	K000841	HQ 1/2 Cor Original	0.005
SB-2025-01	16.5	18	1.5	K000842	HQ 1/2 Cor Original	0.005
SB-2025-01	18	18.6	0.6	K000843	HQ 1/2 Cor Original	0.005
SB-2025-01	18.6	19.1	0.5	K000844	HQ 1/2 Cor Original	0.02
SB-2025-01	19.1	19.98	0.88	K000845	HQ 1/2 Cor Original	0.005
SB-2025-01	19.98	21.35	1.37	K000846	HQ 1/2 Cor Original	0.005
SB-2025-01	24.7	26	1.3	K000847	HQ 1/2 Cor Original	0.005
SB-2025-01	26	26.85	0.85	K000848	HQ 1/2 Cor Original	0.08
SB-2025-01	26.85	27.35	0.5	K000849	HQ 1/2 Cor Original	1.86
SB-2025-01	27.35	27.85	0.5	K000851	HQ 1/2 Cor Original	1.88
SB-2025-01	27.85	28.35	0.5	K000852	HQ 1/2 Cor Original	0.09
SB-2025-01	28.35	29.85	1.5	K000853	HQ 1/2 Cor Original	0.02
SB-2025-01	29.85	30.55	0.7	K000854	HQ 1/2 Cor Original	0.005
SB-2025-01	30.55	31.7	1.15	K000855	HQ 1/2 Cor Original	0.01
SB-2025-01	31.7	32.2	0.5	K000856	HQ 1/2 Cor Original	0.18
SB-2025-01	32.2	32.7	0.5	K000857	HQ 1/2 Cor Original	1.37
SB-2025-01	32.7	33.2	0.5	K000858	HQ 1/2 Cor Original	0.005
SB-2025-01	33.2	34.7	1.5	K000859	HQ 1/2 Cor Original	0.005
SB-2025-01	37.1	38.6	1.5	K000861	HQ 1/2 Cor Original	0.005
SB-2025-01	38.6	39.1	0.5	K000862	HQ 1/2 Cor Original	0.005
SB-2025-01	39.1	39.6	0.5	K000863	HQ 1/2 Cor Original	0.05
SB-2025-01	39.6	40.1	0.5	K000864	HQ 1/2 Cor Original	0.005
SB-2025-01	40.1	41.5	1.4	K000865	HQ 1/2 Cor Original	0.005
SB-2025-01	47	48.5	1.5	K000866	HQ 1/2 Cor Original	0.005
SB-2025-01	48.5	49	0.5	K000867	HQ 1/2 Cor Original	0.005
SB-2025-01	49	49.5	0.5	K000868	HQ 1/2 Cor Original	0.09
SB-2025-01	49.5	50	0.5	K000869	HQ 1/2 Cor Original	0.005

SB-2025-01	50	51.4	1.4	K000871	HQ 1/2 Cor Original	0.005
SB-2025-01	60	61.5	1.5	K000872	HQ 1/2 Cor Original	0.07
SB-2025-01	61.5	62	0.5	K000873	HQ 1/2 Cor Original	0.35
SB-2025-01	62	62.5	0.5	K000874	HQ 1/2 Cor Original	1.61
SB-2025-01	62.5	63	0.5	K000875	HQ 1/2 Cor Original	4.97
SB-2025-01	63	63.7	0.7	K000876	HQ 1/2 Cor Original	2.37
SB-2025-01	63.7	64.5	0.8	K000877	HQ 1/2 Cor Original	2.19
SB-2025-01	64.5	65	0.5	K000878	HQ 1/2 Cor Original	0.01
SB-2025-01	65	66.3	1.3	K000879	HQ 1/2 Cor Original	0.12
SB-2025-01	73.2	74.7	1.5	K000881	HQ 1/2 Cor Original	0.005
SB-2025-01	74.7	75.2	0.5	K000882	HQ 1/2 Cor Original	0.005
SB-2025-01	75.2	76.2	1	K000883	HQ 1/2 Cor Original	1.73
SB-2025-01	76.2	77	0.8	K000884	HQ 1/2 Cor Original	0.005
SB-2025-01	77	78.5	1.5	K000885	HQ 1/2 Cor Original	0.005
SB-2025-01	78.5	80	1.5	K000886	HQ 1/2 Cor Original	0.01
SB-2025-01	80	81	1	K000887	HQ 1/2 Cor Original	0.07
SB-2025-01	81	82	1	K000888	HQ 1/2 Cor Original	0.01
SB-2025-01	82	82.5	0.5	K000889	HQ 1/2 Cor Original	0.005
SB-2025-01	82.5	83.7	1.2	K000891	HQ 1/2 Cor Original	0.02
SB-2025-01	83.7	84.35	0.65	K000892	HQ 1/2 Cor Original	1.06
SB-2025-01	84.35	85.2	0.85	K000893	HQ 1/2 Cor Original	0.27
SB-2025-01	85.2	85.7	0.5	K000894	HQ 1/2 Cor Original	0.08
SB-2025-01	85.7	86.2	0.5	K000895	HQ 1/2 Cor Original	0.69
SB-2025-01	86.2	86.7	0.5	K000896	HQ 1/2 Cor Original	0.08
SB-2025-01	86.7	87.3	0.6	K000897	HQ 1/2 Cor Original	0.38
SB-2025-01	87.3	87.9	0.6	K000898	HQ 1/2 Cor Original	0.005
SB-2025-01	87.9	89.4	1.5	K000899	HQ 1/2 Cor Original	0.005
SB-2025-01	89.4	90	0.6	K000901	HQ 1/2 Cor Original	0.005
SB-2025-01	90	90.5	0.5	K000902	HQ 1/2 Cor Original	0.005
SB-2025-01	90.5	91	0.5	K000903	HQ 1/2 Cor Original	0.08
SB-2025-01	91	92.5	1.5	K000904	HQ 1/2 Cor Original	0.005
SB-2025-01	105.2	106.5	1.3	K000905	HQ 1/2 Cor Original	0.005
SB-2025-01	106.5	107	0.5	K000906	HQ 1/2 Cor Original	0.005
SB-2025-01	107	107.5	0.5	K000907	HQ 1/2 Cor Original	0.02
SB-2025-01	107.5	108	0.5	K000908	HQ 1/2 Cor Original	0.005
SB-2025-01	108	109.5	1.5	K000909	HQ 1/2 Cor Original	0.005
SB-2025-01	115.7	117.2	1.5	K000911	HQ 1/2 Cor Original	0.005
SB-2025-01	117.2	117.7	0.5	K000912	HQ 1/2 Cor Original	0.005
SB-2025-01	117.7	118.2	0.5	K000913	HQ 1/2 Cor Original	0.005
SB-2025-01	118.2	118.7	0.5	K000914	HQ 1/2 Cor Original	0.005
SB-2025-01	118.7	120.15	1.45	K000915	HQ 1/2 Cor Original	0.005
SB-2025-01	152.5	154	1.5	K000916	HQ 1/2 Cor Original	0.005
SB-2025-01	154	154.5	0.5	K000917	HQ 1/2 Cor Original	0.005
SB-2025-01	154.5	155	0.5	K000918	HQ 1/2 Cor Original	0.02

SB-2025-01	155	155.6	0.6	K000919	HQ 1/2 Cor Original	0.92
SB-2025-01	155.6	156.1	0.5	K000921	HQ 1/2 Cor Original	0.005
SB-2025-01	156.1	157.6	1.5	K000922	HQ 1/2 Cor Original	0.005
SB-2025-01	172.05	173.4	1.35	K000923	HQ 1/2 Cor Original	0.005
SB-2025-01	173.4	173.9	0.5	K000924	HQ 1/2 Cor Original	0.005
SB-2025-01	173.9	174.6	0.7	K000925	HQ 1/2 Cor Original	0.06
SB-2025-01	174.6	175.1	0.5	K000926	HQ 1/2 Cor Original	0.1
SB-2025-01	175.1	176	0.9	K000927	HQ 1/2 Cor Original	0.005
SB-2025-01	176	177.1	1.1	K000928	HQ 1/2 Cor Original	0.02
SB-2025-01	177.1	178.2	1.1	K000929	HQ 1/2 Cor Original	0.005
SB-2025-01	178.2	179.3	1.1	K000931	HQ 1/2 Cor Original	0.005
SB-2025-01	179.3	180	0.7	K000932	HQ 1/2 Cor Original	0.005
SB-2025-01	180	180.75	0.75	K000933	HQ 1/2 Cor Original	0.005
SB-2025-01	180.75	181.25	0.5	K000934	HQ 1/2 Cor Original	0.17
SB-2025-01	181.25	181.75	0.5	K000935	HQ 1/2 Cor Original	0.02
SB-2025-01	181.75	182.4	0.65	K000936	HQ 1/2 Cor Original	0.02
SB-2025-01	182.4	183.9	1.5	K000937	HQ 1/2 Cor Original	0.005
SB-2025-01	183.9	185	1.1	K000938	HQ 1/2 Cor Original	0.005
SB-2025-01	185	186	1	K000939	HQ 1/2 Cor Original	0.005
SB-2025-01	186	186.9	0.9	K000941	HQ 1/2 Cor Original	0.005
SB-2025-01	186.9	187.4	0.5	K000942	HQ 1/2 Cor Original	0.005
SB-2025-01	187.4	188	0.6	K000943	HQ 1/2 Cor Original	0.07
SB-2025-01	188	188.5	0.5	K000944	HQ 1/2 Cor Original	0.09
SB-2025-01	188.5	190	1.5	K000945	HQ 1/2 Cor Original	0.005
SB-2025-01	236.5	238	1.5	K000946	HQ 1/2 Cor Original	0.005
SB-2025-01	238	238.5	0.5	K000947	HQ 1/2 Cor Original	0.005
SB-2025-01	238.5	239.35	0.85	K000948	HQ 3/4 Cor Original	0.01
SB-2025-01	239.35	240	0.65	K000949	HQ 3/4 Cor Original	1.26
SB-2025-01	240	240.5	0.5	K000951	HQ 3/4 Cor Original	0.16
SB-2025-01	240.5	242	1.5	K000952	HQ 1/2 Cor Original	0.005
SB-2025-01	242	243	1	K001004	HQ 1/2 Cor Original	0.005
SB-2025-01	265	266.5	1.5	K000953	HQ 1/2 Cor Original	0.005
SB-2025-01	266.5	267	0.5	K000954	HQ 1/2 Cor Original	0.005
SB-2025-01	267	267.7	0.7	K000955	HQ 1/2 Cor Original	0.005
SB-2025-01	267.7	268.2	0.5	K000956	HQ 1/2 Cor Original	0.005
SB-2025-01	268.2	269.3	1.1	K000957	HQ 1/2 Cor Original	0.005
SB-2025-01	289.3	290.6	1.3	K000958	HQ 1/2 Cor Original	0.005
SB-2025-01	290.6	291.2	0.6	K000959	HQ 1/2 Cor Original	0.005
SB-2025-01	291.2	291.9	0.7	K000961	HQ 1/2 Cor Original	0.005
SB-2025-01	291.9	292.4	0.5	K000962	HQ 3/4 Cor Original	0.44
SB-2025-01	292.4	292.93	0.53	K000963	HQ 3/4 Cor Original	2.07
SB-2025-01	292.93	293.55	0.62	K000964	HQ 3/4 Cor Original	3.26
SB-2025-01	293.55	294.1	0.55	K000965	HQ 3/4 Cor Original	0.02
SB-2025-01	294.1	295.1	1	K000966	HQ 1/2 Cor Original	0.005

SB-2025-01	298.4	299.4	1	K000967	HQ 1/2 Cor Original	0.005
SB-2025-01	299.4	300	0.6	K000968	HQ 1/2 Cor Original	0.005
SB-2025-01	300	301	1	K000969	HQ 1/2 Cor Original	0.11
SB-2025-01	301	302.2	1.2	K000971	HQ 1/2 Cor Original	0.005
SB-2025-01	308.05	309.3	1.25	K000972	HQ 1/2 Cor Original	0.005
SB-2025-01	309.3	310.2	0.9	K000973	HQ 1/2 Cor Original	0.005
SB-2025-01	310.2	311.3	1.1	K000974	HQ 1/2 Cor Original	0.17
SB-2025-01	311.3	312.7	1.4	K000975	HQ 1/2 Cor Original	0.005
SB-2025-01	312.7	313.9	1.2	K000976	HQ 1/2 Cor Original	0.005
SB-2025-01	313.9	314.4	0.5	K000977	HQ 1/2 Cor Original	0.005
SB-2025-01	314.4	315.9	1.5	K000978	HQ 1/2 Cor Original	0.005
SB-2025-01	315.9	316.5	0.6	K000979	HQ 1/2 Cor Original	0.01
SB-2025-01	316.5	317.5	1	K000981	HQ 1/2 Cor Original	0.005
SB-2025-01	317.5	318.5	1	K000982	HQ 1/2 Cor Original	0.005
SB-2025-01	318.5	319.5	1	K000983	HQ 1/2 Cor Original	0.005
SB-2025-01	319.5	320.5	1	K000984	HQ 1/2 Cor Original	0.005
SB-2025-01	320.5	321.5	1	K000985	HQ 1/2 Cor Original	0.005
SB-2025-01	321.5	322.6	1.1	K000986	HQ 1/2 Cor Original	0.005
SB-2025-01	322.6	323.5	0.9	K000987	HQ 1/2 Cor Original	0.005
SB-2025-01	323.5	324	0.5	K000988	HQ 3/4 Cor Original	0.005
SB-2025-01	324	324.7	0.7	K000989	HQ 3/4 Cor Original	1.88
SB-2025-01	324.7	325.6	0.9	K000991	HQ 3/4 Cor Original	0.005
SB-2025-01	325.6	326.15	0.55	K000992	HQ 3/4 Cor Original	0.03
SB-2025-01	326.15	326.8	0.65	K000993	HQ 3/4 Cor Original	0.005
SB-2025-01	326.8	328.3	1.5	K000994	HQ 1/2 Cor Original	0.005
SB-2025-01	57.1	58.2	1.1	K001005	HQ 1/2 Cor Original	0.005
SB-2025-01	58.2	58.7	0.5	K001006	HQ 1/2 Cor Original	0.005
SB-2025-01	58.7	59.2	0.5	K001007	HQ 1/2 Cor Original	0.02
SB-2025-01	59.2	60	0.8	K001008	HQ 1/2 Cor Original	0.005
SB-2025-01	60	60.9	0.9	K001009	HQ 1/2 Cor Original	0.005
SB-2025-01	60.9	62	1.1	K001011	HQ 1/2 Cor Original	0.005
SB-2025-01	62	63.5	1.5	K001012	HQ 1/2 Cor Original	0.005
SB-2025-01	63.5	64.5	1	K001013	HQ 1/2 Cor Original	0.01
SB-2025-01	64.5	65.05	0.55	K001014	HQ 1/2 Cor Original	0.26
SB-2025-01	65.05	65.7	0.65	K001015	HQ 1/2 Cor Original	0.85
SB-2025-01	65.7	66.3	0.6	K001016	HQ 1/2 Cor Original	0.07
SB-2025-01	66.3	67	0.7	K001017	HQ 1/2 Cor Original	0.005
SB-2025-01	67	68	1	K001018	HQ 1/2 Cor Original	0.69
SB-2025-01	68	68.9	0.9	K001019	HQ 1/2 Cor Original	0.14
SB-2025-01	68.9	70	1.1	K001021	HQ 1/2 Cor Original	0.005
SB-2025-01	70	71.25	1.25	K001022	HQ 1/2 Cor Original	0.005
SB-2025-01	71.25	72	0.75	K001023	HQ 1/2 Cor Original	0.005
SB-2025-01	72	72.65	0.65	K001024	HQ 1/2 Cor Original	0.005
SB-2025-01	72.65	73.3	0.65	K001025	HQ 1/2 Cor Original	0.005

SB-2025-01	73.3	73.8	0.5	K001026	HQ 1/2 Cor Original	0.005
SB-2025-01	73.8	74.3	0.5	K001027	HQ 1/2 Cor Original	0.69
SB-2025-01	74.3	75	0.7	K001028	HQ 1/2 Cor Original	0.02
SB-2025-01	75	75.6	0.6	K001029	HQ 1/2 Cor Original	0.04
SB-2025-01	75.6	76.1	0.5	K001031	HQ 1/2 Cor Original	0.23
SB-2025-01	76.1	76.6	0.5	K001032	HQ 1/2 Cor Original	0.005
SB-2025-01	76.6	78	1.4	K001033	HQ 1/2 Cor Original	0.005
SB-2025-01	78	79.5	1.5	K001034	HQ 1/2 Cor Original	0.005
SB-2025-01	79.5	80	0.5	K001035	HQ 1/2 Cor Original	0.005
SB-2025-01	80	80.5	0.5	K001036	HQ 1/2 Cor Original	0.005
SB-2025-01	80.5	81	0.5	K001037	HQ 1/2 Cor Original	0.005
SB-2025-01	81	82	1	K001038	HQ 1/2 Cor Original	0.005
SB-2025-01	82	82.9	0.9	K001039	HQ 1/2 Cor Original	0.005
SB-2025-01	82.9	83.8	0.9	K001041	HQ 1/2 Cor Original	0.005
SB-2025-01	87	88	1	K001042	HQ 1/2 Cor Original	0.01
SB-2025-01	88	89	1	K001043	HQ 1/2 Cor Original	0.05
SB-2025-01	89	89.5	0.5	K001044	HQ 1/2 Cor Original	0.29
SB-2025-01	89.5	90	0.5	K001045	HQ 1/2 Cor Original	0.27
SB-2025-01	90	90.65	0.65	K001046	HQ 1/2 Cor Original	1.03
SB-2025-01	90.65	91.25	0.6	K001047	HQ 1/2 Cor Original	1.74
SB-2025-01	91.25	91.75	0.5	K001048	HQ 1/2 Cor Original	1.48
SB-2025-01	91.75	92.3	0.55	K001049	HQ 1/2 Cor Original	0.39
SB-2025-01	92.3	92.8	0.5	K001051	HQ 1/2 Cor Original	0.18
SB-2025-01	92.8	93.4	0.6	K001052	HQ 1/2 Cor Original	0.04
SB-2025-01	93.4	94	0.6	K001053	HQ 1/2 Cor Original	0.02
SB-2025-01	94	95.4	1.4	K001054	HQ 1/2 Cor Original	0.005
SB-2025-01	95.4	96	0.6	K001055	HQ 1/2 Cor Original	0.005
SB-2025-01	96	96.6	0.6	K001056	HQ 1/2 Cor Original	0.005
SB-2025-01	96.6	97.4	0.8	K001057	HQ 1/2 Cor Original	0.005
SB-2025-01	97.4	98.7	1.3	K001058	HQ 1/2 Cor Original	0.005
SB-2025-01	98.7	99.6	0.9	K001059	HQ 1/2 Cor Original	0.005
SB-2025-01	99.6	100.4	0.8	K001061	HQ 1/2 Cor Original	0.005
SB-2025-01	100.4	101	0.6	K001062	HQ 1/2 Cor Original	0.005
SB-2025-01	101	102.4	1.4	K001063	HQ 1/2 Cor Original	0.005
SB-2025-01	102.4	103.5	1.1	K001064	HQ 1/2 Cor Original	0.04
SB-2025-01	103.5	104.7	1.2	K001065	HQ 1/2 Cor Original	0.005
SB-2025-01	104.7	105.2	0.5	K001066	HQ 1/2 Cor Original	0.005
SB-2025-01	105.2	105.7	0.5	K001067	HQ 1/2 Cor Original	0.01
SB-2025-01	105.7	106.2	0.5	K001068	HQ 1/2 Cor Original	0.005
SB-2025-01	106.2	107.3	1.1	K001069	HQ 1/2 Cor Original	0.005
SB-2025-01	113	114.5	1.5	K001071	HQ 1/2 Cor Original	0.005
SB-2025-01	114.5	115	0.5	K001072	HQ 1/2 Cor Original	0.005
SB-2025-01	115	115.5	0.5	K001073	HQ 1/2 Cor Original	0.005
SB-2025-01	115.5	116	0.5	K001074	HQ 1/2 Cor Original	0.005

SB-2025-01	116	117.4	1.4	K001075	HQ 1/2 Cor Original	0.005
SB-2025-01	124.8	126.2	1.4	K001076	HQ 1/2 Cor Original	0.005
SB-2025-01	126.2	126.85	0.65	K001077	HQ 1/2 Cor Original	0.005
SB-2025-01	126.85	127.35	0.5	K001078	HQ 1/2 Cor Original	0.02
SB-2025-01	127.35	127.85	0.5	K001079	HQ 1/2 Cor Original	0.005
SB-2025-01	127.85	129	1.15	K001081	HQ 1/2 Cor Original	0.02
SB-2025-01	141.5	143	1.5	K001082	HQ 1/2 Cor Original	0.005
SB-2025-01	143	143.5	0.5	K001083	HQ 1/2 Cor Original	0.005
SB-2025-01	143.5	144	0.5	K001084	HQ 1/2 Cor Original	0.005
SB-2025-01	144	144.7	0.7	K001085	HQ 1/2 Cor Original	0.005
SB-2025-01	144.7	145.5	0.8	K001086	HQ 1/2 Cor Original	0.005
SB-2025-01	145.5	146	0.5	K001087	HQ 1/2 Cor Original	0.005
SB-2025-01	146	146.6	0.6	K001088	HQ 1/2 Cor Original	0.005
SB-2025-01	146.6	148	1.4	K001089	HQ 1/2 Cor Original	0.005
SB-2025-01	165.5	166.75	1.25	K001091	HQ 1/2 Cor Original	0.005
SB-2025-01	166.75	167.3	0.55	K001092	HQ 1/2 Cor Original	0.005
SB-2025-01	167.3	168	0.7	K001093	HQ 1/2 Cor Original	0.005
SB-2025-01	168	168.55	0.55	K001094	HQ 1/2 Cor Original	0.53
SB-2025-01	168.55	169.2	0.65	K001095	HQ 1/2 Cor Original	0.05
SB-2025-01	169.2	170.5	1.3	K001096	HQ 1/2 Cor Original	0.13
SB-2025-01	173.2	174.6	1.4	K001097	HQ 1/2 Cor Original	0.005
SB-2025-01	174.6	175.25	0.65	K001098	HQ 1/2 Cor Original	0.005
SB-2025-01	175.25	175.75	0.5	K001099	HQ 1/2 Cor Original	0.25
SB-2025-01	175.75	176.25	0.5	K001101	HQ 1/2 Cor Original	4.7
SB-2025-01	176.25	176.85	0.6	K001102	HQ 1/2 Cor Original	0.04
SB-2025-01	176.85	178.15	1.3	K001103	HQ 1/2 Cor Original	0.005
SB-2025-01	188.55	190	1.45	K001104	HQ 1/2 Cor Original	0.005
SB-2025-01	190	191	1	K001105	HQ 1/2 Cor Original	0.005
SB-2025-01	191	191.65	0.65	K001106	HQ 1/2 Cor Original	0.19
SB-2025-01	191.65	192.25	0.6	K001107	HQ 1/2 Cor Original	0.005
SB-2025-01	192.25	193.4	1.15	K001108	HQ 1/2 Cor Original	0.005
SB-2025-01	193.4	194.9	1.5	K001109	HQ 1/2 Cor Original	0.01
SB-2025-01	194.9	195.45	0.55	K001111	HQ 1/2 Cor Original	0.005
SB-2025-01	195.45	196	0.55	K001112	HQ 1/2 Cor Original	0.46
SB-2025-01	196	196.7	0.7	K001113	HQ 1/2 Cor Original	0.03
SB-2025-01	196.7	198.2	1.5	K001114	HQ 1/2 Cor Original	0.005
SB-2025-01	248.2	249	0.8	K001115	HQ 1/2 Cor Original	0.005
SB-2025-01	249	249.9	0.9	K001116	HQ 1/2 Cor Original	0.005
SB-2025-01	249.9	250.45	0.55	K001117	HQ 1/2 Cor Original	0.005
SB-2025-01	250.45	251.05	0.6	K001118	HQ 1/2 Cor Original	0.005
SB-2025-01	251.05	251.65	0.6	K001119	HQ 1/2 Cor Original	0.005
SB-2025-01	251.65	252.9	1.25	K001121	HQ 1/2 Cor Original	0.005
SB-2025-01	252.9	254.3	1.4	K001122	HQ 1/2 Cor Original	0.005
SB-2025-01	260.3	261.7	1.4	K001123	HQ 1/2 Cor Original	0.005

SB-2025-01	261.7	262.55	0.85	K001124	HQ 1/2 Cor Original	0.005
SB-2025-01	262.55	263.05	0.5	K001125	HQ 1/2 Cor Original	0.005
SB-2025-01	263.05	263.65	0.6	K001126	HQ 3/4 Cor Original	0.06
SB-2025-01	263.65	264.35	0.7	K001127	HQ 3/4 Cor Original	1.18
SB-2025-01	264.35	264.95	0.6	K001128	HQ 3/4 Cor Original	0.03
SB-2025-01	264.95	266.3	1.35	K001129	HQ 1/2 Cor Original	0.005
SB-2025-01	266.3	267.8	1.5	K001131	HQ 1/2 Cor Original	0.005
SB-2025-01	308	309.5	1.5	K001132	HQ 1/2 Cor Original	0.005
SB-2025-01	309.5	311	1.5	K001133	HQ 1/2 Cor Original	0.005
SB-2025-01	311	312	1	K001134	HQ 1/2 Cor Original	0.02
SB-2025-01	312	313	1	K001135	HQ 1/2 Cor Original	0.005
SB-2025-01	313	314.1	1.1	K001136	HQ 1/2 Cor Original	0.005
SB-2025-01	314.1	314.8	0.7	K001137	HQ 3/4 Cor Original	0.005
SB-2025-01	314.8	315.3	0.5	K001138	HQ 3/4 Cor Original	0.005
SB-2025-01	315.3	316.1	0.8	K001139	HQ 3/4 Cor Original	0.005
SB-2025-01	316.1	316.8	0.7	K001141	HQ 3/4 Cor Original	0.005
SB-2025-01	316.8	318	1.2	K001142	HQ 1/2 Cor Original	0.005
SB-2025-01	318	319.2	1.2	K001143	HQ 1/2 Cor Original	0.04
SB-2025-01	325.1	326.6	1.5	K001144	HQ 1/2 Cor Original	0.005
SB-2025-01	326.6	327.35	0.75	K001145	HQ 1/2 Cor Original	0.005
SB-2025-01	327.35	327.9	0.55	K001146	HQ 3/4 Cor Original	5.42
SB-2025-01	327.9	328.4	0.5	K001147	HQ 3/4 Cor Original	1.62
SB-2025-01	328.4	328.95	0.55	K001148	HQ 3/4 Cor Original	0.42
SB-2025-01	328.95	329.45	0.5	K001149	HQ 3/4 Cor Original	19.4
SB-2025-01	329.45	330	0.55	K001151	HQ 3/4 Cor Original	0.005
SB-2025-01	330	331.3	1.3	K001152	HQ 1/2 Cor Original	0.005
SB-2025-01	346.1	347.5	1.4	K001153	HQ 1/2 Cor Original	0.005
SB-2025-01	347.5	348	0.5	K001154	HQ 1/2 Cor Original	0.29
SB-2025-01	348	349	1	K001155	HQ 1/2 Cor Original	0.01
SB-2025-01	349	350	1	K001156	HQ 1/2 Cor Original	0.005
SB-2025-01	350	351	1	K001157	HQ 1/2 Cor Original	0.1
SB-2025-01	351	351.65	0.65	K001158	HQ 1/2 Cor Original	0.38
SB-2025-01	351.65	352.4	0.75	K001159	HQ 1/2 Cor Original	0.38
SB-2025-01	352.4	353.25	0.85	K001161	HQ 1/2 Cor Original	0.25
SB-2025-01	353.25	353.95	0.7	K001162	HQ 1/2 Cor Original	1.07
SB-2025-01	353.95	354.45	0.5	K001163	HQ 3/4 Cor Original	3.83
SB-2025-01	354.45	355	0.55	K001164	HQ 3/4 Cor Original	1.88
SB-2025-01	355	355.7	0.7	K001165	HQ 3/4 Cor Original	0.06
SB-2025-01	355.7	356.5	0.8	K001166	HQ 3/4 Cor Original	1.6
SB-2025-01	356.5	357	0.5	K001167	HQ 3/4 Cor Original	0.02
SB-2025-01	357	357.5	0.5	K001168	HQ 1/2 Cor Original	0.005
SB-2025-01	357.5	358	0.5	K001169	HQ 1/2 Cor Original	0.005
SB-2025-01	358	358.5	0.5	K001171	HQ 1/2 Cor Original	0.33
SB-2025-01	358.5	359	0.5	K001172	HQ 1/2 Cor Original	0.34

SB-2025-01	359	359.5	0.5	K001173	HQ 1/2 Cor Original	0.01
SB-2025-01	359.5	360.25	0.75	K001174	HQ 1/2 Cor Original	0.005
SB-2025-01	360.25	361.3	1.05	K001175	HQ 1/2 Cor Original	0.005
SB-2025-01	68.6	70	1.4	K001176	HQ 1/2 Cor Original	0.12
SB-2025-01	70	70.75	0.75	K001177	HQ 1/2 Cor Original	1.4
SB-2025-01	70.75	71.75	1	K001178	HQ 1/2 Cor Original	0.41
SB-2025-01	71.75	72.7	0.95	K001179	HQ 1/2 Cor Original	0.03
SB-2025-01	72.7	73.55	0.85	K001181	HQ 1/2 Cor Original	0.005
SB-2025-01	73.55	74.7	1.15	K001182	HQ 1/2 Cor Original	0.47
SB-2025-01	74.7	76	1.3	K001183	HQ 1/2 Cor Original	0.1
SB-2025-01	76	77.1	1.1	K001184	HQ 1/2 Cor Original	0.1
SB-2025-01	77.1	78	0.9	K001185	HQ 1/2 Cor Original	0.005
SB-2025-01	78	79.1	1.1	K001186	HQ 1/2 Cor Original	0.005
SB-2025-01	79.1	79.75	0.65	K001187	HQ 1/2 Cor Original	0.005
SB-2025-01	79.75	80.3	0.55	K001188	HQ 1/2 Cor Original	0.08
SB-2025-01	80.3	81	0.7	K001189	HQ 1/2 Cor Original	0.01
SB-2025-01	81	82.45	1.45	K001191	HQ 1/2 Cor Original	0.005
SB-2025-01	82.45	83.8	1.35	K001192	HQ 1/2 Cor Original	0.005
SB-2025-01	90.15	91.65	1.5	K001193	HQ 1/2 Cor Original	0.01
SB-2025-01	91.65	93	1.35	K001194	HQ 1/2 Cor Original	0.45
SB-2025-01	93	93.7	0.7	K001195	HQ 1/2 Cor Original	0.07
SB-2025-01	93.7	94.8	1.1	K001196	HQ 1/2 Cor Original	1.99
SB-2025-01	94.8	96	1.2	K001197	HQ 1/2 Cor Original	0.7
SB-2025-01	96	97.1	1.1	K001198	HQ 1/2 Cor Original	0.62
SB-2025-01	97.1	98.5	1.4	K001199	HQ 1/2 Cor Original	0.17
SB-2025-01	98.5	99.1	0.6	K001201	HQ 1/2 Cor Original	0.02
SB-2025-01	99.1	99.85	0.75	K001202	HQ 1/2 Cor Original	0.005
SB-2025-01	99.85	100.75	0.9	K001203	HQ 1/2 Cor Original	0.02
SB-2025-01	100.75	101.65	0.9	K001204	HQ 1/2 Cor Original	0.005
SB-2025-01	101.65	103.1	1.45	K001205	HQ 1/2 Cor Original	0.005
SB-2025-01	103.1	104.6	1.5	K001206	HQ 1/2 Cor Original	0.01
SB-2025-01	157.2	158.7	1.5	K001207	HQ 1/2 Cor Original	0.005
SB-2025-01	158.7	159.45	0.75	K001208	HQ 1/2 Cor Original	0.02
SB-2025-01	159.45	160	0.55	K001209	HQ 1/2 Cor Original	0.53
SB-2025-01	160	161.25	1.25	K001211	HQ 1/2 Cor Original	0.01
SB-2025-01	161.25	162.75	1.5	K001212	HQ 1/2 Cor Original	0.005
SB-2025-01	237.25	238.6	1.35	K001213	HQ 1/2 Cor Original	0.005
SB-2025-01	238.6	239.5	0.9	K001214	HQ 1/2 Cor Original	0.005
SB-2025-01	239.5	240.3	0.8	K001215	HQ 1/2 Cor Original	0.005
SB-2025-01	240.3	240.8	0.5	K001216	HQ 1/2 Cor Original	1.94
SB-2025-01	240.8	241.3	0.5	K001217	HQ 1/2 Cor Original	0.83
SB-2025-01	241.3	242	0.7	K001218	HQ 1/2 Cor Original	0.005
SB-2025-01	242	242.9	0.9	K001219	HQ 1/2 Cor Original	0.005
SB-2025-01	295.7	296.4	0.7	K001221	HQ 1/2 Cor Original	0.005

SB-2025-0	296.4	297.5	1.1	K001222	HQ 1/2 Cor Original	0.005
SB-2025-0	297.5	298.5	1	K001223	HQ 1/2 Cor Original	0.005
SB-2025-0	298.5	300	1.5	K001224	HQ 1/2 Cor Original	0.005
SB-2025-0	300	301.5	1.5	K001225	HQ 1/2 Cor Original	0.005
SB-2025-0	301.5	303	1.5	K001226	HQ 1/2 Cor Original	0.005
SB-2025-0	303	303.8	0.8	K001227	HQ 1/2 Cor Original	0.005
SB-2025-0	303.8	304.85	1.05	K001228	HQ 1/2 Cor Original	0.005
SB-2025-0	304.85	305.35	0.5	K001229	HQ 3/4 Cor Original	0.03
SB-2025-0	305.35	305.9	0.55	K001231	HQ 3/4 Cor Original	9.14
SB-2025-0	305.9	306.45	0.55	K001232	HQ 3/4 Cor Original	33.6
SB-2025-0	306.45	307	0.55	K001233	HQ 3/4 Cor Original	4.54
SB-2025-0	307	308.5	1.5	K001234	HQ 1/2 Cor Original	0.04
SB-2025-0	308.5	310	1.5	K001235	HQ 1/2 Cor Original	0.07
SB-2025-0	310	311	1	K001236	HQ 1/2 Cor Original	0.005
SB-2025-0	311	312	1	K001237	HQ 1/2 Cor Original	0.01
SB-2025-0	312	312.8	0.8	K001238	HQ 1/2 Cor Original	0.005
SB-2025-0	312.8	313.45	0.65	K001239	HQ 1/2 Cor Original	0.01
SB-2025-0	313.45	313.95	0.5	K001241	HQ 1/2 Cor Original	3.18
SB-2025-0	313.95	314.5	0.55	K001242	HQ 1/2 Cor Original	2.99
SB-2025-0	314.5	315.1	0.6	K001243	HQ 1/2 Cor Original	8.6
SB-2025-0	315.1	315.6	0.5	K001244	HQ 1/2 Cor Original	0.01
SB-2025-0	315.6	317	1.4	K001245	HQ 1/2 Cor Original	0.005
SB-2025-0	317	318.5	1.5	K001246	HQ 1/2 Cor Original	0.005
SB-2025-0	318.5	320	1.5	K001247	HQ 1/2 Cor Original	0.005
SB-2025-0	320	321	1	K001248	HQ 1/2 Cor Original	0.005
SB-2025-0	321	322.4	1.4	K001249	HQ 1/2 Cor Original	0.005
SB-2025-0	322.4	323.15	0.75	K001251	HQ 1/2 Cor Original	0.005
SB-2025-0	323.15	324.5	1.35	K001252	HQ 1/2 Cor Original	0.005
SB-2025-0	324.5	326	1.5	K001253	HQ 1/2 Cor Original	0.005
SB-2025-0	326	327.5	1.5	K001254	HQ 1/2 Cor Original	0.005
SB-2025-0	327.5	329	1.5	K001255	HQ 1/2 Cor Original	0.005
SB-2025-0	329	330.25	1.25	K001256	HQ 1/2 Cor Original	0.02
SB-2025-0	330.25	331.55	1.3	K001257	HQ 1/2 Cor Original	0.005
SB-2025-0	331.55	333	1.45	K001258	HQ 1/2 Cor Original	0.005
SB-2025-0	333	334	1	K001259	HQ 1/2 Cor Original	0.005
SB-2025-0	334	335	1	K001261	HQ 3/4 Cor Original	0.005
SB-2025-0	335	335.5	0.5	K001262	HQ 3/4 Cor Original	0.51
SB-2025-0	335.5	336.1	0.6	K001263	HQ 3/4 Cor Original	0.73
SB-2025-0	336.1	337	0.9	K001264	HQ 3/4 Cor Original	3.3
SB-2025-0	337	337.7	0.7	K001265	HQ 3/4 Cor Original	5.25
SB-2025-0	337.7	338.7	1	K001266	HQ 3/4 Cor Original	0.18
SB-2025-0	338.7	340	1.3	K001267	HQ 1/2 Cor Original	0.18
SB-2025-0	340	340.8	0.8	K001268	HQ 1/2 Cor Original	0.81
SB-2025-0	340.8	341.6	0.8	K001269	HQ 1/2 Cor Original	0.32

SB-2025-0	33	34	1	K001271	HQ 1/2 Cor Original	0.03
SB-2025-0	34	34.7	0.7	K001272	HQ 1/2 Cor Original	1.13
SB-2025-0	34.7	35.45	0.75	K001273	HQ 1/2 Cor Original	0.15
SB-2025-0	35.45	36.45	1	K001274	HQ 1/2 Cor Original	0.005
SB-2025-0	63	64.4	1.4	K001275	HQ 1/2 Cor Original	0.005
SB-2025-0	64.4	65.4	1	K001276	HQ 1/2 Cor Original	0.005
SB-2025-0	65.4	66.1	0.7	K001277	HQ 1/2 Cor Original	0.005
SB-2025-0	66.1	66.85	0.75	K001278	HQ 1/2 Cor Original	0.42
SB-2025-0	66.85	67.4	0.55	K001279	HQ 1/2 Cor Original	0.91
SB-2025-0	67.4	68	0.6	K001281	HQ 1/2 Cor Original	0.03
SB-2025-0	68	69	1	K001282	HQ 1/2 Cor Original	0.005
SB-2025-0	69	70.5	1.5	K001283	HQ 1/2 Cor Original	0.005
SB-2025-0	70.5	72	1.5	K001284	HQ 1/2 Cor Original	0.005
SB-2025-0	72	73	1	K001285	HQ 1/2 Cor Original	0.005
SB-2025-0	73	73.8	0.8	K001286	HQ 1/2 Cor Original	0.005
SB-2025-0	73.8	74.6	0.8	K001287	HQ 1/2 Cor Original	0.03
SB-2025-0	74.6	75.25	0.65	K001288	HQ 1/2 Cor Original	1.06
SB-2025-0	75.25	76.35	1.1	K001289	HQ 1/2 Cor Original	0.11
SB-2025-0	76.35	76.95	0.6	K001291	HQ 1/2 Cor Original	0.01
SB-2025-0	76.95	78	1.05	K001292	HQ 1/2 Cor Original	0.005
SB-2025-0	78	79.1	1.1	K001293	HQ 1/2 Cor Original	0.005
SB-2025-0	79.1	79.9	0.8	K001294	HQ 1/2 Cor Original	0.005
SB-2025-0	79.9	80.55	0.65	K001295	HQ 1/2 Cor Original	0.005
SB-2025-0	80.55	81.05	0.5	K001296	HQ 1/2 Cor Original	0.005
SB-2025-0	81.05	81.6	0.55	K001297	HQ 1/2 Cor Original	0.005
SB-2025-0	81.6	83	1.4	K001298	HQ 1/2 Cor Original	0.005
SB-2025-0	83	84.5	1.5	K001299	HQ 1/2 Cor Original	0.005
SB-2025-0	84.5	86	1.5	K001301	HQ 1/2 Cor Original	0.005
SB-2025-0	86	87.5	1.5	K001302	HQ 1/2 Cor Original	0.005
SB-2025-0	87.5	89	1.5	K001303	HQ 1/2 Cor Original	0.005
SB-2025-0	89	90	1	K001304	HQ 1/2 Cor Original	0.04
SB-2025-0	90	91	1	K001305	HQ 1/2 Cor Original	0.11
SB-2025-0	91	91.5	0.5	K001306	HQ 1/2 Cor Original	0.11
SB-2025-0	91.5	92	0.5	K001307	HQ 1/2 Cor Original	1.64
SB-2025-0	92	92.55	0.55	K001308	HQ 1/2 Cor Original	0.86
SB-2025-0	92.55	93.15	0.6	K001309	HQ 1/2 Cor Original	0.12
SB-2025-0	93.15	93.65	0.5	K001311	HQ 1/2 Cor Original	0.06
SB-2025-0	93.65	94.3	0.65	K001312	HQ 1/2 Cor Original	0.14
SB-2025-0	94.3	95.1	0.8	K001313	HQ 1/2 Cor Original	0.02
SB-2025-0	95.1	96.2	1.1	K001314	HQ 1/2 Cor Original	0.005
SB-2025-0	96.2	97	0.8	K001315	HQ 1/2 Cor Original	0.005
SB-2025-0	97	98	1	K001316	HQ 1/2 Cor Original	0.005
SB-2025-0	98	99	1	K001317	HQ 1/2 Cor Original	0.005
SB-2025-0	99	100	1	K001318	HQ 1/2 Cor Original	0.005

SB-2025-0	100	101	1	K001319	HQ 1/2 Cor Original	0.005
SB-2025-0	101	102.4	1.4	K001321	HQ 1/2 Cor Original	0.01
SB-2025-0	102.4	103.65	1.25	K001322	HQ 1/2 Cor Original	0.005
SB-2025-0	103.65	104.2	0.55	K001323	HQ 1/2 Cor Original	0.03
SB-2025-0	104.2	105.7	1.5	K001324	HQ 1/2 Cor Original	0.005
SB-2025-0	174.3	175.4	1.1	K001325	HQ 1/2 Cor Original	0.005
SB-2025-0	175.4	176.4	1	K001326	HQ 1/2 Cor Original	0.02
SB-2025-0	176.4	177	0.6	K001327	HQ 1/2 Cor Original	0.21
SB-2025-0	177	177.5	0.5	K001328	HQ 1/2 Cor Original	0.27
SB-2025-0	177.5	178.5	1	K001329	HQ 1/2 Cor Original	0.03
SB-2025-0	178.5	180	1.5	K001331	HQ 1/2 Cor Original	0.005
SB-2025-0	187	188.4	1.4	K001332	HQ 1/2 Cor Original	0.005
SB-2025-0	188.4	189	0.6	K001333	HQ 1/2 Cor Original	0.25
SB-2025-0	189	189.5	0.5	K001334	HQ 1/2 Cor Original	1.06
SB-2025-0	189.5	190	0.5	K001335	HQ 1/2 Cor Original	0.005
SB-2025-0	190	191.5	1.5	K001336	HQ 1/2 Cor Original	0.005
SB-2025-0	250.95	252.35	1.4	K001337	HQ 1/2 Cor Original	0.005
SB-2025-0	252.35	252.85	0.5	K001338	HQ 1/2 Cor Original	0.005
SB-2025-0	252.85	253.43	0.58	K001339	HQ 3/4 Cor Original	2.59
SB-2025-0	253.43	254	0.57	K001341	HQ 1/2 Cor Original	0.23
SB-2025-0	254	254.5	0.5	K001342	HQ 1/2 Cor Original	0.05
SB-2025-0	254.5	255	0.5	K001343	HQ 3/4 Cor Original	0.86
SB-2025-0	255	255.65	0.65	K001344	HQ 3/4 Cor Original	1.48
SB-2025-0	255.65	256.2	0.55	K001345	HQ 1/2 Cor Original	0.005
SB-2025-0	256.2	257.7	1.5	K001346	HQ 1/2 Cor Original	0.005
SB-2025-0	300.15	301.5	1.35	K001347	HQ 1/2 Cor Original	0.005
SB-2025-0	301.5	303	1.5	K001348	HQ 1/2 Cor Original	0.005
SB-2025-0	303	303.95	0.95	K001349	HQ 1/2 Cor Original	0.005
SB-2025-0	303.95	304.45	0.5	K001351	HQ 1/2 Cor Original	0.005
SB-2025-0	304.45	305	0.55	K001352	HQ 1/2 Cor Original	0.005
SB-2025-0	305	305.6	0.6	K001353	HQ 1/2 Cor Original	0.005
SB-2025-0	305.6	307	1.4	K001354	HQ 1/2 Cor Original	0.005
SB-2025-0	307	307.93	0.93	K001355	HQ 1/2 Cor Original	0.005
SB-2025-0	307.93	308.9	0.97	K001356	HQ 1/2 Cor Original	0.05
SB-2025-0	308.9	309.88	0.98	K001357	HQ 1/2 Cor Original	0.005
SB-2025-0	309.88	310.4	0.52	K001358	HQ 1/2 Cor Original	0.005
SB-2025-0	310.4	311	0.6	K001359	HQ 1/2 Cor Original	1.31
SB-2025-0	311	311.6	0.6	K001361	HQ 1/2 Cor Original	0.04
SB-2025-0	311.6	312.25	0.65	K001362	HQ 1/2 Cor Original	0.01
SB-2025-0	312.25	313	0.75	K001363	HQ 1/2 Cor Original	0.005
SB-2025-0	313	313.8	0.8	K001364	HQ 1/2 Cor Original	0.005
SB-2025-0	313.8	314.8	1	K001365	HQ 1/2 Cor Original	0.2
SB-2025-0	314.8	315.8	1	K001366	HQ 1/2 Cor Original	0.005
SB-2025-0	315.8	316.4	0.6	K001367	HQ 1/2 Cor Original	0.005

SB-2025-0	316.4	316.92	0.52	K001368	HQ 1/2 Cor Original	10.7
SB-2025-0	316.92	317.5	0.58	K001369	HQ 1/2 Cor Original	0.005
SB-2025-0	317.5	318.65	1.15	K001371	HQ 1/2 Cor Original	0.005
SB-2025-0	318.65	319.15	0.5	K001372	HQ 1/2 Cor Original	0.02
SB-2025-0	319.15	319.9	0.75	K001373	HQ 1/2 Cor Original	9.78
SB-2025-0	319.9	320.5	0.6	K001374	HQ 1/2 Cor Original	4.42
SB-2025-0	320.5	321	0.5	K001375	HQ 1/2 Cor Original	0.04
SB-2025-0	321	321.53	0.53	K001376	HQ 1/2 Cor Original	0.01
SB-2025-0	321.53	322.2	0.67	K001377	HQ 1/2 Cor Original	0.005
SB-2025-0	322.2	323	0.8	K001378	HQ 1/2 Cor Original	0.005
SB-2025-0	323	324.5	1.5	K001379	HQ 1/2 Cor Original	0.005
SB-2025-0	329	330.5	1.5	K001381	HQ 1/2 Cor Original	0.005
SB-2025-0	330.5	331	0.5	K001382	HQ 1/2 Cor Original	0.005
SB-2025-0	331	331.5	0.5	K001383	HQ 1/2 Cor Original	0.005
SB-2025-0	331.5	332	0.5	K001384	HQ 1/2 Cor Original	0.005
SB-2025-0	332	333.1	1.1	K001385	HQ 1/2 Cor Original	0.005
SB-2025-0	338	339	1	K001386	HQ 1/2 Cor Original	0.005
SB-2025-0	339	339.7	0.7	K001387	HQ 1/2 Cor Original	0.03
SB-2025-0	339.7	340.3	0.6	K001388	HQ 1/2 Cor Original	0.61
SB-2025-0	340.3	340.9	0.6	K001389	HQ 1/2 Cor Original	0.005
SB-2025-0	340.9	342	1.1	K001391	HQ 1/2 Cor Original	0.02
SB-2025-0	342	343	1	K001392	HQ 1/2 Cor Original	0.01
SB-2025-0	343	344	1	K001393	HQ 1/2 Cor Original	0.005
SB-2025-0	344	345.35	1.35	K001394	HQ 1/2 Cor Original	0.005
SB-2025-0	345.35	345.85	0.5	K001395	HQ 1/2 Cor Original	0.06
SB-2025-0	345.85	346.37	0.52	K001396	HQ 1/2 Cor Original	1.66
SB-2025-0	346.37	346.9	0.53	K001397	HQ 1/2 Cor Original	8.45
SB-2025-0	346.9	347.7	0.8	K001398	HQ 1/2 Cor Original	1.32
SB-2025-0	347.7	348.35	0.65	K001399	HQ 1/2 Cor Original	5.24
SB-2025-0	348.35	349.15	0.8	K001401	HQ 1/2 Cor Original	3.51
SB-2025-0	349.15	349.65	0.5	K001402	HQ 1/2 Cor Original	6.88
SB-2025-0	349.65	350.45	0.8	K001403	HQ 1/2 Cor Original	3.09
SB-2025-0	350.45	351.3	0.85	K001404	HQ 1/2 Cor Original	0.01
SB-2025-0	351.3	352	0.7	K001405	HQ 1/2 Cor Original	0.005
SB-2025-0	352	352.5	0.5	K001406	HQ 1/2 Cor Original	0.09
SB-2025-0	352.5	353	0.5	K001407	HQ 1/2 Cor Original	0.005
SB-2025-0	353	354.35	1.35	K001408	HQ 1/2 Cor Original	0.005
SB-2025-0	354.35	355.55	1.2	K001409	HQ 1/2 Cor Original	0.005
SB-2025-0	355.55	356.15	0.6	K001411	HQ 1/2 Cor Original	0.005
SB-2025-0	356.15	357	0.85	K001412	HQ 1/2 Cor Original	0.005
SB-2025-0	357	358.35	1.35	K001413	HQ 1/2 Cor Original	0.005
SB-2025-0	29	30	1	K001414	HQ 1/2 Cor Original	0.05
SB-2025-0	30	30.5	0.5	K001415	HQ 1/2 Cor Original	0.74
SB-2025-0	30.5	31.1	0.6	K001416	HQ 1/2 Cor Original	1.85

SB-2025-0	31.1	31.6	0.5	K001417	HQ 1/2 Cor Original	0.02
SB-2025-0	31.6	33	1.4	K001418	HQ 1/2 Cor Original	0.1
SB-2025-0	48.5	50	1.5	K001419	HQ 1/2 Cor Original	0.005
SB-2025-0	50	50.55	0.55	K001421	HQ 1/2 Cor Original	0.005
SB-2025-0	50.55	51.05	0.5	K001422	HQ 1/2 Cor Original	0.16
SB-2025-0	51.05	51.65	0.6	K001423	HQ 1/2 Cor Original	0.005
SB-2025-0	51.65	52.7	1.05	K001424	HQ 1/2 Cor Original	0.005
SB-2025-0	67.15	68.6	1.45	K001425	HQ 1/2 Cor Original	0.005
SB-2025-0	68.6	69.1	0.5	K001426	HQ 1/2 Cor Original	0.005
SB-2025-0	69.1	69.6	0.5	K001427	HQ 1/2 Cor Original	2.28
SB-2025-0	69.6	70.15	0.55	K001428	HQ 1/2 Cor Original	0.78
SB-2025-0	70.15	71	0.85	K001429	HQ 1/2 Cor Original	2.73
SB-2025-0	71	71.5	0.5	K001431	HQ 1/2 Cor Original	0.57
SB-2025-0	71.5	72	0.5	K001432	HQ 1/2 Cor Original	0.38
SB-2025-0	72	72.75	0.75	K001433	HQ 1/2 Cor Original	0.18
SB-2025-0	90.25	91.5	1.25	K001434	HQ 1/2 Cor Original	0.15
SB-2025-0	91.5	92.45	0.95	K001435	HQ 1/2 Cor Original	1.88
SB-2025-0	92.45	93	0.55	K001436	HQ 1/2 Cor Original	1.83
SB-2025-0	93	93.7	0.7	K001437	HQ 1/2 Cor Original	0.97
SB-2025-0	93.7	94.2	0.5	K001438	HQ 1/2 Cor Original	0.02
SB-2025-0	94.2	95.6	1.4	K001439	HQ 1/2 Cor Original	0.01
SB-2025-0	95.6	97	1.4	K001441	HQ 1/2 Cor Original	0.005
SB-2025-0	97	98.45	1.45	K001442	HQ 1/2 Cor Original	0.01
SB-2025-0	102.5	103.5	1	K001443	HQ 1/2 Cor Original	0.005
SB-2025-0	103.5	104	0.5	K001444	HQ 1/2 Cor Original	0.05
SB-2025-0	104	104.8	0.8	K001445	HQ 1/2 Cor Original	0.005
SB-2025-0	104.8	106	1.2	K001446	HQ 1/2 Cor Original	0.005
SB-2025-0	113	114.4	1.4	K001447	HQ 1/2 Cor Original	0.005
SB-2025-0	114.4	114.95	0.55	K001448	HQ 1/2 Cor Original	0.005
SB-2025-0	114.95	115.5	0.55	K001449	HQ 1/2 Cor Original	0.005
SB-2025-0	115.5	116	0.5	K001451	HQ 1/2 Cor Original	0.005
SB-2025-0	116	116.5	0.5	K001452	HQ 1/2 Cor Original	0.24
SB-2025-0	116.5	117	0.5	K001453	HQ 1/2 Cor Original	0.005
SB-2025-0	117	118.45	1.45	K001454	HQ 1/2 Cor Original	0.005
SB-2025-0	165.2	166.7	1.5	K001455	HQ 1/2 Cor Original	0.005
SB-2025-0	166.7	167.2	0.5	K001456	HQ 1/2 Cor Original	0.005
SB-2025-0	167.2	168.05	0.85	K001457	HQ 1/2 Cor Original	0.005
SB-2025-0	168.05	168.6	0.55	K001458	HQ 1/2 Cor Original	0.005
SB-2025-0	168.6	169.8	1.2	K001459	HQ 1/2 Cor Original	0.005
SB-2025-0	177.4	178.85	1.45	K001461	HQ 1/2 Cor Original	0.005
SB-2025-0	178.85	179.4	0.55	K001462	HQ 1/2 Cor Original	0.005
SB-2025-0	179.4	180	0.6	K001463	HQ 1/2 Cor Original	0.12
SB-2025-0	180	180.5	0.5	K001464	HQ 1/2 Cor Original	0.005
SB-2025-0	180.5	182	1.5	K001465	HQ 1/2 Cor Original	0.005

SB-2025-0	191.5	192.98	1.48	K001466	HQ 1/2 Cor Original	0.005
SB-2025-0	192.98	193.5	0.52	K001467	HQ 1/2 Cor Original	0.005
SB-2025-0	193.5	194	0.5	K001468	HQ 1/2 Cor Original	0.13
SB-2025-0	194	194.6	0.6	K001469	HQ 1/2 Cor Original	0.005
SB-2025-0	194.6	195.1	0.5	K001471	HQ 1/2 Cor Original	0.005
SB-2025-0	195.1	195.75	0.65	K001472	HQ 1/2 Cor Original	0.005
SB-2025-0	195.75	196.5	0.75	K001473	HQ 1/2 Cor Original	0.1
SB-2025-0	196.5	198	1.5	K001474	HQ 1/2 Cor Original	0.01
SB-2025-0	215	216.5	1.5	K001475	HQ 1/2 Cor Original	0.005
SB-2025-0	216.5	217.3	0.8	K001476	HQ 1/2 Cor Original	0.05
SB-2025-0	217.3	218.33	1.03	K001477	HQ 1/2 Cor Original	0.01
SB-2025-0	218.33	218.85	0.52	K001478	HQ 1/2 Cor Original	0.34
SB-2025-0	218.85	219.35	0.5	K001479	HQ 1/2 Cor Original	0.005
SB-2025-0	219.35	220.3	0.95	K001481	HQ 1/2 Cor Original	0.005
SB-2025-0	233.6	235.1	1.5	K001482	HQ 1/2 Cor Original	0.005
SB-2025-0	235.1	235.7	0.6	K001483	HQ 1/2 Cor Original	0.005
SB-2025-0	235.7	236.3	0.6	K001484	HQ 1/2 Cor Original	0.03
SB-2025-0	236.3	236.8	0.5	K001485	HQ 1/2 Cor Original	0.005
SB-2025-0	236.8	238.05	1.25	K001486	HQ 1/2 Cor Original	0.005
SB-2025-0	264.45	265.9	1.45	K001487	HQ 1/2 Cor Original	0.005
SB-2025-0	265.9	266.5	0.6	K001488	HQ 1/2 Cor Original	0.005
SB-2025-0	266.5	267	0.5	K001489	HQ 1/2 Cor Original	0.005
SB-2025-0	267	267.75	0.75	K001491	HQ 1/2 Cor Original	0.005
SB-2025-0	267.75	268.35	0.6	K001492	HQ 1/2 Cor Original	0.005
SB-2025-0	268.35	269.8	1.45	K001493	HQ 1/2 Cor Original	0.005
SB-2025-0	277	278.2	1.2	K001494	HQ 1/2 Cor Original	0.005
SB-2025-0	278.2	279	0.8	K001495	HQ 1/2 Cor Original	0.005
SB-2025-0	279	279.5	0.5	K001496	HQ 1/2 Cor Original	0.005
SB-2025-0	279.5	280	0.5	K001497	HQ 1/2 Cor Original	6.45
SB-2025-0	280	280.5	0.5	K001498	HQ 1/2 Cor Original	0.25
SB-2025-0	280.5	282	1.5	K001499	HQ 1/2 Cor Original	0.07
SB-2025-0	297	298.5	1.5	K001501	HQ 1/2 Cor Original	0.005
SB-2025-0	298.5	299	0.5	K001502	HQ 1/2 Cor Original	0.005
SB-2025-0	299	300	1	K001503	HQ 1/2 Cor Original	0.005
SB-2025-0	300	300.5	0.5	K001504	HQ 1/2 Cor Original	0.005
SB-2025-0	300.5	301.1	0.6	K001505	HQ 1/2 Cor Original	0.005
SB-2025-0	301.1	302.55	1.45	K001506	HQ 1/2 Cor Original	0.005
SB-2025-0	305.6	307.1	1.5	K001507	HQ 1/2 Cor Original	0.005
SB-2025-0	307.1	308	0.9	K001508	HQ 1/2 Cor Original	0.94
SB-2025-0	308	308.5	0.5	K001509	HQ 1/2 Cor Original	0.005
SB-2025-0	308.5	309.45	0.95	K001511	HQ 1/2 Cor Original	0.03
SB-2025-0	309.45	310.1	0.65	K001512	HQ 1/2 Cor Original	25.5
SB-2025-0	310.1	311.05	0.95	K001513	HQ 1/2 Cor Original	0.13
SB-2025-0	311.05	311.7	0.65	K001514	HQ 1/2 Cor Original	0.02

SB-2025-0	311.7	312.6	0.9	K001515	HQ 1/2 Cor Original	0.005
SB-2025-0	312.6	313.1	0.5	K001516	HQ 1/2 Cor Original	0.005
SB-2025-0	313.1	313.6	0.5	K001517	HQ 1/2 Cor Original	0.005
SB-2025-0	313.6	315	1.4	K001518	HQ 1/2 Cor Original	0.005
SB-2025-0	320.2	321.5	1.3	K001519	HQ 1/2 Cor Original	0.005
SB-2025-0	321.5	322	0.5	K001521	HQ 1/2 Cor Original	0.005
SB-2025-0	322	322.55	0.55	K001522	HQ 1/2 Cor Original	0.06
SB-2025-0	322.55	323.1	0.55	K001523	HQ 1/2 Cor Original	0.31
SB-2025-0	323.1	324	0.9	K001524	HQ 1/2 Cor Original	0.005
SB-2025-0	324	325	1	K001525	HQ 1/2 Cor Original	0.31
SB-2025-0	20.3	21.7	1.4	K001526	HQ 1/2 Cor Original	0.005
SB-2025-0	21.7	22.25	0.55	K001527	HQ 1/2 Cor Original	0.005
SB-2025-0	22.25	23	0.75	K001528	HQ 1/2 Cor Original	0.005
SB-2025-0	23	23.8	0.8	K001529	HQ 1/2 Cor Original	0.005
SB-2025-0	23.8	24.4	0.6	K001531	HQ 1/2 Cor Original	0.005
SB-2025-0	24.4	25.9	1.5	K001532	HQ 1/2 Cor Original	0.005
SB-2025-0	40.5	42	1.5	K001533	HQ 1/2 Cor Original	0.02
SB-2025-0	42	42.6	0.6	K001534	HQ 1/2 Cor Original	1.48
SB-2025-0	42.6	43.1	0.5	K001535	HQ 1/2 Cor Original	1.13
SB-2025-0	43.1	43.7	0.6	K001536	HQ 1/2 Cor Original	2.1
SB-2025-0	43.7	44.4	0.7	K001537	HQ 1/2 Cor Original	0.31
SB-2025-0	44.4	45.5	1.1	K001538	HQ 1/2 Cor Original	0.13
SB-2025-0	45.5	46.5	1	K001539	HQ 1/2 Cor Original	0.005
SB-2025-0	46.5	48	1.5	K001541	HQ 1/2 Cor Original	0.005
SB-2025-0	68.35	69.65	1.3	K001542	HQ 1/2 Cor Original	0.005
SB-2025-0	69.65	70.45	0.8	K001543	HQ 1/2 Cor Original	0.01
SB-2025-0	70.45	71.3	0.85	K001544	HQ 1/2 Cor Original	0.005
SB-2025-0	71.3	72	0.7	K001545	HQ 1/2 Cor Original	2.04
SB-2025-0	72	73	1	K001546	HQ 1/2 Cor Original	0.37
SB-2025-0	73	73.5	0.5	K001547	HQ 1/2 Cor Original	0.57
SB-2025-0	73.5	74	0.5	K001548	HQ 1/2 Cor Original	0.15
SB-2025-0	74	75.5	1.5	K001549	HQ 1/2 Cor Original	0.02
SB-2025-0	75.5	77	1.5	K001551	HQ 1/2 Cor Original	0.01
SB-2025-0	77	78	1	K001552	HQ 1/2 Cor Original	0.005
SB-2025-0	78	79	1	K001553	HQ 1/2 Cor Original	0.05
SB-2025-0	79	79.5	0.5	K001554	HQ 1/2 Cor Original	0.005
SB-2025-0	79.5	81	1.5	K001555	HQ 1/2 Cor Original	0.005
SB-2025-0	96.4	97.9	1.5	K001556	HQ 1/2 Cor Original	0.005
SB-2025-0	97.9	99	1.1	K001557	HQ 1/2 Cor Original	0.005
SB-2025-0	99	100	1	K001558	HQ 1/2 Cor Original	0.01
SB-2025-0	100	100.5	0.5	K001559	HQ 1/2 Cor Original	0.38
SB-2025-0	100.5	101	0.5	K001561	HQ 1/2 Cor Original	0.57
SB-2025-0	101	101.5	0.5	K001562	HQ 1/2 Cor Original	0.75
SB-2025-0	101.5	102	0.5	K001563	HQ 1/2 Cor Original	0.6

SB-2025-0	102	103.25	1.25	K001564	HQ 1/2 Cor Original	0.43
SB-2025-0	103.25	103.75	0.5	K001565	HQ 1/2 Cor Original	0.24
SB-2025-0	103.75	104.8	1.05	K001566	HQ 1/2 Cor Original	1.85
SB-2025-0	104.8	105.65	0.85	K001567	HQ 1/2 Cor Original	0.09
SB-2025-0	105.65	107	1.35	K001568	HQ 1/2 Cor Original	0.005
SB-2025-0	107	108.15	1.15	K001569	HQ 1/2 Cor Original	0.005
SB-2025-0	108.15	109.55	1.4	K001571	HQ 1/2 Cor Original	0.005
SB-2025-0	122.5	124	1.5	K001572	HQ 1/2 Cor Original	0.005
SB-2025-0	124	124.5	0.5	K001573	HQ 1/2 Cor Original	0.005
SB-2025-0	124.5	125	0.5	K001574	HQ 1/2 Cor Original	0.005
SB-2025-0	125	126	1	K001575	HQ 1/2 Cor Original	0.005
SB-2025-0	126	126.5	0.5	K001576	HQ 1/2 Cor Original	0.005
SB-2025-0	126.5	127	0.5	K001577	HQ 1/2 Cor Original	0.005
SB-2025-0	127	128.25	1.25	K001578	HQ 1/2 Cor Original	0.005
SB-2025-0	138	139.28	1.28	K001579	HQ 1/2 Cor Original	0.005
SB-2025-0	139.28	140	0.72	K001581	HQ 1/2 Cor Original	0.005
SB-2025-0	140	140.65	0.65	K001582	HQ 1/2 Cor Original	0.005
SB-2025-0	140.65	141.7	1.05	K001583	HQ 1/2 Cor Original	0.005
SB-2025-0	141.7	142.3	0.6	K001584	HQ 1/2 Cor Original	0.005
SB-2025-0	142.3	142.8	0.5	K001585	HQ 1/2 Cor Original	0.005
SB-2025-0	142.8	144	1.2	K001586	HQ 1/2 Cor Original	0.005
SB-2025-0	169	170.5	1.5	K001587	HQ 1/2 Cor Original	0.005
SB-2025-0	170.5	171	0.5	K001588	HQ 1/2 Cor Original	0.005
SB-2025-0	171	171.5	0.5	K001589	HQ 1/2 Cor Original	0.03
SB-2025-0	171.5	172	0.5	K001591	HQ 1/2 Cor Original	0.005
SB-2025-0	172	173.5	1.5	K001592	HQ 1/2 Cor Original	0.005
SB-2025-0	173.5	175	1.5	K001593	HQ 1/2 Cor Original	0.005
SB-2025-0	175	175.5	0.5	K001594	HQ 1/2 Cor Original	0.005
SB-2025-0	175.5	176	0.5	K001595	HQ 1/2 Cor Original	0.07
SB-2025-0	176	176.5	0.5	K001596	HQ 1/2 Cor Original	0.005
SB-2025-0	176.5	177	0.5	K001597	HQ 1/2 Cor Original	0.005
SB-2025-0	177	177.8	0.8	K001598	HQ 1/2 Cor Original	0.05
SB-2025-0	177.8	178.6	0.8	K001599	HQ 1/2 Cor Original	0.1
SB-2025-0	178.6	179.1	0.5	K001601	HQ 1/2 Cor Original	0.005
SB-2025-0	179.1	180.5	1.4	K001602	HQ 1/2 Cor Original	0.005
SB-2025-0	211	212.35	1.35	K001603	HQ 1/2 Cor Original	0.005
SB-2025-0	212.35	213.5	1.15	K001604	HQ 1/2 Cor Original	0.66
SB-2025-0	213.5	214	0.5	K001605	HQ 1/2 Cor Original	0.005
SB-2025-0	214	214.5	0.5	K001606	HQ 1/2 Cor Original	0.005
SB-2025-0	214.5	216	1.5	K001607	HQ 1/2 Cor Original	0.005
SB-2025-0	259.3	260.5	1.2	K001608	HQ 1/2 Cor Original	0.03
SB-2025-0	260.5	261.4	0.9	K001609	HQ 1/2 Cor Original	0.03
SB-2025-0	261.4	262	0.6	K001611	HQ 3/4 Cor Original	2.78
SB-2025-0	262	262.5	0.5	K001612	HQ 3/4 Cor Original	0.23

SB-2025-0	262.5	263	0.5	K001613	HQ 3/4 Cor Original	0.03
SB-2025-0	263	264.5	1.5	K001614	HQ 1/2 Cor Original	0.005
SB-2025-0	314.7	316.05	1.35	K001615	HQ 1/2 Cor Original	0.005
SB-2025-0	316.05	316.65	0.6	K001616	HQ 1/2 Cor Original	0.005
SB-2025-0	316.65	317.2	0.55	K001617	HQ 1/2 Cor Original	0.005
SB-2025-0	317.2	318.7	1.5	K001618	HQ 1/2 Cor Original	0.005
SB-2025-0	318.7	320	1.3	K001619	HQ 1/2 Cor Original	0.005
SB-2025-0	320	321.5	1.5	K001621	HQ 1/2 Cor Original	0.005
SB-2025-0	321.5	322.03	0.53	K001622	HQ 1/2 Cor Original	0.005
SB-2025-0	322.03	322.53	0.5	K001623	HQ 1/2 Cor Original	0.005
SB-2025-0	322.53	323.4	0.87	K001624	HQ 1/2 Cor Original	0.005
SB-2025-0	323.4	324	0.6	K001625	HQ 1/2 Cor Original	0.005
SB-2025-0	324	325.02	1.02	K001626	HQ 1/2 Cor Original	0.005
SB-2025-0	325.02	326.5	1.48	K001627	HQ 1/2 Cor Original	0.005
SB-2025-0	331.4	332.6	1.2	K001628	HQ 1/2 Cor Original	0.005
SB-2025-0	332.6	333.1	0.5	K001629	HQ 3/4 Cor Original	0.09
SB-2025-0	333.1	333.75	0.65	K001631	HQ 3/4 Cor Original	3.72
SB-2025-0	333.75	334.3	0.55	K001632	HQ 3/4 Cor Original	3.04
SB-2025-0	334.3	334.9	0.6	K001633	HQ 3/4 Cor Original	1.54
SB-2025-0	334.9	335.45	0.55	K001634	HQ 3/4 Cor Original	36.2
SB-2025-0	335.45	336	0.55	K001635	HQ 3/4 Cor Original	0.08
SB-2025-0	336	336.8	0.8	K001636	HQ 1/2 Cor Original	0.1
SB-2025-0	336.8	338.3	1.5	K001637	HQ 1/2 Cor Original	0.005
SB-2025-0	343.6	345.1	1.5	K001638	HQ 1/2 Cor Original	0.005
SB-2025-0	345.1	346.6	1.5	K001639	HQ 1/2 Cor Original	0.005
SB-2025-0	346.6	347.75	1.15	K001641	HQ 1/2 Cor Original	0.03
SB-2025-0	347.75	348.45	0.7	K001642	HQ 3/4 Cor Original	0.1
SB-2025-0	348.45	349	0.55	K001643	HQ 3/4 Cor Original	0.95
SB-2025-0	349	349.7	0.7	K001644	HQ 3/4 Cor Original	0.005
SB-2025-0	349.7	350.65	0.95	K001645	HQ 1/2 Cor Original	0.005
SB-2025-0	350.65	352	1.35	K001646	HQ 1/2 Cor Original	0.02
SB-2025-0	352	352.65	0.65	K001647	HQ 1/2 Cor Original	0.005
SB-2025-0	352.65	353.2	0.55	K001648	HQ 1/2 Cor Original	0.42
SB-2025-0	353.2	354	0.8	K001649	HQ 1/2 Cor Original	0.005
SB-2025-0	354	355.2	1.2	K001651	HQ 1/2 Cor Original	0.005
SB-2025-0	355.2	356.6	1.4	K001652	HQ 1/2 Cor Original	0.005
SB-2025-0	356.6	357.85	1.25	K001653	HQ 1/2 Cor Original	0.005
SB-2025-0	357.85	358.45	0.6	K001654	HQ 3/4 Cor Original	0.005
SB-2025-0	358.45	359.1	0.65	K001655	HQ 3/4 Cor Original	4.69
SB-2025-0	359.1	359.6	0.5	K001656	HQ 3/4 Cor Original	0.005
SB-2025-0	359.6	361	1.4	K001657	HQ 1/2 Cor Original	0.005
SB-2025-0	361	362	1	K001658	HQ 1/2 Cor Original	0.005
SB-2025-0	362	363	1	K001659	HQ 1/2 Cor Original	0.005
SB-2025-0	363	363.85	0.85	K001661	HQ 1/2 Cor Original	0.005

SB-2025-0	363.85	364.5	0.65	K001662	HQ 1/2 Cor Original	0.005
SB-2025-0	364.5	365.15	0.65	K001663	HQ 1/2 Cor Original	1.19
SB-2025-0	365.15	366	0.85	K001664	HQ 1/2 Cor Original	0.005
SB-2025-0	366	366.95	0.95	K001665	HQ 1/2 Cor Original	0.22
SB-2025-0	366.95	368.2	1.25	K001666	HQ 1/2 Cor Original	0.005
SB-2025-0	368.2	369.5	1.3	K001667	HQ 1/2 Cor Original	0.005
SB-2025-0	369.5	370.55	1.05	K001668	HQ 1/2 Cor Original	0.005
SB-2025-0	370.55	372	1.45	K001669	HQ 1/2 Cor Original	0.005
SB-2025-0	40.75	42	1.25	K001671	HQ 1/2 Cor Original	0.005
SB-2025-0	42	42.95	0.95	K001672	HQ 1/2 Cor Original	0.005
SB-2025-0	42.95	43.95	1	K001673	HQ 1/2 Cor Original	0.16
SB-2025-0	43.95	44.5	0.55	K001674	HQ 1/2 Cor Original	0.41
SB-2025-0	44.5	45.05	0.55	K001675	HQ 1/2 Cor Original	2.02
SB-2025-0	45.05	45.75	0.7	K001676	HQ 1/2 Cor Original	0.17
SB-2025-0	45.75	47.05	1.3	K001677	HQ 1/2 Cor Original	0.005
SB-2025-0	47.05	48.2	1.15	K001678	HQ 1/2 Cor Original	0.005
SB-2025-0	48.2	49.2	1	K001679	HQ 1/2 Cor Original	0.005
SB-2025-0	111	112	1	K001681	HQ 1/2 Cor Original	0.005
SB-2025-0	112	113	1	K001682	HQ 1/2 Cor Original	0.17
SB-2025-0	113	114	1	K001683	HQ 1/2 Cor Original	0.31
SB-2025-0	114	115	1	K001684	HQ 1/2 Cor Original	0.22
SB-2025-0	115	116	1	K001685	HQ 1/2 Cor Original	0.005
SB-2025-0	116	117	1	K001686	HQ 1/2 Cor Original	0.005
SB-2025-0	117	117.7	0.7	K001687	HQ 1/2 Cor Original	1.38
SB-2025-0	117.7	118.8	1.1	K001688	HQ 1/2 Cor Original	0.1
SB-2025-0	118.8	120	1.2	K001689	HQ 1/2 Cor Original	0.005
SB-2025-0	120	121.1	1.1	K001691	HQ 1/2 Cor Original	0.005
SB-2025-0	121.1	122.5	1.4	K001692	HQ 1/2 Cor Original	0.005
SB-2025-0	122.5	123.5	1	K001693	HQ 1/2 Cor Original	0.005
SB-2025-0	123.5	124	0.5	K001694	HQ 1/2 Cor Original	0.02
SB-2025-0	124	125	1	K001695	HQ 1/2 Cor Original	0.005
SB-2025-0	125	126	1	K001696	HQ 1/2 Cor Original	0.005
SB-2025-0	126	127	1	K001697	HQ 1/2 Cor Original	0.005
SB-2025-0	170.05	171.15	1.1	K001698	HQ 1/2 Cor Original	0.005
SB-2025-0	171.15	172.1	0.95	K001699	HQ 1/2 Cor Original	0.005
SB-2025-0	172.1	172.7	0.6	K001701	HQ 1/2 Cor Original	0.005
SB-2025-0	172.7	173.5	0.8	K001702	HQ 1/2 Cor Original	0.12
SB-2025-0	173.5	174.8	1.3	K001703	HQ 1/2 Cor Original	0.005
SB-2025-0	174.8	176.3	1.5	K001704	HQ 1/2 Cor Original	0.005
SB-2025-0	233.5	234.5	1	K001705	HQ 1/2 Cor Original	0.06
SB-2025-0	234.5	235.25	0.75	K001706	HQ 1/2 Cor Original	0.005
SB-2025-0	235.25	236.75	1.5	K001707	HQ 1/2 Cor Original	0.005
SB-2025-0	236.75	237.5	0.75	K001708	HQ 1/2 Cor Original	0.97
SB-2025-0	237.5	238.9	1.4	K001709	HQ 1/2 Cor Original	0.005

SB-2025-0	238.9	240	1.1	K001711	HQ 1/2 Cor Original	0.005
SB-2025-0	240	240.95	0.95	K001712	HQ 1/2 Cor Original	0.005
SB-2025-0	240.95	241.75	0.8	K001713	HQ 1/2 Cor Original	0.005
SB-2025-0	241.75	242.25	0.5	K001714	HQ 1/2 Cor Original	0.77
SB-2025-0	242.25	242.85	0.6	K001715	HQ 1/2 Cor Original	0.005
SB-2025-0	242.25	242.85	0.6	K001716	HQ 1/2 Cor FieldDup	0.005
SB-2025-0	242.85	243.9	1.05	K001717	HQ 1/2 Cor Original	0.005
SB-2025-0	243.9	245.1	1.2	K001718	HQ 1/2 Cor Original	0.005
SB-2025-0	245.1	246	0.9	K001719	HQ 1/2 Cor Original	0.005
SB-2025-0	246	246.9	0.9	K001721	HQ 1/2 Cor Original	0.005
SB-2025-0	314.4	315.2	0.8	K001722	HQ 1/2 Cor Original	0.005
SB-2025-0	315.2	315.9	0.7	K001723	HQ 1/2 Cor Original	0.005
SB-2025-0	315.9	316.4	0.5	K001724	HQ 1/2 Cor Original	0.005
SB-2025-0	316.4	317.9	1.5	K001725	HQ 1/2 Cor Original	0.005
SB-2025-0	317.9	319.1	1.2	K001726	HQ 1/2 Cor Original	0.005
SB-2025-0	319.1	320.1	1	K001727	HQ 1/2 Cor Original	0.005
SB-2025-0	320.1	321.3	1.2	K001728	HQ 1/2 Cor Original	0.005
SB-2025-0	320.1	321.3	1.2	K001729	HQ 1/2 Cor FieldDup	0.005
SB-2025-0	321.3	322.3	1	K001731	HQ 3/4 Cor Original	0.005
SB-2025-0	322.3	323	0.7	K001732	HQ 3/4 Cor Original	0.95
SB-2025-0	323	323.7	0.7	K001733	HQ 3/4 Cor Original	3.75
SB-2025-0	323.7	324.45	0.75	K001734	HQ 3/4 Cor Original	13.9
SB-2025-0	324.45	325.05	0.6	K001735	HQ 3/4 Cor Original	0.05
SB-2025-0	325.05	326.1	1.05	K001736	HQ 1/2 Cor Original	0.02
SB-2025-0	325.05	326.1	1.05	K001737	HQ 1/2 Cor FieldDup	0.005
SB-2025-0	326.1	327.15	1.05	K001738	HQ 1/2 Cor Original	0.005
SB-2025-0	327.15	328.4	1.25	K001739	HQ 1/2 Cor Original	0.03
SB-2025-0	328.4	329.5	1.1	K001741	HQ 1/2 Cor Original	0.005
SB-2025-0	329.5	331	1.5	K001742	HQ 1/2 Cor Original	0.005
SB-2025-0	331	332.5	1.5	K001743	HQ 1/2 Cor Original	0.005
SB-2025-0	332.5	334	1.5	K001744	HQ 1/2 Cor Original	0.005
SB-2025-0	334	335.5	1.5	K001745	HQ 1/2 Cor Original	0.005
SB-2025-0	335.5	337	1.5	K001746	HQ 1/2 Cor Original	0.005
SB-2025-0	337	338	1	K001747	HQ 1/2 Cor Original	0.005
SB-2025-0	338	338.5	0.5	K001748	HQ 1/2 Cor Original	0.005
SB-2025-0	338	338.5	0.5	K001749	HQ 1/2 Cor FieldDup	0.005
SB-2025-0	338.5	339	0.5	K001751	HQ 3/4 Cor Original	0.005
SB-2025-0	339	339.5	0.5	K001752	HQ 3/4 Cor Original	1.76
SB-2025-0	339.5	340.2	0.7	K001753	HQ 3/4 Cor Original	5.65
SB-2025-0	340.2	341	0.8	K001754	HQ 3/4 Cor Original	0.005
SB-2025-0	341	341.9	0.9	K001755	HQ 1/2 Cor Original	0.005
SB-2025-0	341	341.9	0.9	K001756	HQ 1/2 Cor FieldDup	0.005
SB-2025-0	341.9	343.05	1.15	K001757	HQ 1/2 Cor Original	0.005
SB-2025-0	343.05	344.5	1.45	K001758	HQ 1/2 Cor Original	0.005

SB-2025-0	344.5	345.25	0.75	K001759	HQ 1/2 Cor Original	0.005
SB-2025-0	345.25	346	0.75	K001761	HQ 1/2 Cor Original	0.005
SB-2025-0	346	346.5	0.5	K001762	HQ 1/2 Cor Original	0.005
SB-2025-0	346.5	347	0.5	K001763	HQ 3/4 Cor Original	0.2
SB-2025-0	347	347.6	0.6	K001764	HQ 1/2 Cor Original	0.005
SB-2025-0	347	347.6	0.6	K001765	HQ 1/2 Cor FieldDup	0.005
SB-2025-0	347.6	348.25	0.65	K001766	HQ 3/4 Cor Original	0.005
SB-2025-0	348.25	348.8	0.55	K001767	HQ 3/4 Cor Original	1.17
SB-2025-0	348.8	349.6	0.8	K001768	HQ 3/4 Cor Original	0.005
SB-2025-0	349.6	350.5	0.9	K001769	HQ 1/2 Cor Original	0.005
SB-2025-0	350.5	351.5	1	K001771	HQ 1/2 Cor Original	0.005
SB-2025-0	350.5	351.5	1	K001772	HQ 1/2 Cor FieldDup	0.005
SB-2025-0	351.5	353	1.5	K001773	HQ 1/2 Cor Original	0.005
SB-2025-0	353	354	1	K001774	HQ 1/2 Cor Original	0.005
SB-2025-0	354	355.05	1.05	K001775	HQ 1/2 Cor Original	0.005
SB-2025-0	355.05	356.55	1.5	K001776	HQ 1/2 Cor Original	0.005
SB-2025-0	44.05	45.5	1.45	K001777	HQ 1/2 Cor Original	0.005
SB-2025-0	45.5	46.75	1.25	K001778	HQ 1/2 Cor Original	0.49
SB-2025-0	46.75	47.65	0.9	K001779	HQ 1/2 Cor Original	0.21
SB-2025-0	47.65	48.4	0.75	K001781	HQ 1/2 Cor Original	0.19
SB-2025-0	48.4	49	0.6	K001782	HQ 1/2 Cor Original	0.89
SB-2025-0	49	49.55	0.55	K001783	HQ 1/2 Cor Original	5.08
SB-2025-0	49.55	50.1	0.55	K001784	HQ 1/2 Cor Original	1.27
SB-2025-0	50.1	51.2	1.1	K001785	HQ 1/2 Cor Original	0.61
SB-2025-0	51.2	52.55	1.35	K001786	HQ 1/2 Cor Original	0.005
SB-2025-0	52.55	54	1.45	K001787	HQ 1/2 Cor Original	0.005
SB-2025-0	54	55.5	1.5	K001788	HQ 1/2 Cor Original	0.005
SB-2025-0	112.9	114.35	1.45	K001789	HQ 1/2 Cor Original	0.005
SB-2025-0	114.35	115.7	1.35	K001791	HQ 1/2 Cor Original	0.005
SB-2025-0	115.7	116.2	0.5	K001792	HQ 1/2 Cor Original	0.02
SB-2025-0	116.2	116.7	0.5	K001793	HQ 1/2 Cor Original	1.92
SB-2025-0	116.7	117.2	0.5	K001794	HQ 1/2 Cor Original	0.29
SB-2025-0	117.2	117.9	0.7	K001795	HQ 1/2 Cor Original	0.95
SB-2025-0	117.2	117.9	0.7	K001796	HQ 1/2 Cor FieldDup	0.96
SB-2025-0	117.9	118.5	0.6	K001797	HQ 1/2 Cor Original	0.15
SB-2025-0	118.5	119.1	0.6	K001798	HQ 1/2 Cor Original	0.05
SB-2025-0	119.1	120	0.9	K001799	HQ 1/2 Cor Original	0.005
SB-2025-0	120	121	1	K001801	HQ 1/2 Cor Original	0.08
SB-2025-0	121	122.5	1.5	K001802	HQ 1/2 Cor Original	0.005
SB-2025-0	122.5	123.75	1.25	K001803	HQ 1/2 Cor Original	0.005
SB-2025-0	211.7	213	1.3	K001804	HQ 1/2 Cor Original	1.41
SB-2025-0	213	214.15	1.15	K001805	HQ 1/2 Cor Original	0.01
SB-2025-0	214.15	215.35	1.2	K001806	HQ 1/2 Cor Original	0.005
SB-2025-0	215.35	216.5	1.15	K001807	HQ 1/2 Cor Original	0.005

SB-2025-0	216.5	217.75	1.25	K001808	HQ 1/2 Cor Original	0.005
SB-2025-0	217.75	219	1.25	K001809	HQ 1/2 Cor Original	0.05
SB-2025-0	219	220	1	K001811	HQ 1/2 Cor Original	0.04
SB-2025-0	220	220.8	0.8	K001812	HQ 1/2 Cor Original	0.005
SB-2025-0	220.8	221.55	0.75	K001813	HQ 1/2 Cor Original	0.73
SB-2025-0	221.55	222.35	0.8	K001814	HQ 1/2 Cor Original	0.02
SB-2025-0	222.35	223.25	0.9	K001815	HQ 1/2 Cor Original	0.42
SB-2025-0	223.25	224.7	1.45	K001816	HQ 1/2 Cor Original	0.16
SB-2025-0	224.7	225.8	1.1	K001817	HQ 1/2 Cor Original	0.005
SB-2025-0	225.8	226.9	1.1	K001818	HQ 1/2 Cor Original	0.005
SB-2025-0	246.9	248.25	1.35	K001819	HQ 1/2 Cor Original	0.005
SB-2025-0	248.25	249.4	1.15	K001821	HQ 1/2 Cor Original	0.005
SB-2025-0	249.4	250.5	1.1	K001822	HQ 1/2 Cor Original	0.005
SB-2025-0	249.4	250.5	1.1	K001823	HQ 1/2 Cor FieldDup	0.005
SB-2025-0	250.5	251	0.5	K001824	HQ 3/4 Cor Original	0.1
SB-2025-0	251	251.5	0.5	K001825	HQ 3/4 Cor Original	3.9
SB-2025-0	251.5	252	0.5	K001826	HQ 3/4 Cor Original	1.36
SB-2025-0	252	253	1	K001827	HQ 1/2 Cor Original	1.45
SB-2025-0	253	254	1	K001828	HQ 1/2 Cor Original	0.005
SB-2025-0	254	255.3	1.3	K001829	HQ 1/2 Cor Original	0.005
SB-2025-0	327.4	328.9	1.5	K001831	HQ 1/2 Cor Original	0.005
SB-2025-0	328.9	329.5	0.6	K001832	HQ 1/2 Cor Original	0.005
SB-2025-0	329.5	330.75	1.25	K001833	HQ 1/2 Cor Original	0.005
SB-2025-0	330.75	331.85	1.1	K001834	HQ 1/2 Cor Original	0.005
SB-2025-0	331.85	332.65	0.8	K001835	HQ 1/2 Cor Original	2.57
SB-2025-0	332.65	333.7	1.05	K001836	HQ 1/2 Cor Original	0.005
SB-2025-0	333.7	335	1.3	K001837	HQ 1/2 Cor Original	0.005
SB-2025-0	333.7	335	1.3	K001838	HQ 1/2 Cor FieldDup	0.005
SB-2025-0	335	336.3	1.3	K001839	HQ 1/2 Cor Original	0.005
SB-2025-0	336.3	337	0.7	K001841	HQ 1/2 Cor Original	0.02
SB-2025-0	337	338.25	1.25	K001842	HQ 1/2 Cor Original	0.005
SB-2025-0	338.25	339.6	1.35	K001843	HQ 1/2 Cor Original	0.005
UB-2025-0	17.8	19	1.2	J003357	NQ 1/2 Cor Original	0.005
UB-2025-0	19	20.5	1.5	J003358	NQ 1/2 Cor Original	0.005
UB-2025-0	20.5	22	1.5	J003359	NQ 1/2 Cor Original	0.005
UB-2025-0	22	23	1	J003361	NQ 1/2 Cor Original	0.005
UB-2025-0	23	24	1	J003362	NQ 1/2 Cor Original	0.005
UB-2025-0	24	24.5	0.5	J003364	NQ 1/2 Cor Original	0.07
UB-2025-0	24.5	25	0.5	J003363	NQ 1/2 Cor Original	0.005
UB-2025-0	25	25.5	0.5	J003365	NQ 1/2 Cor Original	0.06
UB-2025-0	25.5	26	0.5	J003366	NQ 1/2 Cor Original	0.01
UB-2025-0	26	26.5	0.5	J003367	NQ 1/2 Cor Original	0.005
UB-2025-0	26.5	27.5	1	J003368	NQ 1/2 Cor Original	0.005
UB-2025-0	27.5	29	1.5	J003369	NQ 1/2 Cor Original	0.005

UB-2025-0	29	30.4	1.4	J003371	NQ 1/2 Cor Original	0.005
UB-2025-0	51	52	1	J003372	NQ 1/2 Cor Original	0.005
UB-2025-0	52	53	1	J003373	NQ 1/2 Cor Original	0.005
UB-2025-0	53	54	1	J003374	NQ 1/2 Cor Original	0.005
UB-2025-0	54	54.5	0.5	J003375	NQ 1/2 Cor Original	0.005
UB-2025-0	54.5	55.05	0.55	J003376	NQ 1/2 Cor Original	1.53
UB-2025-0	55.05	55.55	0.5	J003378	NQ 1/2 Cor Original	0.05
UB-2025-0	55.55	56.05	0.5	J003377	NQ 1/2 Cor Original	0.03
UB-2025-0	56.05	57.5	1.45	J003379	NQ 1/2 Cor Original	0.06
UB-2025-0	57.5	58.8	1.3	J003381	NQ 1/2 Cor Original	0.005
UB-2025-0	75.7	77	1.3	J003263	NQ 1/2 Cor Original	0.005
UB-2025-0	77	78	1	J003264	NQ 1/2 Cor Original	0.01
UB-2025-0	78	79.15	1.15	J003265	NQ 1/2 Cor Original	0.005
UB-2025-0	79.15	80.15	1	J003266	NQ 1/2 Cor Original	0.01
UB-2025-0	80.15	80.65	0.5	J003267	NQ 1/2 Cor Original	0.6
UB-2025-0	80.65	81.35	0.7	J003268	NQ 1/2 Cor Original	46.5
UB-2025-0	81.35	81.85	0.5	J003269	NQ 1/2 Cor Original	0.24
UB-2025-0	81.85	82.85	1	J003271	NQ 1/2 Cor Original	0.01
UB-2025-0	82.85	84	1.15	J003272	NQ 1/2 Cor Original	0.01
UB-2025-0	84	85.5	1.5	J003273	NQ 1/2 Cor Original	0.005
UB-2025-0	85.5	87	1.5	J003274	NQ 1/2 Cor Original	0.005
UB-2025-0	87	88.35	1.35	J003275	NQ 1/2 Cor Original	0.005
UB-2025-0	101.4	102.5	1.1	J003276	NQ 1/2 Cor Original	0.01
UB-2025-0	102.5	103.5	1	J003277	NQ 1/2 Cor Original	0.005
UB-2025-0	103.5	104.5	1	J003278	NQ 1/2 Cor Original	0.01
UB-2025-0	104.5	105.5	1	J003279	NQ 1/2 Cor Original	0.01
UB-2025-0	105.5	106	0.5	J003281	NQ 1/2 Cor Original	0.18
UB-2025-0	106	106.5	0.5	J003282	NQ 1/2 Cor Original	1.25
UB-2025-0	106.5	107	0.5	J003283	NQ 1/2 Cor Original	0.03
UB-2025-0	107	107.5	0.5	J003284	NQ 1/2 Cor Original	0.64
UB-2025-0	107.5	108	0.5	J003285	NQ 1/2 Cor Original	0.22
UB-2025-0	108	109.5	1.5	J003286	NQ 1/2 Cor Original	0.09
UB-2025-0	109.5	110.75	1.25	J003287	NQ 1/2 Cor Original	0.005
UB-2025-0	110.75	111.25	0.5	J003288	NQ 1/2 Cor Original	0.56
UB-2025-0	111.25	111.75	0.5	J003289	NQ 1/2 Cor Original	1.49
UB-2025-0	111.75	112.25	0.5	J003291	NQ 1/2 Cor Original	1.43
UB-2025-0	112.25	113	0.75	J003292	NQ 1/2 Cor Original	0.2
UB-2025-0	113	114.2	1.2	J003293	NQ 1/2 Cor Original	0.02
UB-2025-0	114.2	115.2	1	J003294	NQ 1/2 Cor Original	0.07
UB-2025-0	115.2	115.7	0.5	J003295	NQ 1/2 Cor Original	0.45
UB-2025-0	115.7	116.7	1	J003296	NQ 1/2 Cor Original	5.44
UB-2025-0	116.7	117.25	0.55	J003297	NQ 1/2 Cor Original	0.36
UB-2025-0	117.25	118.25	1	J003298	NQ 1/2 Cor Original	0.005
UB-2025-0	118.25	119.25	1	J003299	NQ 1/2 Cor Original	0.17

UB-2025-0	119.25	120	0.75	J003301	NQ 1/2 Cor Original	0.49
UB-2025-0	18.85	19.85	1	J003351	NQ 1/2 Cor Original	0.005
UB-2025-0	19.85	20.35	0.5	J003352	NQ 1/2 Cor Original	0.005
UB-2025-0	20.35	20.85	0.5	J003353	NQ 1/2 Cor Original	0.005
UB-2025-0	20.85	21.75	0.9	J003354	NQ 1/2 Cor Original	0.42
UB-2025-0	21.75	22.25	0.5	J003355	NQ 1/2 Cor Original	0.005
UB-2025-0	22.25	22.95	0.7	J003356	NQ 1/2 Cor Original	0.005
UB-2025-0	37.5	38	0.5	J003587	NQ 1/2 Cor Original	0.01
UB-2025-0	38	39	1	J003588	NQ 1/2 Cor Original	0.01
UB-2025-0	39	40	1	J003589	NQ 1/2 Cor Original	0.01
UB-2025-0	40	40.6	0.6	J003591	NQ 1/2 Cor Original	0.01
UB-2025-0	40.6	41.2	0.6	J003592	NQ 1/2 Cor Original	0.05
UB-2025-0	41.2	41.75	0.55	J003593	NQ 1/2 Cor Original	0.12
UB-2025-0	41.75	42.5	0.75	J003594	NQ 1/2 Cor Original	0.05
UB-2025-0	42.5	43	0.5	J003595	NQ 1/2 Cor Original	0.46
UB-2025-0	43	43.5	0.5	J003596	NQ 1/2 Cor Original	0.01
UB-2025-0	43.5	44.1	0.6	J003597	NQ 1/2 Cor Original	0.01
UB-2025-0	44.1	45	0.9	J003598	NQ 1/2 Cor Original	0.005
UB-2025-0	45	46	1	J003599	NQ 1/2 Cor Original	0.005
UB-2025-0	69.25	70.5	1.25	J003302	NQ 1/2 Cor Original	0.005
UB-2025-0	70.5	72	1.5	J003303	NQ 1/2 Cor Original	0.005
UB-2025-0	72	73.5	1.5	J003304	NQ 1/2 Cor Original	0.005
UB-2025-0	73.5	74.55	1.05	J003305	NQ 1/2 Cor Original	0.005
UB-2025-0	74.55	75.55	1	J003306	NQ 1/2 Cor Original	0.005
UB-2025-0	75.55	76.55	1	J003307	NQ 1/2 Cor Original	0.01
UB-2025-0	76.55	77.05	0.5	J003308	NQ 1/2 Cor Original	0.19
UB-2025-0	77.05	77.55	0.5	J003309	NQ 1/2 Cor Original	8.74
UB-2025-0	77.55	78.05	0.5	J003311	NQ 1/2 Cor Original	1.08
UB-2025-0	78.05	79.05	1	J003312	NQ 1/2 Cor Original	1.49
UB-2025-0	79.05	80.5	1.45	J003313	NQ 1/2 Cor Original	0.01
UB-2025-0	80.5	82	1.5	J003314	NQ 1/2 Cor Original	0.02
UB-2025-0	82	83.5	1.5	J003315	NQ 1/2 Cor Original	0.005
UB-2025-0	83.5	85	1.5	J003316	NQ 1/2 Cor Original	0.005
UB-2025-0	85	86.05	1.05	J003317	NQ 1/2 Cor Original	0.005
UB-2025-0	107.3	108.5	1.2	J003318	NQ 1/2 Cor Original	0.005
UB-2025-0	108.5	110	1.5	J003319	NQ 1/2 Cor Original	0.005
UB-2025-0	110	110.5	0.5	J003321	NQ 1/2 Cor Original	0.01
UB-2025-0	110.5	111	0.5	J003322	NQ 1/2 Cor Original	0.005
UB-2025-0	111	111.65	0.65	J003323	NQ 1/2 Cor Original	0.005
UB-2025-0	111.65	112.15	0.5	J003324	NQ 1/2 Cor Original	0.01
UB-2025-0	112.15	112.75	0.6	J003325	NQ 1/2 Cor Original	3.83
UB-2025-0	112.75	113.15	0.4	No Sample No Sample - LC		
UB-2025-0	113.15	113.65	0.5	J003326	NQ 1/2 Cor Original	2.67
UB-2025-0	113.65	114.45	0.8	J003327	NQ 1/2 Cor Original	1.2

UB-2025-0	114.45	114.95	0.5	J003328	NQ 1/2 Cor Original	1.07
UB-2025-0	114.95	115.45	0.5	J003329	NQ 1/2 Cor Original	0.45
UB-2025-0	115.45	116.45	1	J003331	NQ 1/2 Cor Original	0.55
UB-2025-0	116.45	117.4	0.95	J003332	NQ 1/2 Cor Original	0.12
UB-2025-0	117.4	118.4	1	J003333	NQ 1/2 Cor Original	0.17
UB-2025-0	118.4	118.9	0.5	J003334	NQ 1/2 Cor Original	0.62
UB-2025-0	118.9	119.4	0.5	J003335	NQ 1/2 Cor Original	1.3
UB-2025-0	119.4	120	0.6	J003336	NQ 1/2 Cor Original	1.42
UB-2025-0	120	120.5	0.5	J003337	NQ 1/2 Cor Original	4.38
UB-2025-0	120.5	121	0.5	J003338	NQ 1/2 Cor Original	26
UB-2025-0	121	121.5	0.5	J003339	NQ 1/2 Cor Original	5.74
UB-2025-0	121.5	122	0.5	J003341	NQ 1/2 Cor Original	17.9
UB-2025-0	122	122.5	0.5	J003342	NQ 1/2 Cor Original	0.29
UB-2025-0	122.5	123	0.5	J003343	NQ 1/2 Cor Original	0.47
UB-2025-0	123	124	1	J003344	NQ 1/2 Cor Original	0.04
UB-2025-0	124	125	1	J003345	NQ 1/2 Cor Original	0.005
UB-2025-0	125	126.5	1.5	J003346	NQ 1/2 Cor Original	0.005
UB-2025-0	126.5	128	1.5	J003347	NQ 1/2 Cor Original	0.005
UB-2025-0	128	129	1	J003348	NQ 1/2 Cor Original	0.005
UB-2025-0	129	130	1	J003349	NQ 1/2 Cor Original	0.005
UB-2025-0	19.4	20.7	1.3	J003382	NQ 1/2 Cor Original	0.005
UB-2025-0	20.7	22	1.3	J003383	NQ 1/2 Cor Original	0.005
UB-2025-0	22	22.75	0.75	J003384	NQ 1/2 Cor Original	0.005
UB-2025-0	22.75	23.25	0.5	J003385	NQ 1/2 Cor Original	0.005
UB-2025-0	23.25	23.75	0.5	J003386	NQ 1/2 Cor Original	0.005
UB-2025-0	23.75	24.25	0.5	J003387	NQ 1/2 Cor Original	0.005
UB-2025-0	24.25	25.25	1	J003388	NQ 1/2 Cor Original	0.005
UB-2025-0	25.25	26.5	1.25	J003389	NQ 1/2 Cor Original	0.005
UB-2025-0	26.5	27.65	1.15	J003391	NQ 1/2 Cor Original	0.005
UB-2025-0	39.45	40.95	1.5	J003392	NQ 1/2 Cor Original	0.32
UB-2025-0	40.95	42	1.05	J003393	NQ 1/2 Cor Original	0.005
UB-2025-0	42	43.5	1.5	J003394	NQ 1/2 Cor Original	0.005
UB-2025-0	43.5	44.5	1	J003395	NQ 1/2 Cor Original	0.005
UB-2025-0	44.5	45.6	1.1	J003396	NQ 1/2 Cor Original	0.005
UB-2025-0	45.6	46.6	1	J003397	NQ 1/2 Cor Original	0.005
UB-2025-0	46.6	47.1	0.5	J003398	NQ 1/2 Cor Original	0.005
UB-2025-0	47.1	47.6	0.5	J003399	NQ 1/2 Cor Original	2
UB-2025-0	47.6	48.1	0.5	J003401	NQ 1/2 Cor Original	0.01
UB-2025-0	48.1	49.1	1	J003402	NQ 1/2 Cor Original	0.005
UB-2025-0	49.1	50.5	1.4	J003403	NQ 1/2 Cor Original	0.005
UB-2025-0	50.5	51.9	1.4	J003404	NQ 1/2 Cor Original	0.005
UB-2025-0	64.5	66	1.5	J003405	NQ 1/2 Cor Original	0.005
UB-2025-0	66	67	1	J003406	NQ 1/2 Cor Original	0.005
UB-2025-0	67	67.5	0.5	J003407	NQ 1/2 Cor Original	0.005

UB-2025-0	67.5	68	0.5	J003408	NQ 1/2 Cor Original	0.05
UB-2025-0	68	68.5	0.5	J003409	NQ 1/2 Cor Original	0.005
UB-2025-0	68.5	69.5	1	J003411	NQ 1/2 Cor Original	0.01
UB-2025-0	69.5	70.5	1	J003412	NQ 1/2 Cor Original	0.005
UB-2025-0	70.5	71.5	1	J003413	NQ 1/2 Cor Original	0.005
UB-2025-0	71.5	72.5	1	J003414	NQ 1/2 Cor Original	0.005
UB-2025-0	72.5	73	0.5	J003415	NQ 1/2 Cor Original	0.04
UB-2025-0	73	73.5	0.5	J003416	NQ 1/2 Cor Original	1.33
UB-2025-0	73.5	74	0.5	J003417	NQ 1/2 Cor Original	4.53
UB-2025-0	74	74.5	0.5	J003418	NQ 1/2 Cor Original	0.1
UB-2025-0	74.5	75	0.5	J003419	NQ 1/2 Cor Original	0.01
UB-2025-0	75	76.5	1.5	J003421	NQ 1/2 Cor Original	0.005
UB-2025-0	76.5	78	1.5	J003422	NQ 1/2 Cor Original	0.005
UB-2025-0	78	79.5	1.5	J003423	NQ 1/2 Cor Original	0.01
UB-2025-0	79.5	81	1.5	J003424	NQ 1/2 Cor Original	0.005
UB-2025-0	81	82	1	J003425	NQ 1/2 Cor Original	0.005
UB-2025-0	82	83.1	1.1	J003426	NQ 1/2 Cor Original	0.005
UB-2025-0	83.1	83.6	0.5	J003427	NQ 1/2 Cor Original	0.18
UB-2025-0	83.6	84.1	0.5	J003428	NQ 1/2 Cor Original	0.01
UB-2025-0	84.1	85	0.9	J003429	NQ 1/2 Cor Original	0.005
UB-2025-0	97.5	99	1.5	J003431	NQ 1/2 Cor Original	0.005
UB-2025-0	99	100.5	1.5	J003432	NQ 1/2 Cor Original	0.005
UB-2025-0	100.5	101.5	1	J003433	NQ 1/2 Cor Original	0.01
UB-2025-0	101.5	102.5	1	J003434	NQ 1/2 Cor Original	0.38
UB-2025-0	102.5	103	0.5	J003435	NQ 1/2 Cor Original	0.44
UB-2025-0	103	103.5	0.5	J003436	NQ 1/2 Cor Original	1.53
UB-2025-0	103.5	103.9	0.4	No Sample No Sample - LC		
UB-2025-0	103.9	105	1.1	J003437	NQ 1/2 Cor Original	1.15
UB-2025-0	105	105.65	0.65	J003438	NQ 1/2 Cor Original	0.64
UB-2025-0	105.65	106.5	0.85	No Sample No Sample - LC		
UB-2025-0	21.2	22.4	1.2	J003439	NQ 1/2 Cor Original	0.005
UB-2025-0	22.4	23	0.6	J003441	NQ 1/2 Cor Original	0.01
UB-2025-0	23	23.5	0.5	J003442	NQ 1/2 Cor Original	0.005
UB-2025-0	23.5	24	0.5	J003443	NQ 1/2 Cor Original	1.08
UB-2025-0	24	24.4	0.4	No Sample No Sample - LC		
UB-2025-0	24.4	25	0.6	J003444	NQ 1/2 Cor Original	0.03
UB-2025-0	25	25.5	0.5	J003445	NQ 1/2 Cor Original	0.005
UB-2025-0	50.5	52	1.5	J003446	NQ 1/2 Cor Original	0.005
UB-2025-0	52	53	1	J003447	NQ 1/2 Cor Original	0.27
UB-2025-0	53	54	1	J003448	NQ 1/2 Cor Original	0.005
UB-2025-0	54	55	1	J003449	NQ 1/2 Cor Original	0.005
UB-2025-0	69.75	70.75	1	J003451	NQ 1/2 Cor Original	0.01
UB-2025-0	70.75	72	1.25	J003452	NQ 1/2 Cor Original	0.01
UB-2025-0	72	72.8	0.8	J003453	NQ 1/2 Cor Original	0.27

UB-2025-0	72.8	74	1.2	J003454	NQ 1/2 Cor Original	2.83
UB-2025-0	74	74.6	0.6	J003455	NQ 1/2 Cor Original	1.72
UB-2025-0	74.6	75.6	1	J003456	NQ 1/2 Cor Original	1.89
UB-2025-0	75.6	76.5	0.9	J003457	NQ 1/2 Cor Original	0.005
UB-2025-0	76.5	77.5	1	J003458	NQ 1/2 Cor Original	0.005
UB-2025-0	77.5	79	1.5	J003459	NQ 1/2 Cor Original	0.005
UB-2025-0	91.25	92.4	1.15	J003461	NQ 1/2 Cor Original	0.005
UB-2025-0	92.4	93.2	0.8	J003462	NQ 1/2 Cor Original	0.005
UB-2025-0	93.2	94.2	1	J003463	NQ 1/2 Cor Original	0.005
UB-2025-0	94.2	95	0.8	J003464	NQ 1/2 Cor Original	1.6
UB-2025-0	95	95.5	0.5	J003465	NQ 1/2 Cor Original	0.9
UB-2025-0	95.5	96.25	0.75	J003466	NQ 1/2 Cor Original	1.44
UB-2025-0	96.25	97	0.75	J003467	NQ 1/2 Cor Original	0.02
UB-2025-0	97	98	1	J003468	NQ 1/2 Cor Original	0.005
UB-2025-0	98	99.25	1.25	J003469	NQ 1/2 Cor Original	0.005
UB-2025-0	99.25	100.5	1.25	J003471	NQ 1/2 Cor Original	0.02
UB-2025-0	100.5	102	1.5	J003472	NQ 1/2 Cor Original	0.06
UB-2025-0	29	30	1	J003473	NQ 1/2 Cor Original	0.005
UB-2025-0	30	30.5	0.5	J003474	NQ 1/2 Cor Original	0.01
UB-2025-0	30.5	32	1.5	J003475	NQ 1/2 Cor Original	0.45
UB-2025-0	32	33	1	J003476	NQ 1/2 Cor Original	0.94
UB-2025-0	33	33.5	0.5	J003477	NQ 1/2 Cor Original	2.89
UB-2025-0	33.5	34.1	0.6	J003478	NQ 1/2 Cor Original	0.01
UB-2025-0	34.1	35	0.9	J003479	NQ 1/2 Cor Original	0.07
UB-2025-0	35	35.9	0.9	J003481	NQ 1/2 Cor Original	0.005
UB-2025-0	70	71	1	J003482	NQ 1/2 Cor Original	0.005
UB-2025-0	71	72	1	J003483	NQ 1/2 Cor Original	0.005
UB-2025-0	72	73	1	J003484	NQ 1/2 Cor Original	0.005
UB-2025-0	73	74	1	J003485	NQ 1/2 Cor Original	0.005
UB-2025-0	74	74.7	0.7	J003486	NQ 1/2 Cor Original	0.34
UB-2025-0	74.7	76	1.3	J003487	NQ 1/2 Cor Original	0.01
UB-2025-0	76	77	1	J003488	NQ 1/2 Cor Original	0.01
UB-2025-0	77	78	1	J003489	NQ 1/2 Cor Original	0.01
UB-2025-0	81.5	82.25	0.75	J003491	NQ 1/2 Cor Original	0.005
UB-2025-0	82.25	83	0.75	J003492	NQ 1/2 Cor Original	0.005
UB-2025-0	83	83.6	0.6	J003493	NQ 1/2 Cor Original	0.12
UB-2025-0	83.6	84.25	0.65	J003494	NQ 1/2 Cor Original	0.02
UB-2025-0	84.25	85.5	1.25	J003495	NQ 1/2 Cor Original	0.2
UB-2025-0	85.5	86	0.5	J003496	NQ 1/2 Cor Original	8.62
UB-2025-0	86	87	1	J003497	NQ 1/2 Cor Original	0.01
UB-2025-0	87	88	1	J003498	NQ 1/2 Cor Original	0.01
UB-2025-0	88	89	1	J003499	NQ 1/2 Cor Original	0.005
UB-2025-0	89	89.5	0.5	J003501	NQ 1/2 Cor Original	4.01
UB-2025-0	89.5	90.25	0.75	J003502	NQ 1/2 Cor Original	0.005

UB-2025-0	90.25	91	0.75	J003503	NQ 1/2 Cor Original	0.005
UB-2025-0	91	92	1	J003504	NQ 1/2 Cor Original	0.005
UB-2025-0	92	93.5	1.5	J003505	NQ 1/2 Cor Original	0.005
UB-2025-0	93.5	95	1.5	J003506	NQ 1/2 Cor Original	0.005
UB-2025-0	95	95.5	0.5	J003507	NQ 1/2 Cor Original	0.005
UB-2025-0	95.5	96	0.5	J003508	NQ 1/2 Cor Original	0.01
UB-2025-0	96	96.6	0.6	J003509	NQ 1/2 Cor Original	0.04
UB-2025-0	96.6	97.25	0.65	J003511	NQ 1/2 Cor Original	1.46
UB-2025-0	97.25	98.4	1.15	J003512	NQ 1/2 Cor Original	2.04
UB-2025-0	98.4	99	0.6	J003513	NQ 1/2 Cor Original	0.03
UB-2025-0	99	100	1	J003514	NQ 1/2 Cor Original	0.1
UB-2025-0	100	101.5	1.5	J003515	NQ 1/2 Cor Original	0.39
UB-2025-0	101.5	103	1.5	J003516	NQ 1/2 Cor Original	0.64
UB-2025-0	103	104	1	J003517	NQ 1/2 Cor Original	0.84
UB-2025-0	104	105	1	J003518	NQ 1/2 Cor Original	1.62
UB-2025-0	105	106.5	1.5	J003519	NQ 1/2 Cor Original	0.35
UB-2025-0	106.5	108	1.5	J003521	NQ 1/2 Cor Original	0.29
UB-2025-0	108	109	1	J003522	NQ 1/2 Cor Original	0.83
UB-2025-0	109	110	1	J003523	NQ 1/2 Cor Original	1.01
UB-2025-0	110	110.5	0.5	J003524	NQ 1/2 Cor Original	1.23
UB-2025-0	110.5	111.5	1	J003525	NQ 1/2 Cor Original	1.33
UB-2025-0	111.5	112.45	0.95	J003526	NQ 1/2 Cor Original	0.41
UB-2025-0	112.45	113.4	0.95	J003527	NQ 1/2 Cor Original	0.01
UB-2025-0	4	4.5	0.5	J003528	NQ 1/2 Cor Original	0.005
UB-2025-0	18	19	1	J003529	NQ 1/2 Cor Original	0.005
UB-2025-0	19	19.55	0.55	J003531	NQ 1/2 Cor Original	0.03
UB-2025-0	19.55	20.05	0.5	J003532	NQ 1/2 Cor Original	0.15
UB-2025-0	20.05	20.55	0.5	J003533	NQ 1/2 Cor Original	0.08
UB-2025-0	20.55	21.3	0.75	J003534	NQ 1/2 Cor Original	1.36
UB-2025-0	21.3	21.85	0.55	J003535	NQ 1/2 Cor Original	1.4
UB-2025-0	21.85	22.5	0.65	J003536	NQ 1/2 Cor Original	0.01
UB-2025-0	22.5	23	0.5	J003537	NQ 1/2 Cor Original	0.005
UB-2025-0	93.1	93.95	0.85	J003538	NQ 1/2 Cor Original	0.005
UB-2025-0	93.95	94.45	0.5	J003539	NQ 1/2 Cor Original	0.005
UB-2025-0	94.45	95.3	0.85	J003541	NQ 1/2 Cor Original	0.01
UB-2025-0	95.3	96	0.7	J003542	NQ 1/2 Cor Original	0.04
UB-2025-0	96	97.5	1.5	J003543	NQ 1/2 Cor Original	0.005
UB-2025-0	97.5	99	1.5	J003544	NQ 1/2 Cor Original	0.02
UB-2025-0	99	99.7	0.7	J003545	NQ 1/2 Cor Original	0.06
UB-2025-0	99.7	100.55	0.85	J003546	NQ 1/2 Cor Original	0.09
UB-2025-0	100.55	101.05	0.5	J003547	NQ 1/2 Cor Original	0.36
UB-2025-0	101.05	101.55	0.5	J003548	NQ 1/2 Cor Original	4.71
UB-2025-0	101.55	102.05	0.5	J003549	NQ 1/2 Cor Original	5.56
UB-2025-0	102.05	103.3	1.25	J003551	NQ 1/2 Cor Original	0.02

UB-2025-0	103.3	103.95	0.65	J003552	NQ 1/2 Cor Original	0.11
UB-2025-0	103.95	104.7	0.75	J003553	NQ 1/2 Cor Original	1.97
UB-2025-0	104.7	105.4	0.7	J003554	NQ 1/2 Cor Original	0.005
UB-2025-0	105.4	106.35	0.95	J003555	NQ 1/2 Cor Original	0.005
UB-2025-0	106.35	107.35	1	J003556	NQ 1/2 Cor Original	0.005
UB-2025-0	107.35	108.5	1.15	J003557	NQ 1/2 Cor Original	0.005
UB-2025-0	108.5	110	1.5	J003558	NQ 1/2 Cor Original	0.005
UB-2025-0	134.8	135.8	1	J003559	NQ 1/2 Cor Original	0.15
UB-2025-0	135.8	136.7	0.9	J003561	NQ 1/2 Cor Original	0.43
UB-2025-0	136.7	137.2	0.5	J003562	NQ 1/2 Cor Original	0.12
UB-2025-0	137.2	138.25	1.05	J003563	NQ 1/2 Cor Original	8.67
UB-2025-0	138.25	138.85	0.6	J003564	NQ 1/2 Cor Original	0.04
UB-2025-0	138.85	139.75	0.9	J003565	NQ 1/2 Cor Original	0.01
UB-2025-0	139.75	140.4	0.65	J003566	NQ 1/2 Cor Original	0.005
UB-2025-0	140.4	141.35	0.95	J003567	NQ 1/2 Cor Original	0.08
UB-2025-0	141.35	142.2	0.85	J003568	NQ 1/2 Cor Original	0.65
UB-2025-0	142.2	143.3	1.1	J003569	NQ 1/2 Cor Original	0.26
UB-2025-0	143.3	144.5	1.2	J003571	NQ 1/2 Cor Original	0.005
UB-2025-0	144.5	145.35	0.85	J003572	NQ 1/2 Cor Original	0.01
UB-2025-0	145.35	146.5	1.15	J003573	NQ 1/2 Cor Original	0.02
UB-2025-0	146.5	147.55	1.05	J003574	NQ 1/2 Cor Original	0.01
UB-2025-0	147.55	148.15	0.6	J003575	NQ 1/2 Cor Original	0.03
UB-2025-0	148.15	148.7	0.55	J003576	NQ 1/2 Cor Original	0.75
UB-2025-0	148.7	149.3	0.6	J003577	NQ 1/2 Cor Original	0.72
UB-2025-0	149.3	149.8	0.5	J003578	NQ 1/2 Cor Original	1.19
UB-2025-0	149.8	150.5	0.7	J003579	NQ 1/2 Cor Original	1.59
UB-2025-0	150.5	151.2	0.7	J003581	NQ 1/2 Cor Original	1.49
UB-2025-0	151.2	151.75	0.55	J003582	NQ 1/2 Cor Original	6.27
UB-2025-0	151.75	152.3	0.55	J003583	NQ 1/2 Cor Original	0.05
UB-2025-0	152.3	153	0.7	J003584	NQ 1/2 Cor Original	0.01
UB-2025-0	153	154	1	J003585	NQ 1/2 Cor Original	0.01
UB-2025-0	154	155.15	1.15	J003586	NQ 1/2 Cor Original	0.01
UB-2025-0	21.35	22.85	1.5	J003601	NQ 1/2 Cor Original	0.005
UB-2025-0	22.85	24.35	1.5	J003602	NQ 1/2 Cor Original	0.005
UB-2025-0	24.35	25.4	1.05	J003603	NQ 1/2 Cor Original	0.005
UB-2025-0	25.4	26.9	1.5	J003604	NQ 1/2 Cor Original	0.01
UB-2025-0	26.9	27.4	0.5	J003605	NQ 1/2 Cor Original	0.49
UB-2025-0	27.4	27.9	0.5	J003606	NQ 1/2 Cor Original	0.02
UB-2025-0	27.9	29	1.1	J003607	NQ 1/2 Cor Original	0.01
UB-2025-0	29	30.5	1.5	J003608	NQ 1/2 Cor Original	0.005
UB-2025-0	30.5	32	1.5	J003609	NQ 1/2 Cor Original	0.01
UB-2025-0	32	33.25	1.25	J003611	NQ 1/2 Cor Original	0.01
UB-2025-0	53.4	54.8	1.4	J003612	NQ 1/2 Cor Original	0.01
UB-2025-0	54.8	55.8	1	J003613	NQ 1/2 Cor Original	0.01

UB-2025-0	55.8	56.9	1.1	J003614	NQ 1/2 Cor Original	0.43
UB-2025-0	56.9	57.45	0.55	J003615	NQ 1/2 Cor Original	0.67
UB-2025-0	57.45	57.95	0.5	J003616	NQ 1/2 Cor Original	0.13
UB-2025-0	57.95	58.45	0.5	J003617	NQ 1/2 Cor Original	0.64
UB-2025-0	58.45	58.95	0.5	J003618	NQ 1/2 Cor Original	1
UB-2025-0	58.95	59.55	0.6	J003619	NQ 1/2 Cor Original	1.67
UB-2025-0	59.55	60.2	0.65	J003621	NQ 1/2 Cor Original	1.57
UB-2025-0	60.2	61.2	1	J003622	NQ 1/2 Cor Original	2.06
UB-2025-0	61.2	61.7	0.5	J003623	NQ 1/2 Cor Original	4.46
UB-2025-0	61.7	62.2	0.5	J003624	NQ 1/2 Cor Original	1.53
UB-2025-0	62.2	62.7	0.5	J003625	NQ 1/2 Cor Original	0.12
UB-2025-0	62.7	64	1.3	J003626	NQ 1/2 Cor Original	0.02
UB-2025-0	64	65.35	1.35	J003627	NQ 1/2 Cor Original	0.15
UB-2025-0	65.35	66.5	1.15	J003628	NQ 1/2 Cor Original	0.09
UB-2025-0	66.5	68	1.5	J003629	NQ 1/2 Cor Original	0.005
UB-2025-0	68	69.1	1.1	J003631	NQ 1/2 Cor Original	0.005
UB-2025-0	81.5	83	1.5	J003632	NQ 1/2 Cor Original	0.005
UB-2025-0	83	84.5	1.5	J003633	NQ 1/2 Cor Original	0.01
UB-2025-0	84.5	85.5	1	J003634	NQ 1/2 Cor Original	0.005
UB-2025-0	85.5	86	0.5	J003635	NQ 1/2 Cor Original	0.005
UB-2025-0	86	86.5	0.5	J003636	NQ 1/2 Cor Original	0.005
UB-2025-0	86.5	87	0.5	J003637	NQ 1/2 Cor Original	0.98
UB-2025-0	87	87.5	0.5	J003638	NQ 1/2 Cor Original	0.01
UB-2025-0	87.5	88.5	1	J003639	NQ 1/2 Cor Original	0.01
UB-2025-0	88.5	90	1.5	J003641	NQ 1/2 Cor Original	0.02
UB-2025-0	90	91.5	1.5	J003642	NQ 1/2 Cor Original	0.02
UB-2025-0	91.5	93	1.5	J003643	NQ 1/2 Cor Original	0.01
UB-2025-0	93	94.2	1.2	J003644	NQ 1/2 Cor Original	0.01
UB-2025-0	94.2	94.7	0.5	J003645	NQ 1/2 Cor Original	0.01
UB-2025-0	94.7	95.7	1	J003646	NQ 1/2 Cor Original	0.01
UB-2025-0	95.7	97	1.3	J003647	NQ 1/2 Cor Original	0.02
UB-2025-0	97	98.2	1.2	J003648	NQ 1/2 Cor Original	0.01
UB-2025-0	102.4	103.5	1.1	J003649	NQ 1/2 Cor Original	0.01
UB-2025-0	103.5	105	1.5	J003651	NQ 1/2 Cor Original	0.01
UB-2025-0	105	106.5	1.5	J003652	NQ 1/2 Cor Original	0.01
UB-2025-0	106.5	107	0.5	J003653	NQ 1/2 Cor Original	0.01
UB-2025-0	107	108	1	J003654	NQ 1/2 Cor Original	0.01
UB-2025-0	108	109	1	J003655	NQ 1/2 Cor Original	0.01
UB-2025-0	109	109.5	0.5	J003656	NQ 1/2 Cor Original	0.01
UB-2025-0	109.5	110	0.5	J003657	NQ 1/2 Cor Original	0.09
UB-2025-0	110	110.7	0.7	J003658	NQ 1/2 Cor Original	0.28
UB-2025-0	110.7	111.2	0.5	J003659	NQ 1/2 Cor Original	0.01
UB-2025-0	111.2	112.7	1.5	J003661	NQ 1/2 Cor Original	0.01
UB-2025-0	112.7	113.7	1	J003662	NQ 1/2 Cor Original	0.01

UB-2025-0	113.7	114.75	1.05	J003663	NQ 1/2 Cor Original	0.01
UB-2025-0	132	133.5	1.5	J003664	NQ 1/2 Cor Original	0.01
UB-2025-0	133.5	135	1.5	J003665	NQ 1/2 Cor Original	0.01
UB-2025-0	135	136	1	J003666	NQ 1/2 Cor Original	0.01
UB-2025-0	136	137.5	1.5	J003667	NQ 1/2 Cor Original	0.01
UB-2025-0	137.5	138	0.5	J003668	NQ 1/2 Cor Original	0.01
UB-2025-0	138	138.5	0.5	J003669	NQ 1/2 Cor Original	0.33
UB-2025-0	138.5	139	0.5	J003671	NQ 1/2 Cor Original	0.02
UB-2025-0	139	140	1	J003672	NQ 1/2 Cor Original	0.01
UB-2025-0	140	141.5	1.5	J003673	NQ 1/2 Cor Original	0.01
UB-2025-0	141.5	143	1.5	J003674	NQ 1/2 Cor Original	0.01
UB-2025-0	143	143.5	0.5	J003675	NQ 1/2 Cor Original	0.01
UB-2025-0	143.5	144	0.5	J003676	NQ 1/2 Cor Original	0.45
UB-2025-0	144	144.5	0.5	J003677	NQ 1/2 Cor Original	0.91
UB-2025-0	144.5	145	0.5	J003678	NQ 1/2 Cor Original	0.97
UB-2025-0	145	145.5	0.5	J003679	NQ 1/2 Cor Original	0.02
UB-2025-0	145.5	147	1.5	J003681	NQ 1/2 Cor Original	0.02
UB-2025-0	147	147.9	0.9	J003682	NQ 1/2 Cor Original	0.03
UB-2025-0	147.9	148.4	0.5	J003683	NQ 1/2 Cor Original	0.03
UB-2025-0	148.4	148.9	0.5	J003684	NQ 1/2 Cor Original	0.67
UB-2025-0	148.9	149.6	0.7	J003685	NQ 1/2 Cor Original	9.01
UB-2025-0	149.6	150.1	0.5	J003686	NQ 1/2 Cor Original	1.6
UB-2025-0	150.1	150.6	0.5	J003687	NQ 1/2 Cor Original	1.34
UB-2025-0	150.6	151.5	0.9	J003688	NQ 1/2 Cor Original	0.66
UB-2025-0	151.5	152	0.5	J003689	NQ 1/2 Cor Original	0.03
UB-2025-0	152	153	1	J003691	NQ 1/2 Cor Original	0.02
UB-2025-0	153	154.5	1.5	J003692	NQ 1/2 Cor Original	0.01
UB-2025-0	154.5	156	1.5	J003693	NQ 1/2 Cor Original	0.01
UB-2025-0	156	157.45	1.45	J003694	NQ 1/2 Cor Original	0.01
UB-2025-0	165.85	166.65	0.8	J003695	NQ 1/2 Cor Original	0.01
UB-2025-0	166.65	167.15	0.5	J003696	NQ 1/2 Cor Original	0.01
UB-2025-0	167.15	167.65	0.5	J003697	NQ 1/2 Cor Original	0.02
UB-2025-0	167.65	168.15	0.5	J003698	NQ 1/2 Cor Original	0.01
UB-2025-0	168.15	169	0.85	J003699	NQ 1/2 Cor Original	0.005
UB-2025-0	169	170.05	1.05	J003701	NQ 1/2 Cor Original	0.005
UB-2025-0	178.6	179.7	1.1	J003702	NQ 1/2 Cor Original	0.005
UB-2025-0	179.7	180.7	1	J003703	NQ 1/2 Cor Original	0.005
UB-2025-0	180.7	181.25	0.55	J003704	NQ 1/2 Cor Original	0.13
UB-2025-0	181.25	182	0.75	J003705	NQ 1/2 Cor Original	0.87
UB-2025-0	182	182.6	0.6	J003706	NQ 1/2 Cor Original	5.99
UB-2025-0	182.6	183.15	0.55	J003707	NQ 1/2 Cor Original	0.55
UB-2025-0	183.15	184	0.85	J003708	NQ 1/2 Cor Original	0.06
UB-2025-0	184	184.9	0.9	J003709	NQ 1/2 Cor Original	0.03
UB-2025-0	184.9	185.4	0.5	J003711	NQ 1/2 Cor Original	0.09

UB-2025-0	185.4	186.4	1	J003712	NQ 1/2 Cor Original	0.95
UB-2025-0	186.4	187.9	1.5	J003713	NQ 1/2 Cor Original	0.17
UB-2025-0	187.9	188.5	0.6	J003714	NQ 1/2 Cor Original	0.005
UB-2025-0	188.5	189	0.5	J003715	NQ 1/2 Cor Original	0.26
UB-2025-0	189	190	1	J003716	NQ 1/2 Cor Original	1.11
UB-2025-0	190	191.25	1.25	J003717	NQ 1/2 Cor Original	0.09
UB-2025-0	191.25	191.75	0.5	J003718	NQ 1/2 Cor Original	0.71
UB-2025-0	191.75	192.45	0.7	J003719	NQ 1/2 Cor Original	0.04
UB-2025-0	192.45	192.95	0.5	J003721	NQ 1/2 Cor Original	2.06
UB-2025-0	192.95	193.8	0.85	J003722	NQ 1/2 Cor Original	0.49
UB-2025-0	193.8	194.5	0.7	J003723	NQ 1/2 Cor Original	0.11
UB-2025-0	194.5	195.45	0.95	J003724	NQ 1/2 Cor Original	0.01
UB-2025-0	204.1	205	0.9	J003725	NQ 1/2 Cor Original	0.01
UB-2025-0	205	205.8	0.8	J003726	NQ 1/2 Cor Original	0.33
UB-2025-0	205.8	206.4	0.6	J003727	NQ 1/2 Cor Original	0.49
UB-2025-0	206.4	206.9	0.5	J003728	NQ 1/2 Cor Original	1.28
UB-2025-0	206.9	207.4	0.5	J003729	NQ 1/2 Cor Original	0.47
UB-2025-0	207.4	208.6	1.2	J003731	NQ 1/2 Cor Original	1.8
UB-2025-0	208.6	210	1.4	J003732	NQ 1/2 Cor Original	1.53
UB-2025-0	210	211	1	J003733	NQ 1/2 Cor Original	0.53
UB-2025-0	211	211.8	0.8	J003734	NQ 1/2 Cor Original	0.81
UB-2025-0	211.8	212.3	0.5	J003735	NQ 1/2 Cor Original	0.61
UB-2025-0	212.3	212.8	0.5	J003736	NQ 1/2 Cor Original	1
UB-2025-0	212.8	213.3	0.5	J003737	NQ 1/2 Cor Original	3.38
UB-2025-0	213.3	213.95	0.65	J003738	NQ 1/2 Cor Original	1.54
UB-2025-0	213.95	214.45	0.5	J003739	NQ 1/2 Cor Original	0.6
UB-2025-0	214.45	215	0.55	J003741	NQ 1/2 Cor Original	3.77
UB-2025-0	215	215.5	0.5	J003742	NQ 1/2 Cor Original	2.58
UB-2025-0	215.5	216	0.5	J003743	NQ 1/2 Cor Original	1.57
UB-2025-0	216	216.5	0.5	J003744	NQ 1/2 Cor Original	1.04
UB-2025-0	216.5	217.5	1	J003745	NQ 1/2 Cor Original	1.12
UB-2025-0	217.5	218	0.5	J003746	NQ 1/2 Cor Original	4.25
UB-2025-0	218	219	1	J003747	NQ 1/2 Cor Original	0.64
UB-2025-0	219	220	1	J003748	NQ 1/2 Cor Original	0.24
UB-2025-0	220	220.5	0.5	J003749	NQ 1/2 Cor Original	1.08
UB-2025-0	220.5	221	0.5	J003751	NQ 1/2 Cor Original	1.93
UB-2025-0	221	221.75	0.75	J003752	NQ 1/2 Cor Original	0.95
UB-2025-0	221.75	222.25	0.5	J003753	NQ 1/2 Cor Original	0.24
UB-2025-0	222.25	222.8	0.55	J003754	NQ 1/2 Cor Original	2.15
UB-2025-0	222.8	223.3	0.5	J003755	NQ 1/2 Cor Original	0.4
UB-2025-0	223.3	224.8	1.5	J003756	NQ 1/2 Cor Original	0.26
UB-2025-0	224.8	226.3	1.5	J003757	NQ 1/2 Cor Original	1.29
UB-2025-0	226.3	227.8	1.5	J003758	NQ 1/2 Cor Original	0.71
UB-2025-0	227.8	229	1.2	J003759	NQ 1/2 Cor Original	1.89

UB-2025-0	229	230.5	1.5	J003761	NQ 1/2 Cor Original	0.51
UB-2025-0	230.5	232	1.5	J003762	NQ 1/2 Cor Original	0.38
UB-2025-0	232	233	1	J003763	NQ 1/2 Cor Original	0.36
UB-2025-0	233	234.5	1.5	J003764	NQ 1/2 Cor Original	0.5
UB-2025-0	234.5	236	1.5	J003765	NQ 1/2 Cor Original	0.55
UB-2025-0	236	237.5	1.5	J003766	NQ 1/2 Cor Original	0.11
UB-2025-0	237.5	238.75	1.25	J003767	NQ 1/2 Cor Original	0.83
UB-2025-0	238.75	239.25	0.5	J003768	NQ 1/2 Cor Original	0.46
UB-2025-0	239.25	239.75	0.5	J003769	NQ 1/2 Cor Original	0.35
UB-2025-0	239.75	240.25	0.5	J003771	NQ 1/2 Cor Original	0.97
UB-2025-0	240.25	240.5	0.25		No Sample No Sample - LC	
UB-2025-0	240.5	241.8	1.3	J003772	NQ 1/2 Cor Original	1.03
UB-2025-0	241.8	242	0.2		No Sample No Sample - LC	
UB-2025-0	242	243	1	J003773	NQ 1/2 Cor Original	2.14
UB-2025-0	243	243.5	0.5	J003774	NQ 1/2 Cor Original	2.2
UB-2025-0	243.5	244.5	1	J003775	NQ 1/2 Cor Original	1.14
UB-2025-0	244.5	245	0.5	J003776	NQ 1/2 Cor Original	0.89
UB-2025-0	245	246	1	J003777	NQ 1/2 Cor Original	0.09
UB-2025-0	246	247	1	J003778	NQ 1/2 Cor Original	0.005
UB-2025-0	247	248.5	1.5	J003779	NQ 1/2 Cor Original	0.005
UB-2025-0	248.5	250	1.5	J003781	NQ 1/2 Cor Original	0.005
UB-2025-0	250	251.2	1.2	J003782	NQ 1/2 Cor Original	0.005
UB-2025-0	15	16	1	J003783	NQ 1/2 Cor Original	0.005
UB-2025-0	16	17	1	J003784	NQ 1/2 Cor Original	0.005
UB-2025-0	17	17.75	0.75	J003785	NQ 1/2 Cor Original	0.02
UB-2025-0	17.75	18.25	0.5	J003786	NQ 1/2 Cor Original	0.09
UB-2025-0	18.25	19	0.75	J003787	NQ 1/2 Cor Original	0.01
UB-2025-0	19	20	1	J003788	NQ 1/2 Cor Original	0.09
UB-2025-0	20	21	1	J003789	NQ 1/2 Cor Original	0.005
UB-2025-0	33.15	34.65	1.5	J003791	NQ 1/2 Cor Original	0.005
UB-2025-0	34.65	36	1.35	J003792	NQ 1/2 Cor Original	0.005
UB-2025-0	36	36.9	0.9	J003793	NQ 1/2 Cor Original	0.005
UB-2025-0	36.9	37.9	1	J003794	NQ 1/2 Cor Original	0.02
UB-2025-0	37.9	38.4	0.5	J003795	NQ 1/2 Cor Original	0.005
UB-2025-0	38.4	39	0.6	J003796	NQ 1/2 Cor Original	3.2
UB-2025-0	39	39.5	0.5	J003797	NQ 1/2 Cor Original	0.1
UB-2025-0	39.5	40.5	1	J003798	NQ 1/2 Cor Original	0.005
UB-2025-0	40.5	42	1.5	J003799	NQ 1/2 Cor Original	0.005
UB-2025-0	42	43.5	1.5	J003801	NQ 1/2 Cor Original	0.01
UB-2025-0	43.5	44.8	1.3	J003802	NQ 1/2 Cor Original	0.005
UB-2025-0	44.8	45.85	1.05	J003803	NQ 1/2 Cor Original	1.49
UB-2025-0	45.85	46.35	0.5	J003804	NQ 1/2 Cor Original	2.34
UB-2025-0	46.35	47.15	0.8	J003805	NQ 1/2 Cor Original	1.22
UB-2025-0	47.15	47.65	0.5	J003806	NQ 1/2 Cor Original	0.24

UB-2025-0	47.65	48.25	0.6	J003807	NQ 1/2 Cor Original	0.005
UB-2025-0	48.25	49.75	1.5	J003808	NQ 1/2 Cor Original	0.005
UB-2025-0	49.75	51.25	1.5	J003809	NQ 1/2 Cor Original	0.005
UB-2025-0	51.25	51.75	0.5	J003811	NQ 1/2 Cor Original	0.005
UB-2025-0	51.75	53	1.25	J003812	NQ 1/2 Cor Original	0.005
UB-2025-0	53	54.1	1.1	J003813	NQ 1/2 Cor Original	0.005
UB-2025-0	6	7	1	J003814	NQ 1/2 Cor Original	0.005
UB-2025-0	7	7.5	0.5	J003815	NQ 1/2 Cor Original	0.005
UB-2025-0	7.5	8	0.5	J003816	NQ 1/2 Cor Original	0.005
UB-2025-0	8	8.9	0.9	J003817	NQ 1/2 Cor Original	0.005
UB-2025-0	15	16	1	J003818	NQ 1/2 Cor Original	0.005
UB-2025-0	16	16.8	0.8	J003819	NQ 1/2 Cor Original	0.005
UB-2025-0	16.8	17.3	0.5	J003821	NQ 1/2 Cor Original	0.03
UB-2025-0	17.3	17.8	0.5	J003822	NQ 1/2 Cor Original	0.16
UB-2025-0	17.8	18.3	0.5	J003823	NQ 1/2 Cor Original	0.01
UB-2025-0	18.3	19.5	1.2	J003824	NQ 1/2 Cor Original	0.005
UB-2025-0	19.5	21	1.5	J003825	NQ 1/2 Cor Original	0.005
UB-2025-0	33	34.5	1.5	J003826	NQ 1/2 Cor Original	0.005
UB-2025-0	34.5	36	1.5	J003827	NQ 1/2 Cor Original	0.005
UB-2025-0	36	36.95	0.95	J003828	NQ 1/2 Cor Original	0.06
UB-2025-0	36.95	37.45	0.5	J003829	NQ 1/2 Cor Original	0.14
UB-2025-0	37.45	37.95	0.5	J003831	NQ 1/2 Cor Original	0.97
UB-2025-0	37.95	38.45	0.5	J003832	NQ 1/2 Cor Original	0.005
UB-2025-0	38.45	39	0.55	J003833	NQ 1/2 Cor Original	0.005
UB-2025-0	39	40	1	J003834	NQ 1/2 Cor Original	0.005
UB-2025-0	40	41.5	1.5	J003835	NQ 1/2 Cor Original	0.005
UB-2025-0	41.5	43	1.5	J003836	NQ 1/2 Cor Original	0.04
UB-2025-0	43	44.1	1.1	J003837	NQ 1/2 Cor Original	0.07
UB-2025-0	44.1	45	0.9	J003838	NQ 1/2 Cor Original	0.31
UB-2025-0	45	45.5	0.5	J003839	NQ 1/2 Cor Original	0.82
UB-2025-0	45.5	46.3	0.8	J003841	NQ 1/2 Cor Original	1.61
UB-2025-0	46.3	46.8	0.5	J003842	NQ 1/2 Cor Original	0.14
UB-2025-0	46.8	48	1.2	J003843	NQ 1/2 Cor Original	0.005
UB-2025-0	48	49	1	J003844	NQ 1/2 Cor Original	0.005
UB-2025-0	49	49.95	0.95	J003845	NQ 1/2 Cor Original	0.005
UB-2025-0	54.2	55	0.8	J003846	NQ 1/2 Cor Original	0.005
UB-2025-0	55	55.5	0.5	J003847	NQ 1/2 Cor Original	0.22
UB-2025-0	55.5	56	0.5	J003848	NQ 1/2 Cor Original	0.15
UB-2025-0	56	56.5	0.5	J003849	NQ 1/2 Cor Original	0.005
UB-2025-0	56.5	57	0.5	J003851	NQ 1/2 Cor Original	0.005
UB-2025-0	57	58.05	1.05	J003852	NQ 1/2 Cor Original	0.005
UB-2025-0	58.05	59	0.95	J003853	NQ 1/2 Cor Original	0.005
UB-2025-0	59	60	1	J003854	NQ 1/2 Cor Original	0.005
UB-2025-0	81	82	1	J003855	NQ 1/2 Cor Original	0.005

UB-2025-0	82	82.65	0.65	J003856	NQ 1/2 Cor Original	0.005
UB-2025-0	82.65	83.15	0.5	J003857	NQ 1/2 Cor Original	0.005
UB-2025-0	83.15	83.65	0.5	J003858	NQ 1/2 Cor Original	0.6
UB-2025-0	83.65	84.15	0.5	J003859	NQ 1/2 Cor Original	0.01
UB-2025-0	84.15	84.65	0.5	J003861	NQ 1/2 Cor Original	0.01
UB-2025-0	84.65	85.15	0.5	J003862	NQ 1/2 Cor Original	0.005
UB-2025-0	85.15	86	0.85	J003863	NQ 1/2 Cor Original	0.005
UB-2025-0	86	87	1	J003864	NQ 1/2 Cor Original	0.005
UB-2025-0	99	100.4	1.4	J003865	NQ 1/2 Cor Original	0.005
UB-2025-0	100.4	101.3	0.9	J003866	NQ 1/2 Cor Original	0.005
UB-2025-0	101.3	102.3	1	J003867	NQ 1/2 Cor Original	0.005
UB-2025-0	102.3	103.3	1	J003868	NQ 1/2 Cor Original	0.005
UB-2025-0	103.3	104.55	1.25	J003869	NQ 1/2 Cor Original	0.005
UB-2025-0	104.55	105.3	0.75	J003871	NQ 1/2 Cor Original	0.12
UB-2025-0	105.3	106.3	1	J003872	NQ 1/2 Cor Original	0.01
UB-2025-0	106.3	107.8	1.5	J003873	NQ 1/2 Cor Original	0.01
UB-2025-0	107.8	109	1.2	J003874	NQ 1/2 Cor Original	0.005
UB-2025-0	109	110.25	1.25	J003875	NQ 1/2 Cor Original	0.005
UB-2025-0	110.25	111	0.75	J003876	NQ 1/2 Cor Original	0.01
UB-2025-0	117.55	118.55	1	J003877	NQ 1/2 Cor Original	0.01
UB-2025-0	118.55	119.05	0.5	J003878	NQ 1/2 Cor Original	0.08
UB-2025-0	119.05	120	0.95	J003879	NQ 1/2 Cor Original	0.08
UB-2025-0	138.6	140	1.4	J003881	NQ 1/2 Cor Original	0.01
UB-2025-0	140	141	1	J003882	NQ 1/2 Cor Original	0.03
UB-2025-0	141	142	1	J003883	NQ 1/2 Cor Original	0.36
UB-2025-0	142	142.9	0.9	J003884	NQ 1/2 Cor Original	2.03
UB-2025-0	142.9	143.4	0.5	J003885	NQ 1/2 Cor Original	1.68
UB-2025-0	143.4	143.9	0.5	J003886	NQ 1/2 Cor Original	0.58
UB-2025-0	143.9	144.4	0.5	J003887	NQ 1/2 Cor Original	0.02
UB-2025-0	144.4	144.9	0.5	J003888	NQ 1/2 Cor Original	1.9
UB-2025-0	144.9	145.4	0.5	J003889	NQ 1/2 Cor Original	2.53
UB-2025-0	145.4	145.9	0.5	J003891	NQ 1/2 Cor Original	0.34
UB-2025-0	145.9	146.4	0.5	J003892	NQ 1/2 Cor Original	0.91
UB-2025-0	146.4	146.9	0.5	J003893	NQ 1/2 Cor Original	0.69
UB-2025-0	146.9	147.4	0.5	J003894	NQ 1/2 Cor Original	2.45
UB-2025-0	147.4	147.9	0.5	J003895	NQ 1/2 Cor Original	0.13
UB-2025-0	147.9	148.4	0.5	J003896	NQ 1/2 Cor Original	0.1
UB-2025-0	148.4	148.9	0.5	J003897	NQ 1/2 Cor Original	3.67
UB-2025-0	148.9	149.4	0.5	J003898	NQ 1/2 Cor Original	0.95
UB-2025-0	149.4	150.4	1	J003899	NQ 1/2 Cor Original	1.17
UB-2025-0	150.4	151.5	1.1	J003901	NQ 1/2 Cor Original	0.4
UB-2025-0	151.5	153	1.5	J003902	NQ 1/2 Cor Original	0.01
UB-2025-0	153	154.5	1.5	J003903	NQ 1/2 Cor Original	0.1
UB-2025-0	154.5	156	1.5	J003904	NQ 1/2 Cor Original	0.01

UB-2025-0	156	157.35	1.35	J003905	NQ 1/2 Cor Original	0.9
UB-2025-0	157.35	158.5	1.15	J003906	NQ 1/2 Cor Original	0.01
UB-2025-0	158.5	159.8	1.3	J003907	NQ 1/2 Cor Original	0.01
UB-2025-0	171	172.1	1.1	J003908	NQ 1/2 Cor Original	0.01
UB-2025-0	172.1	173.2	1.1	J003909	NQ 1/2 Cor Original	0.01
UB-2025-0	173.2	174.7	1.5	J003911	NQ 1/2 Cor Original	0.01
UB-2025-0	174.7	176.1	1.4	J003912	NQ 1/2 Cor Original	0.01
UB-2025-0	176.1	177	0.9	J003913	NQ 1/2 Cor Original	0.01
UB-2025-0	177	178.1	1.1	J003914	NQ 1/2 Cor Original	0.005
UB-2025-0	178.1	179.5	1.4	J003915	NQ 1/2 Cor Original	0.005
UB-2025-0	179.5	180.85	1.35	J003916	NQ 1/2 Cor Original	0.005
UB-2025-0	180.85	181.85	1	J003917	NQ 1/2 Cor Original	0.05
UB-2025-0	181.85	182.45	0.6	J003918	NQ 1/2 Cor Original	10.25
UB-2025-0	182.45	183	0.55	J003919	NQ 1/2 Cor Original	0.03
UB-2025-0	183	184.5	1.5	J003921	NQ 1/2 Cor Original	0.18
UB-2025-0	184.5	186	1.5	J003922	NQ 1/2 Cor Original	0.01
UB-2025-0	186	187.5	1.5	J003923	NQ 1/2 Cor Original	0.01
UB-2025-0	187.5	189	1.5	J003924	NQ 1/2 Cor Original	0.01
UB-2025-0	189	190.4	1.4	J003925	NQ 1/2 Cor Original	0.01
UB-2025-0	190.4	191.85	1.45	J003926	NQ 1/2 Cor Original	0.08
UB-2025-0	191.85	192.45	0.6	J003927	NQ 1/2 Cor Original	0.38
UB-2025-0	192.45	193	0.55	J003928	NQ 1/2 Cor Original	5.82
UB-2025-0	193	193.95	0.95	J003929	NQ 1/2 Cor Original	0.07
UB-2025-0	193.95	194.45	0.5	J003931	NQ 1/2 Cor Original	6.28
UB-2025-0	194.45	195.35	0.9	J003932	NQ 1/2 Cor Original	0.62
UB-2025-0	195.35	196.6	1.25	J003933	NQ 1/2 Cor Original	0.9
UB-2025-0	196.6	197.65	1.05	J003934	NQ 1/2 Cor Original	1.94
UB-2025-0	197.65	198.4	0.75	J003935	NQ 1/2 Cor Original	2.82
UB-2025-0	198.4	199.45	1.05	J003936	NQ 1/2 Cor Original	1.79
UB-2025-0	199.45	200.75	1.3	J003937	NQ 1/2 Cor Original	2.87
UB-2025-0	200.75	201.4	0.65	J003938	NQ 1/2 Cor Original	23
UB-2025-0	201.4	202.9	1.5	J003939	NQ 1/2 Cor Original	1.38
UB-2025-0	202.9	204	1.1	J003941	NQ 1/2 Cor Original	3.53
UB-2025-0	204	205.45	1.45	J003942	NQ 1/2 Cor Original	1.05
UB-2025-0	10.95	12.1	1.15	J003943	NQ 1/2 Cor Original	0.005
UB-2025-0	12.1	13.6	1.5	J003944	NQ 1/2 Cor Original	0.005
UB-2025-0	13.6	14.3	0.7	J003945	NQ 1/2 Cor Original	0.02
UB-2025-0	14.3	15.4	1.1	J003946	NQ 1/2 Cor Original	0.005
UB-2025-0	15.4	16.3	0.9	J003947	NQ 1/2 Cor Original	0.02
UB-2025-0	16.3	17.5	1.2	J003948	NQ 1/2 Cor Original	0.005
UB-2025-0	36.7	37.8	1.1	J003949	NQ 1/2 Cor Original	0.005
UB-2025-0	37.8	38.65	0.85	J003951	NQ 1/2 Cor Original	0.36
UB-2025-0	38.65	39.3	0.65	J003952	NQ 1/2 Cor Original	0.69
UB-2025-0	39.3	40.55	1.25	J003953	NQ 1/2 Cor Original	0.005

UB-2025-0	40.55	42	1.45	J003954	NQ 1/2 Cor Original	0.005
UB-2025-0	42	42.7	0.7	J003955	NQ 1/2 Cor Original	0.005
UB-2025-0	42.7	43.5	0.8	J003956	NQ 1/2 Cor Original	0.005
UB-2025-0	43.5	45	1.5	J003957	NQ 1/2 Cor Original	0.005
UB-2025-0	45	46.3	1.3	J003958	NQ 1/2 Cor Original	0.005
UB-2025-0	60	61	1	J003959	NQ 1/2 Cor Original	0.005
UB-2025-0	61	62	1	J003961	NQ 1/2 Cor Original	0.005
UB-2025-0	62	63.5	1.5	J003962	NQ 1/2 Cor Original	0.005
UB-2025-0	63.5	65	1.5	J003963	NQ 1/2 Cor Original	0.005
UB-2025-0	65	66.5	1.5	J003964	NQ 1/2 Cor Original	0.005
UB-2025-0	66.5	67.95	1.45	J003965	NQ 1/2 Cor Original	0.005
UB-2025-0	67.95	69.2	1.25	J003966	NQ 1/2 Cor Original	0.005
UB-2025-0	69.2	70	0.8	J003967	NQ 1/2 Cor Original	0.005
UB-2025-0	79.55	81	1.45	J003968	NQ 1/2 Cor Original	0.005
UB-2025-0	81	82.5	1.5	J003969	NQ 1/2 Cor Original	0.005
UB-2025-0	82.5	84	1.5	J003971	NQ 1/2 Cor Original	0.005
UB-2025-0	88	88.85	0.85	J003972	NQ 1/2 Cor Original	0.005
UB-2025-0	88.85	89.4	0.55	J003973	NQ 1/2 Cor Original	0.005
UB-2025-0	89.4	89.95	0.55	J003974	NQ 1/2 Cor Original	0.005
UB-2025-0	89.95	91.4	1.45	J003975	NQ 1/2 Cor Original	0.005
UB-2025-0	91.4	92.5	1.1	J003976	NQ 1/2 Cor Original	0.005
UB-2025-0	104.9	106	1.1	J003977	NQ 1/2 Cor Original	0.005
UB-2025-0	106	107	1	J003978	NQ 1/2 Cor Original	0.005
UB-2025-0	107	108.2	1.2	J003979	NQ 1/2 Cor Original	0.005
UB-2025-0	108.2	108.75	0.55	J003981	NQ 1/2 Cor Original	0.23
UB-2025-0	108.75	110	1.25	J003982	NQ 1/2 Cor Original	0.005
UB-2025-0	126	127.5	1.5	J003983	NQ 1/2 Cor Original	0.005
UB-2025-0	127.5	129	1.5	J003984	NQ 1/2 Cor Original	0.005
UB-2025-0	129	130.4	1.4	J003985	NQ 1/2 Cor Original	0.08
UB-2025-0	130.4	131.25	0.85	J003986	NQ 1/2 Cor Original	0.12
UB-2025-0	131.25	132	0.75	J003987	NQ 1/2 Cor Original	0.005
UB-2025-0	132	133.5	1.5	J003988	NQ 1/2 Cor Original	0.005
UB-2025-0	133.5	135	1.5	J003989	NQ 1/2 Cor Original	0.005
UB-2025-0	159	160.5	1.5	J003991	NQ 1/2 Cor Original	0.005
UB-2025-0	160.5	161.45	0.95	J003992	NQ 1/2 Cor Original	0.005
UB-2025-0	161.45	162.45	1	J003993	NQ 1/2 Cor Original	0.005
UB-2025-0	162.45	163	0.55	J003994	NQ 1/2 Cor Original	0.07
UB-2025-0	163	164.2	1.2	J003995	NQ 1/2 Cor Original	7.99
UB-2025-0	164.2	165	0.8	J003996	NQ 1/2 Cor Original	0.02
UB-2025-0	165	166	1	J003997	NQ 1/2 Cor Original	0.005
UB-2025-0	166	167	1	J003998	NQ 1/2 Cor Original	0.005
UB-2025-0	167	168	1	J003999	NQ 1/2 Cor Original	0.25
UB-2025-0	168	168.6	0.6	J004001	NQ 1/2 Cor Original	3.03
UB-2025-0	168.6	170	1.4	J004002	NQ 1/2 Cor Original	0.36

UB-2025-0	170	171.25	1.25	J004003	NQ 1/2 Cor Original	0.08
UB-2025-0	171.25	172.2	0.95	J004004	NQ 1/2 Cor Original	0.21
UB-2025-0	172.2	172.95	0.75	J004005	NQ 1/2 Cor Original	1.81
UB-2025-0	172.95	174	1.05	J004006	NQ 1/2 Cor Original	2.33
UB-2025-0	174	175	1	J004007	NQ 1/2 Cor Original	1.03
UB-2025-0	175	176	1	J004008	NQ 1/2 Cor Original	0.36
UB-2025-0	176	177	1	J004009	NQ 1/2 Cor Original	0.83
UB-2025-0	177	177.9	0.9	J004011	NQ 1/2 Cor Original	3.43
UB-2025-0	177.9	178.4	0.5	J004012	NQ 1/2 Cor Original	1.43
UB-2025-0	178.4	179.1	0.7	J004013	NQ 1/2 Cor Original	0.005
UB-2025-0	179.1	180	0.9	J004014	NQ 1/2 Cor Original	0.12
UB-2025-0	192	193.5	1.5	J004015	NQ 1/2 Cor Original	0.03
UB-2025-0	193.5	194.5	1	J004016	NQ 1/2 Cor Original	0.005
UB-2025-0	194.5	195.1	0.6	J004017	NQ 1/2 Cor Original	0.005
UB-2025-0	195.1	195.65	0.55	J004018	NQ 1/2 Cor Original	0.35
UB-2025-0	195.65	196.25	0.6	J004019	NQ 1/2 Cor Original	0.01
UB-2025-0	196.25	196.75	0.5	J004021	NQ 1/2 Cor Original	0.07
UB-2025-0	196.75	198	1.25	J004022	NQ 1/2 Cor Original	0.005
UB-2025-0	198	199	1	J004023	NQ 1/2 Cor Original	0.01
UB-2025-0	199	200	1	J004024	NQ 1/2 Cor Original	0.005
UB-2025-0	200	200.5	0.5	J004025	NQ 1/2 Cor Original	0.64
UB-2025-0	200.5	201	0.5	J004026	NQ 1/2 Cor Original	1.49
UB-2025-0	201	202	1	J004027	NQ 1/2 Cor Original	0.24
UB-2025-0	202	203	1	J004028	NQ 1/2 Cor Original	0.005
UB-2025-0	203	204	1	J004029	NQ 1/2 Cor Original	0.005
UB-2025-0	204	205	1	J004031	NQ 1/2 Cor Original	1.44
UB-2025-0	205	206.5	1.5	J004032	NQ 1/2 Cor Original	0.04
UB-2025-0	206.5	208	1.5	J004033	NQ 1/2 Cor Original	0.07
UB-2025-0	208	209.5	1.5	J004034	NQ 1/2 Cor Original	0.005
UB-2025-0	209.5	211	1.5	J004035	NQ 1/2 Cor Original	0.005
UB-2025-0	211	211.5	0.5	J004036	NQ 1/2 Cor Original	0.57
UB-2025-0	211.5	213	1.5	J004037	NQ 1/2 Cor Original	0.005
UB-2025-0	213	214	1	J004038	NQ 1/2 Cor Original	0.005
UB-2025-0	214	215.3	1.3	J004039	NQ 1/2 Cor Original	0.02
UB-2025-0	215.3	216.8	1.5	J004041	NQ 1/2 Cor Original	0.005
UB-2025-0	216.8	217.3	0.5	J004042	NQ 1/2 Cor Original	0.01
UB-2025-0	217.3	217.8	0.5	J004043	NQ 1/2 Cor Original	0.34
UB-2025-0	217.8	218.75	0.95	J004044	NQ 1/2 Cor Original	0.86
UB-2025-0	218.75	219.25	0.5	J004045	NQ 1/2 Cor Original	0.64
UB-2025-0	219.25	220.5	1.25	J004046	NQ 1/2 Cor Original	0.005
UB-2025-0	220.5	222	1.5	J004047	NQ 1/2 Cor Original	0.005
UB-2025-0	234	234.7	0.7	J004048	NQ 1/2 Cor Original	0.6
UB-2025-0	234.7	236	1.3	J004049	NQ 1/2 Cor Original	0.02
UB-2025-0	236	237.5	1.5	J004051	NQ 1/2 Cor Original	0.01

UB-2025-0	237.5	238.5	1	J004052	NQ 1/2 Cor Original	0.005
UB-2025-0	238.5	239.5	1	J004053	NQ 1/2 Cor Original	0.01
UB-2025-0	239.5	240	0.5	J004054	NQ 1/2 Cor Original	0.11
UB-2025-0	249	250.5	1.5	J004055	NQ 1/2 Cor Original	0.005
UB-2025-0	250.5	252	1.5	J004056	NQ 1/2 Cor Original	0.12
UB-2025-0	252	253	1	J004057	NQ 1/2 Cor Original	0.01
UB-2025-0	253	253.7	0.7	J004058	NQ 1/2 Cor Original	3.23
UB-2025-0	253.7	254.2	0.5	J004059	NQ 1/2 Cor Original	0.36
UB-2025-0	254.2	254.7	0.5	J004061	NQ 1/2 Cor Original	1.01
UB-2025-0	254.7	255.4	0.7	J004062	NQ 1/2 Cor Original	0.11
UB-2025-0	255.4	256.5	1.1	J004063	NQ 1/2 Cor Original	0.02
UB-2025-0	256.5	258	1.5	J004064	NQ 1/2 Cor Original	0.03
UB-2025-0	18.5	19.24	0.74	J004065	NQ 1/2 Cor Original	0.01
UB-2025-0	19.24	20.05	0.81	J004066	NQ 1/2 Cor Original	0.02
UB-2025-0	20.05	20.82	0.77	J004067	NQ 1/2 Cor Original	0.4
UB-2025-0	20.82	21.55	0.73	J004068	NQ 1/2 Cor Original	0.005
UB-2025-0	52.15	53.14	0.99	J004069	NQ 1/2 Cor Original	0.005
UB-2025-0	53.14	54.33	1.19	J004071	NQ 1/2 Cor Original	0.13
UB-2025-0	54.33	54.99	0.66	J004072	NQ 1/2 Cor Original	0.14
UB-2025-0	54.99	55.61	0.62	J004073	NQ 1/2 Cor Original	0.08
UB-2025-0	55.61	57	1.39	J004074	NQ 1/2 Cor Original	0.04
UB-2025-0	64.95	66.25	1.3	J004075	NQ 1/2 Cor Original	0.005
UB-2025-0	66.25	66.95	0.7	J004076	NQ 1/2 Cor Original	0.005
UB-2025-0	66.95	67.8	0.85	J004077	NQ 1/2 Cor Original	0.05
UB-2025-0	67.8	69	1.2	J004078	NQ 1/2 Cor Original	0.02
UB-2025-0	69	70.5	1.5	J004079	NQ 1/2 Cor Original	0.005
UB-2025-0	70.5	71.35	0.85	J004081	NQ 1/2 Cor Original	0.05
UB-2025-0	71.35	72.3	0.95	J004082	NQ 1/2 Cor Original	0.26
UB-2025-0	72.3	73.8	1.5	J004083	NQ 1/2 Cor Original	0.44
UB-2025-0	73.8	74.3	0.5	J004084	NQ 1/2 Cor Original	0.01
UB-2025-0	74.3	75	0.7	J004085	NQ 1/2 Cor Original	0.005
UB-2025-0	75	75.9	0.9	J004086	NQ 1/2 Cor Original	0.005
UB-2025-0	79.06	80	0.94	J004087	NQ 1/2 Cor Original	0.005
UB-2025-0	80	81.1	1.1	J004088	NQ 1/2 Cor Original	0.005
UB-2025-0	81.1	81.8	0.7	J004089	NQ 1/2 Cor Original	0.005
UB-2025-0	81.8	82.3	0.5	J004091	NQ 1/2 Cor Original	0.005
UB-2025-0	82.3	83.13	0.83	J004092	NQ 1/2 Cor Original	0.005
UB-2025-0	83.13	83.85	0.72	J004093	NQ 1/2 Cor Original	0.005
UB-2025-0	83.85	85	1.15	J004094	NQ 1/2 Cor Original	0.005
UB-2025-0	140	141	1	J004095	NQ 1/2 Cor Original	0.005
UB-2025-0	141	142.25	1.25	J004096	NQ 1/2 Cor Original	0.005
UB-2025-0	142.25	142.75	0.5	J004097	NQ 1/2 Cor Original	8.79
UB-2025-0	142.75	143.5	0.75	J004098	NQ 1/2 Cor Original	17.3
UB-2025-0	143.5	144	0.5	J004099	NQ 1/2 Cor Original	18.6

UB-2025-0	144	145	1	J004101	NQ 1/2 Cor Original	0.005
UB-2025-0	145	146	1	J004102	NQ 1/2 Cor Original	0.22
UB-2025-0	146	147	1	J004103	NQ 1/2 Cor Original	0.02
UB-2025-0	152.5	153.43	0.93	J004104	NQ 1/2 Cor Original	0.01
UB-2025-0	153.43	154.47	1.04	J004105	NQ 1/2 Cor Original	0.15
UB-2025-0	154.47	155.4	0.93	J004106	NQ 1/2 Cor Original	1.37
UB-2025-0	155.4	156	0.6	J004107	NQ 1/2 Cor Original	0.02
UB-2025-0	156	157.02	1.02	J004108	NQ 1/2 Cor Original	0.005
UB-2025-0	58	59.5	1.5	J004109	NQ 1/2 Cor Original	0.005
UB-2025-0	59.5	60.45	0.95	J004111	NQ 1/2 Cor Original	0.04
UB-2025-0	60.45	61.5	1.05	J004112	NQ 1/2 Cor Original	0.06
UB-2025-0	61.5	62	0.5	J004113	NQ 1/2 Cor Original	0.1
UB-2025-0	62	62.75	0.75	J004114	NQ 1/2 Cor Original	0.03
UB-2025-0	62.75	64	1.25	J004115	NQ 1/2 Cor Original	0.11
UB-2025-0	64	65	1	J004116	NQ 1/2 Cor Original	0.02
UB-2025-0	95	96.5	1.5	J004117	NQ 1/2 Cor Original	0.005
UB-2025-0	96.5	97.4	0.9	J004118	NQ 1/2 Cor Original	0.005
UB-2025-0	97.4	98.4	1	J004119	NQ 1/2 Cor Original	0.73
UB-2025-0	98.4	99.65	1.25	J004121	NQ 1/2 Cor Original	0.06
UB-2025-0	99.65	100.6	0.95	J004122	NQ 1/2 Cor Original	0.005
UB-2025-0	122.6	123.8	1.2	J004123	NQ 1/2 Cor Original	0.16
UB-2025-0	123.8	124.3	0.5	J004124	NQ 1/2 Cor Original	0.96
UB-2025-0	124.3	124.8	0.5	J004125	NQ 1/2 Cor Original	0.02
UB-2025-0	124.8	125.3	0.5	J004126	NQ 1/2 Cor Original	0.5
UB-2025-0	125.3	126.5	1.2	J004127	NQ 1/2 Cor Original	1.4
UB-2025-0	126.5	127.35	0.85	J004128	NQ 1/2 Cor Original	1.93
UB-2025-0	127.35	128.55	1.2	J004129	NQ 1/2 Cor Original	0.005
UB-2025-0	128.55	130	1.45	J004131	NQ 1/2 Cor Original	0.005
UB-2025-0	156	157.45	1.45	J004132	NQ 1/2 Cor Original	0.005
UB-2025-0	157.45	158.45	1	J004133	NQ 1/2 Cor Original	0.005
UB-2025-0	158.45	159.5	1.05	J004134	NQ 1/2 Cor Original	0.005
UB-2025-0	159.5	160.3	0.8	J004135	NQ 1/2 Cor Original	0.07
UB-2025-0	160.3	161	0.7	J004136	NQ 1/2 Cor Original	1.06
UB-2025-0	161	161.75	0.75	J004137	NQ 1/2 Cor Original	2.12
UB-2025-0	161.75	162.4	0.65	J004138	NQ 1/2 Cor Original	0.01
UB-2025-0	162.4	163.25	0.85	J004139	NQ 1/2 Cor Original	0.005
UB-2025-0	163.25	164.3	1.05	J004141	NQ 1/2 Cor Original	0.005
UB-2025-0	164.3	165.5	1.2	J004142	NQ 1/2 Cor Original	0.005
UB-2025-0	165.5	166.5	1	J004143	NQ 1/2 Cor Original	0.005
UB-2025-0	166.5	168	1.5	J004144	NQ 1/2 Cor Original	0.005
UB-2025-0	201	202	1	J004145	NQ 1/2 Cor Original	0.005
UB-2025-0	202	202.6	0.6	J004146	NQ 1/2 Cor Original	0.98
UB-2025-0	202.6	203.1	0.5	J004147	NQ 1/2 Cor Original	0.11
UB-2025-0	203.1	204.1	1	J004148	NQ 1/2 Cor Original	0.39

UB-2025-0	204.1	205.25	1.15	J004149	NQ 1/2 Cor Original	0.49
UB-2025-0	205.25	206.75	1.5	J004151	NQ 1/2 Cor Original	0.02
UB-2025-0	206.75	207.3	0.55	J004152	NQ 1/2 Cor Original	0.06
UB-2025-0	207.3	207.8	0.5	J004153	NQ 1/2 Cor Original	1.55
UB-2025-0	207.8	208.3	0.5	J004154	NQ 1/2 Cor Original	0.12
UB-2025-0	208.3	208.95	0.65	J004155	NQ 1/2 Cor Original	0.005
UB-2025-0	208.95	210	1.05	J004156	NQ 1/2 Cor Original	0.005
UB-2025-0	210	211.5	1.5	J004157	NQ 1/2 Cor Original	0.005
UB-2025-0	211.5	212.4	0.9	J004158	NQ 1/2 Cor Original	0.005
UB-2025-0	212.4	213	0.6	J004159	NQ 1/2 Cor Original	0.04
UB-2025-0	219	220.15	1.15	J004161	NQ 1/2 Cor Original	1.44
UB-2025-0	220.15	220.65	0.5	J004162	NQ 1/2 Cor Original	0.29
UB-2025-0	220.65	221.15	0.5	J004163	NQ 1/2 Cor Original	0.01
UB-2025-0	221.15	222	0.85	J004164	NQ 1/2 Cor Original	0.005
UB-2025-0	258	259.5	1.5	J004165	NQ 1/2 Cor Original	0.005
UB-2025-0	259.5	261	1.5	J004166	NQ 1/2 Cor Original	0.005
UB-2025-0	261	262	1	J004167	NQ 1/2 Cor Original	0.005
UB-2025-0	262	262.8	0.8	J004168	NQ 1/2 Cor Original	0.02
UB-2025-0	262.8	263.5	0.7	J004169	NQ 1/2 Cor Original	1.91
UB-2025-0	263.5	264.15	0.65	J004171	NQ 1/2 Cor Original	5.18
UB-2025-0	264.15	264.75	0.6	J004172	NQ 1/2 Cor Original	0.52
UB-2025-0	264.75	265.6	0.85	J004173	NQ 1/2 Cor Original	0.03
UB-2025-0	265.6	266.3	0.7	J004174	NQ 1/2 Cor Original	0.005
UB-2025-0	266.3	267.8	1.5	J004175	NQ 1/2 Cor Original	0.005
UB-2025-0	267.8	268.7	0.9	J004176	NQ 1/2 Cor Original	0.005
UB-2025-0	268.7	269.2	0.5	J004177	NQ 1/2 Cor Original	0.95
UB-2025-0	269.2	270	0.8	J004178	NQ 1/2 Cor Original	0.01
UB-2025-0	291	291.95	0.95	J004179	NQ 1/2 Cor Original	0.08
UB-2025-0	291.95	293.3	1.35	J004181	NQ 1/2 Cor Original	0.005
UB-2025-0	293.3	294	0.7	J004182	NQ 1/2 Cor Original	0.08
UB-2025-0	27	28.5	1.5	J004183	NQ 1/2 Cor Original	0.005
UB-2025-0	28.5	29.5	1	J004184	NQ 1/2 Cor Original	0.005
UB-2025-0	29.5	30	0.5	J004185	NQ 1/2 Cor Original	0.02
UB-2025-0	54	55	1	J004186	NQ 1/2 Cor Original	0.005
UB-2025-0	55	55.75	0.75	J004187	NQ 1/2 Cor Original	0.07
UB-2025-0	55.75	56.25	0.5	J004188	NQ 1/2 Cor Original	0.43
UB-2025-0	56.25	57	0.75	J004189	NQ 1/2 Cor Original	0.06
UB-2025-0	93	93.75	0.75	J004191	NQ 1/2 Cor Original	0.005
UB-2025-0	93.75	95.15	1.4	J004192	NQ 1/2 Cor Original	0.02
UB-2025-0	95.15	95.75	0.6	J004193	NQ 1/2 Cor Original	0.67
UB-2025-0	95.75	97	1.25	J004194	NQ 1/2 Cor Original	0.1
UB-2025-0	97	97.9	0.9	J004195	NQ 1/2 Cor Original	0.02
UB-2025-0	110	110.9	0.9	J004196	NQ 1/2 Cor Original	0.005
UB-2025-0	110.9	111.4	0.5	J004197	NQ 1/2 Cor Original	0.11

UB-2025-0	111.4	112.15	0.75	J004198	NQ 1/2 Cor Original	0.83
UB-2025-0	112.15	113	0.85	J004199	NQ 1/2 Cor Original	0.61
UB-2025-0	113	114.5	1.5	J004201	NQ 1/2 Cor Original	0.01
UB-2025-0	114.5	116	1.5	J004202	NQ 1/2 Cor Original	0.005
UB-2025-0	116	117.5	1.5	J004203	NQ 1/2 Cor Original	0.005
UB-2025-0	117.5	119	1.5	J004204	NQ 1/2 Cor Original	0.005
UB-2025-0	119	120.5	1.5	J004205	NQ 1/2 Cor Original	0.005
UB-2025-0	120.5	122	1.5	J004206	NQ 1/2 Cor Original	0.005
UB-2025-0	122	123	1	J004207	NQ 1/2 Cor Original	0.05
UB-2025-0	123	123.9	0.9	J004208	NQ 1/2 Cor Original	0.1
UB-2025-0	150	151.5	1.5	J004209	NQ 1/2 Cor Original	0.005
UB-2025-0	151.5	153	1.5	J004211	NQ 1/2 Cor Original	0.005
UB-2025-0	153	153.5	0.5	J004212	NQ 1/2 Cor Original	1.08
UB-2025-0	153.5	155	1.5	J004213	NQ 1/2 Cor Original	0.005
UB-2025-0	155	156	1	J004214	NQ 1/2 Cor Original	0.005
UB-2025-0	156	157	1	J004215	NQ 1/2 Cor Original	0.05
UB-2025-0	157	157.5	0.5	J004216	NQ 1/2 Cor Original	0.005
UB-2025-0	157.5	158.1	0.6	J004217	NQ 1/2 Cor Original	2.72
UB-2025-0	158.1	158.9	0.8	J004218	NQ 1/2 Cor Original	0.88
UB-2025-0	158.9	159.4	0.5	J004219	NQ 1/2 Cor Original	2.35
UB-2025-0	159.4	160.5	1.1	J004221	NQ 1/2 Cor Original	0.13
UB-2025-0	160.5	162	1.5	J004222	NQ 1/2 Cor Original	0.005
UB-2025-0	162	163.5	1.5	J004223	NQ 1/2 Cor Original	0.005
UB-2025-0	163.5	165	1.5	J004224	NQ 1/2 Cor Original	0.005
UB-2025-0	165	165.7	0.7	J004225	NQ 1/2 Cor Original	0.03
UB-2025-0	165.7	166.3	0.6	J004226	NQ 1/2 Cor Original	3.56
UB-2025-0	166.3	167	0.7	J004227	NQ 1/2 Cor Original	0.1
UB-2025-0	167	168	1	J004228	NQ 1/2 Cor Original	0.11
UB-2025-0	195	196	1	J004229	NQ 1/2 Cor Original	0.005
UB-2025-0	196	196.95	0.95	J004231	NQ 1/2 Cor Original	0.02
UB-2025-0	196.95	197.55	0.6	J004232	NQ 1/2 Cor Original	0.02
UB-2025-0	197.55	198.1	0.55	J004233	NQ 1/2 Cor Original	1.28
UB-2025-0	198.1	198.95	0.85	J004234	NQ 1/2 Cor Original	3.49
UB-2025-0	198.95	199.5	0.55	J004235	NQ 1/2 Cor Original	0.19
UB-2025-0	199.5	201	1.5	J004236	NQ 1/2 Cor Original	0.005
UB-2025-0	201	202.3	1.3	J004237	NQ 1/2 Cor Original	0.17
UB-2025-0	202.3	202.8	0.5	J004238	NQ 1/2 Cor Original	0.12
UB-2025-0	202.8	204	1.2	J004239	NQ 1/2 Cor Original	0.5
UB-2025-0	223.45	224.9	1.45	J004241	NQ 1/2 Cor Original	0.005
UB-2025-0	224.9	225.4	0.5	J004242	NQ 1/2 Cor Original	0.64
UB-2025-0	225.4	226.1	0.7	J004243	NQ 1/2 Cor Original	1.67
UB-2025-0	226.1	227.2	1.1	J004244	NQ 1/2 Cor Original	0.09
UB-2025-0	227.2	228.5	1.3	J004245	NQ 1/2 Cor Original	0.005
UB-2025-0	228.5	230	1.5	J004246	NQ 1/2 Cor Original	0.01

UB-2025-0	230	231	1	J004247	NQ 1/2 Cor Original	0.005
UB-2025-0	231	231.5	0.5	J004248	NQ 1/2 Cor Original	2.25
UB-2025-0	231.5	232.5	1	J004249	NQ 1/2 Cor Original	0.02
UB-2025-0	232.5	234	1.5	J004251	NQ 1/2 Cor Original	0.005
UB-2025-0	280.5	281.5	1	J004252	NQ 1/2 Cor Original	0.005
UB-2025-0	281.5	282.5	1	J004253	NQ 1/2 Cor Original	0.22
UB-2025-0	282.5	283.05	0.55	J004254	NQ 1/2 Cor Original	0.07
UB-2025-0	283.05	284	0.95	J004255	NQ 1/2 Cor Original	0.005
UB-2025-0	284	285	1	J004256	NQ 1/2 Cor Original	0.25
UB-2025-0	285	285.75	0.75	J004257	NQ 1/2 Cor Original	0.005
UB-2025-0	39	40	1	J004258	NQ 1/2 Cor Original	0.005
UB-2025-0	40	41	1	J004259	NQ 1/2 Cor Original	0.18
UB-2025-0	41	42.2	1.2	J004261	NQ 1/2 Cor Original	0.12
UB-2025-0	42.2	43.05	0.85	J004262	NQ 1/2 Cor Original	0.7
UB-2025-0	43.05	44.2	1.15	J004263	NQ 1/2 Cor Original	0.21
UB-2025-0	44.2	45.5	1.3	J004264	NQ 1/2 Cor Original	0.005
UB-2025-0	78	79.05	1.05	J004265	NQ 1/2 Cor Original	0.16
UB-2025-0	79.05	80.1	1.05	J004266	NQ 1/2 Cor Original	0.44
UB-2025-0	80.1	81.4	1.3	J004267	NQ 1/2 Cor Original	1.89
UB-2025-0	81.4	82.5	1.1	J004268	NQ 1/2 Cor Original	0.03
UB-2025-0	82.5	84	1.5	J004269	NQ 1/2 Cor Original	0.005
UB-2025-0	89	90	1	J004271	NQ 1/2 Cor Original	0.05
UB-2025-0	90	91	1	J004272	NQ 1/2 Cor Original	0.23
UB-2025-0	91	91.6	0.6	J004273	NQ 1/2 Cor Original	0.81
UB-2025-0	91.6	93	1.4	J004274	NQ 1/2 Cor Original	1.37
UB-2025-0	93	94.5	1.5	J004275	NQ 1/2 Cor Original	1.72
UB-2025-0	94.5	96	1.5	J004276	NQ 1/2 Cor Original	2.07
UB-2025-0	96	97.5	1.5	J004277	NQ 1/2 Cor Original	2.04
UB-2025-0	109.1	110.2	1.1	J004278	NQ 1/2 Cor Original	0.62
UB-2025-0	110.2	110.7	0.5	J004279	NQ 1/2 Cor Original	0.23
UB-2025-0	110.7	111.9	1.2	J004281	NQ 1/2 Cor Original	0.12
UB-2025-0	111.9	113.35	1.45	J004282	NQ 1/2 Cor Original	1.69
UB-2025-0	113.35	114.4	1.05	J004283	NQ 1/2 Cor Original	3.21
UB-2025-0	114.4	114.9	0.5	J004284	NQ 1/2 Cor Original	4.51
UB-2025-0	114.9	115.55	0.65	J004285	NQ 1/2 Cor Original	4.22
UB-2025-0	115.55	116.07	0.52	J004286	NQ 1/2 Cor Original	1.95
UB-2025-0	116.07	117	0.93	J004287	NQ 1/2 Cor Original	0.03
UB-2025-0	117	118.5	1.5	J004288	NQ 1/2 Cor Original	0.02
UB-2025-0	118.5	120	1.5	J004289	NQ 1/2 Cor Original	0.005
UB-2025-0	138	138.75	0.75	J004291	NQ 1/2 Cor Original	0.01
UB-2025-0	138.75	139.25	0.5	J004292	NQ 1/2 Cor Original	0.07
UB-2025-0	139.25	140	0.75	J004293	NQ 1/2 Cor Original	0.1
UB-2025-0	140	141	1	J004294	NQ 1/2 Cor Original	0.005
UB-2025-0	156.7	158	1.3	J004295	NQ 1/2 Cor Original	0.005

UB-2025-0	158	159	1	J004296	NQ 1/2 Cor Original	0.005
UB-2025-0	159	159.5	0.5	J004297	NQ 1/2 Cor Original	0.005
UB-2025-0	159.5	160.5	1	J004298	NQ 1/2 Cor Original	1.75
UB-2025-0	160.5	161.75	1.25	J004299	NQ 1/2 Cor Original	11.6
UB-2025-0	161.75	162.75	1	J004301	NQ 1/2 Cor Original	1.81
UB-2025-0	162.75	163.5	0.75	J004302	NQ 1/2 Cor Original	1.67
UB-2025-0	163.5	164.25	0.75	J004303	NQ 1/2 Cor Original	2.39
UB-2025-0	164.25	164.75	0.5	J004304	NQ 1/2 Cor Original	1.27
UB-2025-0	164.75	165.45	0.7	J004305	NQ 1/2 Cor Original	2.75
UB-2025-0	165.45	165.95	0.5	J004306	NQ 1/2 Cor Original	3.36
UB-2025-0	165.95	167	1.05	J004307	NQ 1/2 Cor Original	0.07
UB-2025-0	167	167.68	0.68	J004308	NQ 1/2 Cor Original	0.02
UB-2025-0	167.68	168.3	0.62	J004309	NQ 1/2 Cor Original	0.05
UB-2025-0	168.3	169	0.7	J004311	NQ 1/2 Cor Original	0.005
UB-2025-0	169	170	1	J004312	NQ 1/2 Cor Original	0.005
UB-2025-0	170	171	1	J004313	NQ 1/2 Cor Original	0.005
UB-2025-0	183	183.5	0.5	J004314	NQ 1/2 Cor Original	0.23
UB-2025-0	183.5	184.6	1.1	J004315	NQ 1/2 Cor Original	0.18
UB-2025-0	184.6	185.25	0.65	J004316	NQ 1/2 Cor Original	0.005
UB-2025-0	202	203.5	1.5	J004317	NQ 1/2 Cor Original	0.005
UB-2025-0	203.5	204	0.5	J004318	NQ 1/2 Cor Original	0.005
UB-2025-0	204	204.5	0.5	J004319	NQ 1/2 Cor Original	2.99
UB-2025-0	204.5	205.45	0.95	J004321	NQ 1/2 Cor Original	0.4
UB-2025-0	205.45	206.35	0.9	J004322	NQ 1/2 Cor Original	0.78
UB-2025-0	206.35	207	0.65	J004323	NQ 1/2 Cor Original	4.38
UB-2025-0	207	208.5	1.5	J004324	NQ 1/2 Cor Original	0.03
UB-2025-0	214	214.9	0.9	J004325	NQ 1/2 Cor Original	0.005
UB-2025-0	214.9	215.4	0.5	J004326	NQ 1/2 Cor Original	0.22
UB-2025-0	215.4	216.5	1.1	J004327	NQ 1/2 Cor Original	0.005
UB-2025-0	216.5	218	1.5	J004328	NQ 1/2 Cor Original	0.05
UB-2025-0	218	219.5	1.5	J004329	NQ 1/2 Cor Original	0.005
UB-2025-0	219.5	220.4	0.9	J004331	NQ 1/2 Cor Original	0.02
UB-2025-0	220.4	220.9	0.5	J004332	NQ 1/2 Cor Original	0.12
UB-2025-0	220.9	222	1.1	J004333	NQ 1/2 Cor Original	0.005
UB-2025-0	90	91.5	1.5	J004334	NQ 1/2 Cor Original	0.09
UB-2025-0	91.5	92.33	0.83	J004335	NQ 1/2 Cor Original	0.02
UB-2025-0	92.33	92.85	0.52	J004336	NQ 1/2 Cor Original	0.4
UB-2025-0	92.85	94.05	1.2	J004337	NQ 1/2 Cor Original	0.005
UB-2025-0	94.05	95	0.95	J004338	NQ 1/2 Cor Original	0.01
UB-2025-0	95	96	1	J004339	NQ 1/2 Cor Original	0.005
UB-2025-0	101	101.95	0.95	J004341	NQ 1/2 Cor Original	0.005
UB-2025-0	101.95	103.2	1.25	J004342	NQ 1/2 Cor Original	0.005
UB-2025-0	103.2	103.95	0.75	J004343	NQ 1/2 Cor Original	0.005
UB-2025-0	103.95	105	1.05	J004344	NQ 1/2 Cor Original	0.005

UB-2025-0	105	106.1	1.1	J004345	NQ 1/2 Cor Original	0.005
UB-2025-0	111	112	1	J004346	NQ 1/2 Cor Original	0.005
UB-2025-0	112	113.25	1.25	J004347	NQ 1/2 Cor Original	0.005
UB-2025-0	113.25	114.2	0.95	J004348	NQ 1/2 Cor Original	0.09
UB-2025-0	114.2	115.4	1.2	J004349	NQ 1/2 Cor Original	0.005
UB-2025-0	115.4	116.5	1.1	J004351	NQ 1/2 Cor Original	0.005
UB-2025-0	120	121.12	1.12	J004352	NQ 1/2 Cor Original	0.005
UB-2025-0	121.12	121.75	0.63	J004353	NQ 1/2 Cor Original	0.005
UB-2025-0	121.75	122.5	0.75	J004354	NQ 1/2 Cor Original	0.28
UB-2025-0	122.5	123	0.5	J004355	NQ 1/2 Cor Original	0.2
UB-2025-0	123	124.5	1.5	J004356	NQ 1/2 Cor Original	0.04
UB-2025-0	124.5	126	1.5	J004357	NQ 1/2 Cor Original	0.05
UB-2025-0	126	127.4	1.4	J004358	NQ 1/2 Cor Original	0.05
UB-2025-0	127.4	128.5	1.1	J004359	NQ 1/2 Cor Original	0.03
UB-2025-0	128.5	129.5	1	J004361	NQ 1/2 Cor Original	0.36
UB-2025-0	129.5	130.8	1.3	J004362	NQ 1/2 Cor Original	0.06
UB-2025-0	130.8	131.4	0.6	J004363	NQ 1/2 Cor Original	0.005
UB-2025-0	131.4	132.85	1.45	J004364	NQ 1/2 Cor Original	0.005
UB-2025-0	132.85	134.33	1.48	J004365	NQ 1/2 Cor Original	0.005
UB-2025-0	134.33	135	0.67	J004366	NQ 1/2 Cor Original	0.005
UB-2025-0	153.6	154.8	1.2	J004367	NQ 1/2 Cor Original	0.005
UB-2025-0	154.8	155.3	0.5	J004368	NQ 1/2 Cor Original	0.08
UB-2025-0	155.3	156	0.7	J004369	NQ 1/2 Cor Original	0.005
UB-2025-0	178	178.6	0.6	J004371	NQ 1/2 Cor Original	0.005
UB-2025-0	178.6	179.8	1.2	J004372	NQ 1/2 Cor Original	0.005
UB-2025-0	179.8	180.3	0.5	J004373	NQ 1/2 Cor Original	0.005
UB-2025-0	180.3	180.8	0.5	J004374	NQ 1/2 Cor Original	0.16
UB-2025-0	180.8	181.3	0.5	J004375	NQ 1/2 Cor Original	0.52
UB-2025-0	181.3	181.9	0.6	J004376	NQ 1/2 Cor Original	0.005
UB-2025-0	181.9	182.4	0.5	J004377	NQ 1/2 Cor Original	0.3
UB-2025-0	182.4	183.25	0.85	J004378	NQ 1/2 Cor Original	0.005
UB-2025-0	183.25	183.8	0.55	J004379	NQ 1/2 Cor Original	0.23
UB-2025-0	183.8	184.48	0.68	J004381	NQ 1/2 Cor Original	0.41
UB-2025-0	184.48	185.45	0.97	J004382	NQ 1/2 Cor Original	0.12
UB-2025-0	185.45	186.45	1	J004383	NQ 1/2 Cor Original	0.005
UB-2025-0	186.45	187.4	0.95	J004384	NQ 1/2 Cor Original	0.005
UB-2025-0	187.4	188.65	1.25	J004385	NQ 1/2 Cor Original	0.18
UB-2025-0	188.65	189.7	1.05	J004386	NQ 1/2 Cor Original	0.005
UB-2025-0	197.1	198	0.9	J004387	NQ 1/2 Cor Original	0.005
UB-2025-0	198	198.5	0.5	J004388	NQ 1/2 Cor Original	0.85
UB-2025-0	198.5	199.15	0.65	J004389	NQ 1/2 Cor Original	0.005
UB-2025-0	199.15	199.8	0.65	J004391	NQ 1/2 Cor Original	0.005
UB-2025-0	199.8	201.3	1.5	J004392	NQ 1/2 Cor Original	0.005
UB-2025-0	201.3	202.5	1.2	J004393	NQ 1/2 Cor Original	0.005

UB-2025-0	202.5	204	1.5	J004394	NQ 1/2 Cor Original	0.005
UB-2025-0	204	205.5	1.5	J004395	NQ 1/2 Cor Original	0.005
UB-2025-0	205.5	207	1.5	J004396	NQ 1/2 Cor Original	0.005
UB-2025-0	216	217	1	J004397	NQ 1/2 Cor Original	0.03
UB-2025-0	217	218	1	J004398	NQ 1/2 Cor Original	0.005
UB-2025-0	218	218.5	0.5	J004399	NQ 1/2 Cor Original	0.005
UB-2025-0	218.5	220	1.5	J004401	NQ 1/2 Cor Original	0.005
UB-2025-0	220	221.5	1.5	J004402	NQ 1/2 Cor Original	0.005
UB-2025-0	221.5	222.5	1	J004403	NQ 1/2 Cor Original	0.005
UB-2025-0	222.5	224	1.5	J004404	NQ 1/2 Cor Original	0.005
UB-2025-0	224	225	1	J004405	NQ 1/2 Cor Original	0.66
UB-2025-0	225	225.24	0.24	No Sample No Sample - LC		
UB-2025-0	225.24	225.75	0.51	J004406	NQ 1/2 Cor Original	17.2
UB-2025-0	225.75	226.25	0.5	J004407	NQ 1/2 Cor Original	0.02
UB-2025-0	226.25	227.2	0.95	J004408	NQ 1/2 Cor Original	0.005
UB-2025-0	227.2	228	0.8	J004409	NQ 1/2 Cor Original	0.02
UB-2025-0	246.7	248.15	1.45	J004411	NQ 1/2 Cor Original	0.15
UB-2025-0	248.15	248.65	0.5	J004412	NQ 1/2 Cor Original	1.25
UB-2025-0	248.65	249.15	0.5	J004413	NQ 1/2 Cor Original	3.17
UB-2025-0	249.15	250.5	1.35	J004414	NQ 1/2 Cor Original	0.93
UB-2025-0	250.5	251	0.5	J004415	NQ 1/2 Cor Original	0.63
UB-2025-0	251	251.5	0.5	J004416	NQ 1/2 Cor Original	2.05
UB-2025-0	251.5	252	0.5	J004417	NQ 1/2 Cor Original	1.75
UB-2025-0	252	253.5	1.5	J004418	NQ 1/2 Cor Original	1.46
UB-2025-0	253.5	255	1.5	J004419	NQ 1/2 Cor Original	0.6
UB-2025-0	255	256.1	1.1	J004421	NQ 1/2 Cor Original	1.39
UB-2025-0	256.1	257	0.9	J004422	NQ 1/2 Cor Original	1.47
UB-2025-0	257	257.5	0.5	J004423	NQ 1/2 Cor Original	2.13
UB-2025-0	257.5	258	0.5	J004424	NQ 1/2 Cor Original	11.6
UB-2025-0	258	259.5	1.5	J004425	NQ 1/2 Cor Original	1.81
UB-2025-0	259.5	261	1.5	J004426	NQ 1/2 Cor Original	1.17
UB-2025-0	67	68.1	1.1	J004427	NQ 1/2 Cor Original	0.005
UB-2025-0	68.1	68.7	0.6	J004428	NQ 1/2 Cor Original	0.04
UB-2025-0	68.7	69.6	0.9	J004429	NQ 1/2 Cor Original	0.005
UB-2025-0	69.6	70.1	0.5	J004431	NQ 1/2 Cor Original	0.005
UB-2025-0	70.1	70.6	0.5	J004432	NQ 1/2 Cor Original	0.005
UB-2025-0	70.6	71.1	0.5	J004433	NQ 1/2 Cor Original	0.005
UB-2025-0	71.1	72	0.9	J004434	NQ 1/2 Cor Original	0.005
UB-2025-0	72	73.15	1.15	J004435	NQ 1/2 Cor Original	0.005
UB-2025-0	73.15	73.8	0.65	J004436	NQ 1/2 Cor Original	0.005
UB-2025-0	73.8	74.3	0.5	J004437	NQ 1/2 Cor Original	0.01
UB-2025-0	74.3	74.9	0.6	J004438	NQ 1/2 Cor Original	0.56
UB-2025-0	74.9	75.75	0.85	J004439	NQ 1/2 Cor Original	0.07
UB-2025-0	75.75	76.95	1.2	J004441	NQ 1/2 Cor Original	0.01

UB-2025-0	76.95	78	1.05	J004442	NQ 1/2 Cor Original	0.02
UB-2025-0	93	94.15	1.15	J004443	NQ 1/2 Cor Original	0.005
UB-2025-0	94.15	94.75	0.6	J004444	NQ 1/2 Cor Original	0.74
UB-2025-0	94.75	95.25	0.5	J004445	NQ 1/2 Cor Original	18.8
UB-2025-0	95.25	96	0.75	J004446	NQ 1/2 Cor Original	0.2
UB-2025-0	117	117.5	0.5	J004447	NQ 1/2 Cor Original	0.98
UB-2025-0	117.5	118.3	0.8	J004448	NQ 1/2 Cor Original	0.01
UB-2025-0	118.3	119.3	1	J004449	NQ 1/2 Cor Original	0.005
UB-2025-0	138	139.1	1.1	J004451	NQ 1/2 Cor Original	0.005
UB-2025-0	139.1	140	0.9	J004452	NQ 1/2 Cor Original	0.005
UB-2025-0	140	140.7	0.7	J004453	NQ 1/2 Cor Original	0.005
UB-2025-0	140.7	141.8	1.1	J004454	NQ 1/2 Cor Original	0.06
UB-2025-0	141.8	142.6	0.8	J004455	NQ 1/2 Cor Original	0.005
UB-2025-0	142.6	144	1.4	J004456	NQ 1/2 Cor Original	0.01
UB-2025-0	153	154.5	1.5	J004457	NQ 1/2 Cor Original	0.005
UB-2025-0	154.5	155.5	1	J004458	NQ 1/2 Cor Original	0.005
UB-2025-0	155.5	156	0.5	J004459	NQ 1/2 Cor Original	0.2
UB-2025-0	156	156.95	0.95	J004461	NQ 1/2 Cor Original	0.005
UB-2025-0	186.4	187.9	1.5	J004462	NQ 1/2 Cor Original	0.005
UB-2025-0	187.9	188.9	1	J004463	NQ 1/2 Cor Original	0.005
UB-2025-0	188.9	189.7	0.8	J004464	NQ 1/2 Cor Original	0.005
UB-2025-0	189.7	190.6	0.9	J004465	NQ 1/2 Cor Original	0.005
UB-2025-0	190.6	191.1	0.5	J004466	NQ 1/2 Cor Original	0.005
UB-2025-0	191.1	192	0.9	J004467	NQ 1/2 Cor Original	0.06
UB-2025-0	192	192.6	0.6	J004468	NQ 1/2 Cor Original	0.03
UB-2025-0	192.6	193.5	0.9	J004469	NQ 1/2 Cor Original	0.01
UB-2025-0	193.5	195	1.5	J004471	NQ 1/2 Cor Original	0.005
UB-2025-0	195	196.5	1.5	J004472	NQ 1/2 Cor Original	0.01
UB-2025-0	196.5	198	1.5	J004473	NQ 1/2 Cor Original	0.005
UB-2025-0	198	199.5	1.5	J004474	NQ 1/2 Cor Original	0.005
UB-2025-0	199.5	200.7	1.2	J004475	NQ 1/2 Cor Original	0.005
UB-2025-0	200.7	201.2	0.5	J004476	NQ 1/2 Cor Original	1.13
UB-2025-0	201.2	202.4	1.2	J004477	NQ 1/2 Cor Original	0.005
UB-2025-0	202.4	202.9	0.5	J004478	NQ 1/2 Cor Original	0.005
UB-2025-0	202.9	204	1.1	J004479	NQ 1/2 Cor Original	0.005
UB-2025-0	252	253.5	1.5	J004481	NQ 1/2 Cor Original	0.005
UB-2025-0	253.5	255	1.5	J004482	NQ 1/2 Cor Original	0.005
UB-2025-0	255	256.1	1.1	J004483	NQ 1/2 Cor Original	0.005
UB-2025-0	256.1	256.6	0.5	J004484	NQ 1/2 Cor Original	0.03
UB-2025-0	256.6	257.4	0.8	J004485	NQ 1/2 Cor Original	12.1
UB-2025-0	257.4	258	0.6	J004486	NQ 1/2 Cor Original	6.79
UB-2025-0	258	258.5	0.5	J004487	NQ 1/2 Cor Original	0.16
UB-2025-0	258.5	259.5	1	J004488	NQ 1/2 Cor Original	0.06
UB-2025-0	259.5	261	1.5	J004489	NQ 1/2 Cor Original	0.005

UB-2025-0	270	270.8	0.8	J004491	NQ 1/2 Cor Original	0.005
UB-2025-0	270.8	271.3	0.5	J004492	NQ 1/2 Cor Original	0.17
UB-2025-0	271.3	271.8	0.5	J004493	NQ 1/2 Cor Original	1.26
UB-2025-0	271.8	272.3	0.5	J004494	NQ 1/2 Cor Original	0.02
UB-2025-0	272.3	273	0.7	J004495	NQ 1/2 Cor Original	0.005
UB-2025-0	273	274.5	1.5	J004496	NQ 1/2 Cor Original	0.01
UB-2025-0	274.5	276	1.5	J004497	NQ 1/2 Cor Original	0.01
UB-2025-0	276	276.5	0.5	J004498	NQ 1/2 Cor Original	0.01
UB-2025-0	276.5	277.1	0.6	J004499	NQ 1/2 Cor Original	4.84
UB-2025-0	277.1	278.3	1.2	J004501	NQ 1/2 Cor Original	0.37
UB-2025-0	278.3	278.8	0.5	J004502	NQ 1/2 Cor Original	0.41
UB-2025-0	278.8	279.3	0.5	J004503	NQ 1/2 Cor Original	1.48
UB-2025-0	279.3	279.8	0.5	J004504	NQ 1/2 Cor Original	0.41
UB-2025-0	279.8	280.6	0.8	J004505	NQ 1/2 Cor Original	0.04
UB-2025-0	280.6	281.2	0.6	J004506	NQ 1/2 Cor Original	0.08
UB-2025-0	281.2	281.7	0.5	J004507	NQ 1/2 Cor Original	0.15
UB-2025-0	281.7	282.2	0.5	J004508	NQ 1/2 Cor Original	14.3
UB-2025-0	282.2	282.7	0.5	J004509	NQ 1/2 Cor Original	0.74
UB-2025-0	282.7	283.4	0.7	J004511	NQ 1/2 Cor Original	0.13
UB-2025-0	283.4	284.5	1.1	J004512	NQ 1/2 Cor Original	0.08
UB-2025-0	284.5	285.6	1.1	J004513	NQ 1/2 Cor Original	0.05
UB-2025-0	285.6	287	1.4	J004514	NQ 1/2 Cor Original	0.05
UB-2025-0	287	288	1	J004515	NQ 1/2 Cor Original	0.01
UB-2025-0	23	24.5	1.5	J004516	NQ 1/2 Cor Original	0.005
UB-2025-0	24.5	26	1.5	J004517	NQ 1/2 Cor Original	0.005
UB-2025-0	26	27.5	1.5	J004518	NQ 1/2 Cor Original	0.005
UB-2025-0	27.5	28.95	1.45	J004519	NQ 1/2 Cor Original	0.005
UB-2025-0	28.95	30	1.05	J004521	NQ 1/2 Cor Original	0.005
UB-2025-0	30	31	1	J004522	NQ 1/2 Cor Original	0.28
UB-2025-0	31	32	1	J004523	NQ 1/2 Cor Original	0.17
UB-2025-0	32	33.45	1.45	J004524	NQ 1/2 Cor Original	0.02
UB-2025-0	33.45	34.45	1	J004525	NQ 1/2 Cor Original	0.005
UB-2025-0	34.45	35.9	1.45	J004526	NQ 1/2 Cor Original	0.005
UB-2025-0	35.9	37.05	1.15	J004527	NQ 1/2 Cor Original	0.005
UB-2025-0	37.05	38.5	1.45	J004528	NQ 1/2 Cor Original	0.005
UB-2025-0	38.5	39.6	1.1	J004529	NQ 1/2 Cor Original	0.28
UB-2025-0	39.6	41	1.4	J004531	NQ 1/2 Cor Original	0.02
UB-2025-0	41	42.5	1.5	J004532	NQ 1/2 Cor Original	0.005
UB-2025-0	42.5	44	1.5	J004533	NQ 1/2 Cor Original	0.005
UB-2025-0	44	45.25	1.25	J004534	NQ 1/2 Cor Original	0.005
UB-2025-0	45.25	46	0.75	J004535	NQ 1/2 Cor Original	0.005
UB-2025-0	46	47.05	1.05	J004536	NQ 1/2 Cor Original	0.005
UB-2025-0	47.05	48	0.95	J004537	NQ 1/2 Cor Original	0.005
UB-2025-0	79.95	81.4	1.45	J004538	NQ 1/2 Cor Original	0.005

UB-2025-0	81.4	82.2	0.8	J004539	NQ 1/2 Cor Original	0.005
UB-2025-0	82.2	83.4	1.2	J004541	NQ 1/2 Cor Original	0.005
UB-2025-0	83.4	84	0.6	J004542	NQ 1/2 Cor Original	0.36
UB-2025-0	84	85.1	1.1	J004543	NQ 1/2 Cor Original	1.78
UB-2025-0	85.1	85.85	0.75	J004544	NQ 1/2 Cor Original	0.005
UB-2025-0	85.85	86.46	0.61	J004545	NQ 1/2 Cor Original	0.01
UB-2025-0	86.46	87.4	0.94	J004546	NQ 1/2 Cor Original	0.005
UB-2025-0	89.5	90.5	1	J004547	NQ 1/2 Cor Original	0.005
UB-2025-0	90.5	91.3	0.8	J004548	NQ 1/2 Cor Original	0.25
UB-2025-0	91.3	91.8	0.5	J004549	NQ 1/2 Cor Original	2.41
UB-2025-0	91.8	92.7	0.9	J004551	NQ 1/2 Cor Original	0.07
UB-2025-0	92.7	93.4	0.7	J004552	NQ 1/2 Cor Original	0.03
UB-2025-0	93.4	94	0.6	J004553	NQ 1/2 Cor Original	2
UB-2025-0	94	95.3	1.3	J004554	NQ 1/2 Cor Original	0.03
UB-2025-0	95.3	95.9	0.6	J004555	NQ 1/2 Cor Original	0.005
UB-2025-0	95.9	97.2	1.3	J004556	NQ 1/2 Cor Original	0.005
UB-2025-0	97.2	98	0.8	J004557	NQ 1/2 Cor Original	0.005
UB-2025-0	98	99	1	J004558	NQ 1/2 Cor Original	0.005
UB-2025-0	108	109.45	1.45	J004559	NQ 1/2 Cor Original	0.05
UB-2025-0	109.45	110.8	1.35	J004561	NQ 1/2 Cor Original	0.005
UB-2025-0	110.8	111.3	0.5	J004562	NQ 1/2 Cor Original	0.03
UB-2025-0	111.3	112.4	1.1	J004563	NQ 1/2 Cor Original	0.12
UB-2025-0	112.4	113.7	1.3	J004564	NQ 1/2 Cor Original	0.005
UB-2025-0	113.7	115.15	1.45	J004565	NQ 1/2 Cor Original	0.005
UB-2025-0	115.15	115.95	0.8	J004566	NQ 1/2 Cor Original	0.005
UB-2025-0	115.95	116.55	0.6	J004567	NQ 1/2 Cor Original	0.11
UB-2025-0	116.55	118	1.45	J004568	NQ 1/2 Cor Original	0.18
UB-2025-0	118	119.4	1.4	J004569	NQ 1/2 Cor Original	0.03
UB-2025-0	119.4	120.65	1.25	J004571	NQ 1/2 Cor Original	0.005
UB-2025-0	120.65	121.85	1.2	J004572	NQ 1/2 Cor Original	0.005
UB-2025-0	121.85	123.3	1.45	J004573	NQ 1/2 Cor Original	0.005
UB-2025-0	123.3	124.4	1.1	J004574	NQ 1/2 Cor Original	0.02
UB-2025-0	124.4	125	0.6	J004575	NQ 1/2 Cor Original	0.07
UB-2025-0	125	126	1	J004576	NQ 1/2 Cor Original	0.005
UB-2025-0	153	154	1	J004577	NQ 1/2 Cor Original	0.005
UB-2025-0	154	154.5	0.5	J004578	NQ 1/2 Cor Original	0.51
UB-2025-0	154.5	156	1.5	J004579	NQ 1/2 Cor Original	0.03
UB-2025-0	176.75	178	1.25	J004581	NQ 1/2 Cor Original	1.4
UB-2025-0	178	178.8	0.8	J004582	NQ 1/2 Cor Original	4.5
UB-2025-0	178.8	179.5	0.7	J004583	NQ 1/2 Cor Original	25.7
UB-2025-0	179.5	180	0.5	J004584	NQ 1/2 Cor Original	0.89
UB-2025-0	180	181.5	1.5	J004585	NQ 1/2 Cor Original	0.05
UB-2025-0	181.5	183	1.5	J004586	NQ 1/2 Cor Original	0.4
UB-2025-0	216	217	1	J004587	NQ 1/2 Cor Original	0.005

UB-2025-0	217	218.2	1.2	J004588	NQ 1/2 Cor Original	0.005
UB-2025-0	218.2	218.7	0.5	J004589	NQ 1/2 Cor Original	2.38
UB-2025-0	218.7	220.2	1.5	J004591	NQ 1/2 Cor Original	2.11
UB-2025-0	220.2	220.7	0.5	J004592	NQ 1/2 Cor Original	99.6
UB-2025-0	220.7	222	1.3	J004593	NQ 1/2 Cor Original	0.82
UB-2025-0	222	223	1	J004594	NQ 1/2 Cor Original	2.84
UB-2025-0	223	223.6	0.6	J004595	NQ 1/2 Cor Original	7.21
UB-2025-0	223.6	225	1.4	J004596	NQ 1/2 Cor Original	0.08
UB-2025-0	225	226.5	1.5	J004597	NQ 1/2 Cor Original	0.01
UB-2025-0	226.5	228	1.5	J004598	NQ 1/2 Cor Original	0.005
UB-2025-0	228	229.5	1.5	J004599	NQ 1/2 Cor Original	0.005
UB-2025-0	229.5	231	1.5	J004601	NQ 1/2 Cor Original	0.005
UB-2025-0	231	232.5	1.5	J004602	NQ 1/2 Cor Original	0.005
UB-2025-0	232.5	234	1.5	J004603	NQ 1/2 Cor Original	0.005
UB-2025-0	234	235.5	1.5	J004604	NQ 1/2 Cor Original	0.005
UB-2025-0	235.5	237	1.5	J004605	NQ 1/2 Cor Original	0.005
UB-2025-0	237	238.4	1.4	J004606	NQ 1/2 Cor Original	0.005
UB-2025-0	26.5	28	1.5	J004607	NQ 1/2 Cor Original	0.005
UB-2025-0	28	28.5	0.5	J004608	NQ 1/2 Cor Original	1.14
UB-2025-0	28.5	30	1.5	J004609	NQ 1/2 Cor Original	0.01
UB-2025-0	39	40.5	1.5	J004611	NQ 1/2 Cor Original	0.005
UB-2025-0	40.5	41.65	1.15	J004612	NQ 1/2 Cor Original	0.03
UB-2025-0	41.65	42.7	1.05	J004613	NQ 1/2 Cor Original	0.05
UB-2025-0	42.7	44.15	1.45	J004614	NQ 1/2 Cor Original	0.005
UB-2025-0	44.15	45	0.85	J004615	NQ 1/2 Cor Original	0.005
UB-2025-0	84	85	1	J004616	NQ 1/2 Cor Original	0.005
UB-2025-0	85	86	1	J004617	NQ 1/2 Cor Original	0.005
UB-2025-0	86	87	1	J004618	NQ 1/2 Cor Original	0.04
UB-2025-0	87	87.5	0.5	J004619	NQ 1/2 Cor Original	1.47
UB-2025-0	87.5	88	0.5	J004621	NQ 1/2 Cor Original	0.02
UB-2025-0	88	89	1	J004622	NQ 1/2 Cor Original	0.005
UB-2025-0	89	90	1	J004623	NQ 1/2 Cor Original	0.005
UB-2025-0	96.35	97.5	1.15	J004624	NQ 1/2 Cor Original	0.005
UB-2025-0	97.5	98	0.5	J004625	NQ 1/2 Cor Original	0.11
UB-2025-0	98	98.5	0.5	J004626	NQ 1/2 Cor Original	0.005
UB-2025-0	98.5	99	0.5	J004627	NQ 1/2 Cor Original	0.39
UB-2025-0	99	99.5	0.5	J004628	NQ 1/2 Cor Original	0.03
UB-2025-0	99.5	100.2	0.7	J004629	NQ 1/2 Cor Original	0.005
UB-2025-0	120	120.9	0.9	J004631	NQ 1/2 Cor Original	0.005
UB-2025-0	120.9	121.4	0.5	J004632	NQ 1/2 Cor Original	0.005
UB-2025-0	121.4	122.25	0.85	J004633	NQ 1/2 Cor Original	0.54
UB-2025-0	122.25	123	0.75	J004634	NQ 1/2 Cor Original	0.06
UB-2025-0	186	187.5	1.5	J004635	NQ 1/2 Cor Original	0.01
UB-2025-0	187.5	188.45	0.95	J004636	NQ 1/2 Cor Original	0.01

UB-2025-0	188.45	189.45	1	J004637	NQ 3/4 Cor Original	2.1
UB-2025-0	189.45	190.05	0.6	J004638	NQ 3/4 Cor Original	3.28
UB-2025-0	190.05	190.9	0.85	J004639	NQ 3/4 Cor Original	3.27
UB-2025-0	190.9	192	1.1	J004641	NQ 3/4 Cor Original	0.98
UB-2025-0	192	193.1	1.1	J004642	NQ 1/2 Cor Original	0.02
UB-2025-0	193.1	194	0.9	J004643	NQ 1/2 Cor Original	0.005
UB-2025-0	194	195.5	1.5	J004644	NQ 1/2 Cor Original	0.005
UB-2025-0	195.5	197	1.5	J004645	NQ 1/2 Cor Original	0.005
UB-2025-0	197	198.5	1.5	J004646	NQ 1/2 Cor Original	0.08
UB-2025-0	198.5	199	0.5	J004647	NQ 3/4 Cor Original	0.98
UB-2025-0	199	200	1	J004648	NQ 1/2 Cor Original	0.02
UB-2025-0	200	201	1	J004649	NQ 1/2 Cor Original	0.005
UB-2025-0	222	223	1	J004651	NQ 1/2 Cor Original	0.005
UB-2025-0	223	224	1	J004652	NQ 1/2 Cor Original	0.005
UB-2025-0	224	225	1	J004653	NQ 1/2 Cor Original	0.005
UB-2025-0	225	226.05	1.05	J004654	NQ 3/4 Cor Original	0.02
UB-2025-0	226.05	226.65	0.6	J004655	NQ 3/4 Cor Original	2.54
UB-2025-0	226.65	227.65	1	J004656	NQ 3/4 Cor Original	0.01
UB-2025-0	227.65	229	1.35	J004657	NQ 1/2 Cor Original	0.005
UB-2025-0	229	230	1	J004658	NQ 1/2 Cor Original	0.005
UB-2025-0	230	231	1	J004659	NQ 1/2 Cor Original	0.005
UB-2025-0	237	238.3	1.3	J004661	NQ 1/2 Cor Original	0.01
UB-2025-0	238.3	238.9	0.6	J004662	NQ 1/2 Cor Original	0.02
UB-2025-0	238.9	240	1.1	J004663	NQ 1/2 Cor Original	0.13
UB-2025-0	240	241.5	1.5	J004664	NQ 1/2 Cor Original	0.005
UB-2025-0	241.5	243	1.5	J004665	NQ 1/2 Cor Original	0.04
UB-2025-0	243	244.15	1.15	J004666	NQ 1/2 Cor Original	0.21
UB-2025-0	244.15	245.65	1.5	J004667	NQ 1/2 Cor Original	0.03
UB-2025-0	245.65	247.05	1.4	J004668	NQ 1/2 Cor Original	0.005
UB-2025-0	247.05	247.55	0.5	J004669	NQ 1/2 Cor Original	0.55
UB-2025-0	247.55	249	1.45	J004671	NQ 1/2 Cor Original	0.005
UB-2025-0	34	35.5	1.5	J004672	NQ 1/2 Cor Original	1.08
UB-2025-0	35.5	37	1.5	J004673	NQ 1/2 Cor Original	0.14
UB-2025-0	86	87	1	J004674	NQ 1/2 Cor Original	0.005
UB-2025-0	87	87.5	0.5	J004675	NQ 1/2 Cor Original	0.005
UB-2025-0	87.5	88	0.5	J004676	NQ 3/4 Cor Original	0.1
UB-2025-0	88	88.75	0.75	J004677	NQ 3/4 Cor Original	0.4
UB-2025-0	88.75	89.25	0.5	J004678	NQ 3/4 Cor Original	2.82
UB-2025-0	89.25	90	0.75	J004679	NQ 1/2 Cor Original	2.36
UB-2025-0	90	91	1	J004681	NQ 1/2 Cor Original	1.71
UB-2025-0	91	91.8	0.8	J004682	NQ 1/2 Cor Original	1.09
UB-2025-0	91.8	92.3	0.5	J004683	NQ 3/4 Cor Original	0.69
UB-2025-0	92.3	93.25	0.95	J004684	NQ 3/4 Cor Original	1.3
UB-2025-0	93.25	94	0.75	J004685	NQ 3/4 Cor Original	0.01

UB-2025-0	94	95	1	J004686	NQ 1/2 Cor Original	0.005
UB-2025-0	95	96	1	J004687	NQ 1/2 Cor Original	0.005
UB-2025-0	96	97.25	1.25	J004688	NQ 1/2 Cor Original	0.04
UB-2025-0	97.25	98.3	1.05	J004689	NQ 1/2 Cor Original	0.08
UB-2025-0	98.3	99	0.7	J004691	NQ 1/2 Cor Original	0.005
UB-2025-0	115.25	116	0.75	J004692	NQ 1/2 Cor Original	0.005
UB-2025-0	116	116.55	0.55	J004693	NQ 1/2 Cor Original	0.02
UB-2025-0	116.55	117.05	0.5	J004694	NQ 1/2 Cor Original	0.56
UB-2025-0	117.05	117.85	0.8	J004695	NQ 1/2 Cor Original	0.78
UB-2025-0	117.85	118.45	0.6	J004696	NQ 1/2 Cor Original	0.56
UB-2025-0	154.5	155.6	1.1	J004697	NQ 1/2 Cor Original	0.005
UB-2025-0	155.6	156.45	0.85	J004698	NQ 1/2 Cor Original	0.01
UB-2025-0	156.45	157	0.55	J004699	NQ 3/4 Cor Original	2.34
UB-2025-0	157	158	1	J004701	NQ 3/4 Cor Original	2.12
UB-2025-0	158	158.55	0.55	J004702	NQ 3/4 Cor Original	0.06
UB-2025-0	158.55	159.08	0.53	J004703	NQ 3/4 Cor Original	0.73
UB-2025-0	159.08	159.7	0.62	J004704	NQ 3/4 Cor Original	0.74
UB-2025-0	159.7	160.2	0.5	J004705	NQ 3/4 Cor Original	0.03
UB-2025-0	160.2	161	0.8	J004706	NQ 1/2 Cor Original	0.02
UB-2025-0	161	161.75	0.75	J004707	NQ 1/2 Cor Original	0.005
UB-2025-0	161.75	162.45	0.7	J004708	NQ 1/2 Cor Original	0.02
UB-2025-0	180	180.7	0.7	J004709	NQ 1/2 Cor Original	0.005
UB-2025-0	180.7	181.3	0.6	J004711	NQ 1/2 Cor Original	0.005
UB-2025-0	181.3	181.83	0.53	J004712	NQ 1/2 Cor Original	0.005
UB-2025-0	181.83	182.33	0.5	J004713	NQ 1/2 Cor Original	0.64
UB-2025-0	182.33	183	0.67	J004714	NQ 1/2 Cor Original	0.01
UB-2025-0	183	183.75	0.75	J004715	NQ 1/2 Cor Original	0.02
UB-2025-0	183.75	184.25	0.5	J004716	NQ 1/2 Cor Original	0.06
UB-2025-0	184.25	185.05	0.8	J004717	NQ 1/2 Cor Original	2.07
UB-2025-0	185.05	186	0.95	J004718	NQ 1/2 Cor Original	0.14
UB-2025-0	186	186.56	0.56	J004719	NQ 1/2 Cor Original	0.005
UB-2025-0	186.56	187.15	0.59	J004721	NQ 1/2 Cor Original	0.005
UB-2025-0	187.15	187.8	0.65	J004722	NQ 1/2 Cor Original	0.005
UB-2025-0	187.8	188.35	0.55	J004723	NQ 1/2 Cor Original	0.005
UB-2025-0	195	195.75	0.75	J004724	NQ 1/2 Cor Original	0.005
UB-2025-0	195.75	196.35	0.6	J004725	NQ 1/2 Cor Original	0.01
UB-2025-0	196.35	196.85	0.5	J004726	NQ 1/2 Cor Original	0.005
UB-2025-0	196.85	197.47	0.62	J004727	NQ 3/4 Cor Original	0.16
UB-2025-0	197.47	197.97	0.5	J004728	NQ 3/4 Cor Original	1.68
UB-2025-0	197.97	198.5	0.53	J004729	NQ 3/4 Cor Original	0.005
UB-2025-0	198.5	199.15	0.65	J004731	NQ 1/2 Cor Original	0.01
UB-2025-0	199.15	199.85	0.7	J004732	NQ 1/2 Cor Original	0.005
UB-2025-0	213	213.55	0.55	J004733	NQ 3/4 Cor Original	0.005
UB-2025-0	213.55	214.05	0.5	J004734	NQ 3/4 Cor Original	1.7

UB-2025-0	214.05	214.6	0.55	J004735	NQ 3/4 Cor Original	0.005
UB-2025-0	31.13	31.63	0.5	J004736	NQ 1/2 Cor Original	0.005
UB-2025-0	31.63	32.2	0.57	J004737	NQ 1/2 Cor Original	0.26
UB-2025-0	32.2	32.75	0.55	J004738	NQ 1/2 Cor Original	0.03
UB-2025-0	41	42	1	J004739	NQ 1/2 Cor Original	0.005
UB-2025-0	42	43	1	J004741	NQ 1/2 Cor Original	0.005
UB-2025-0	43	44.08	1.08	J004742	NQ 1/2 Cor Original	0.01
UB-2025-0	44.08	44.8	0.72	J004743	NQ 1/2 Cor Original	0.04
UB-2025-0	44.8	45.37	0.57	J004744	NQ 1/2 Cor Original	0.15
UB-2025-0	45.37	46	0.63	J004745	NQ 1/2 Cor Original	0.005
UB-2025-0	46	46.6	0.6	J004746	NQ 1/2 Cor Original	0.005
UB-2025-0	60.4	61.12	0.72	J004747	NQ 1/2 Cor Original	0.005
UB-2025-0	61.12	61.86	0.74	J004748	NQ 1/2 Cor Original	0.005
UB-2025-0	61.86	62.62	0.76	J004749	NQ 1/2 Cor Original	0.005
UB-2025-0	62.62	63.42	0.8	J004751	NQ 1/2 Cor Original	0.01
UB-2025-0	63.42	63.92	0.5	J004752	NQ 1/2 Cor Original	0.005
UB-2025-0	63.92	64.53	0.61	J004753	NQ 1/2 Cor Original	0.005
UB-2025-0	64.53	65.05	0.52	J004754	NQ 1/2 Cor Original	0.005
UB-2025-0	97.88	98.48	0.6	J004755	NQ 1/2 Cor Original	0.005
UB-2025-0	98.48	99	0.52	J004756	NQ 1/2 Cor Original	1.09
UB-2025-0	99	99.52	0.52	J004757	NQ 1/2 Cor Original	0.38
UB-2025-0	99.52	100.05	0.53	J004758	NQ 1/2 Cor Original	0.02
UB-2025-0	100.05	101	0.95	J004759	NQ 1/2 Cor Original	0.005
UB-2025-0	101	102	1	J004761	NQ 1/2 Cor Original	0.005
UB-2025-0	102	102.7	0.7	J004762	NQ 1/2 Cor Original	0.005
UB-2025-0	102.7	103.2	0.5	J004763	NQ 1/2 Cor Original	0.005
UB-2025-0	103.2	103.75	0.55	J004764	NQ 1/2 Cor Original	0.09
UB-2025-0	103.75	104.25	0.5	J004765	NQ 1/2 Cor Original	0.01
UB-2025-0	126	126.5	0.5	J004766	NQ 1/2 Cor Original	0.005
UB-2025-0	126.5	127.05	0.55	J004767	NQ 1/2 Cor Original	0.19
UB-2025-0	127.05	127.55	0.5	J004768	NQ 1/2 Cor Original	0.005
UB-2025-0	127.55	128.5	0.95	J004769	NQ 1/2 Cor Original	0.005
UB-2025-0	128.5	129.5	1	J004771	NQ 1/2 Cor Original	0.005
UB-2025-0	129.5	130.5	1	J004772	NQ 1/2 Cor Original	0.005
UB-2025-0	130.5	131.25	0.75	J004773	NQ 1/2 Cor Original	0.005
UB-2025-0	131.25	131.75	0.5	J004774	NQ 1/2 Cor Original	0.09
UB-2025-0	131.75	132.25	0.5	J004775	NQ 1/2 Cor Original	0.005
UB-2025-0	153	153.85	0.85	J004776	NQ 1/2 Cor Original	0.01
UB-2025-0	153.85	154.35	0.5	J004777	NQ 1/2 Cor Original	0.08
UB-2025-0	154.35	155.6	1.25	J004778	NQ 1/2 Cor Original	0.005
UB-2025-0	166.95	168	1.05	J004779	NQ 1/2 Cor Original	0.09
UB-2025-0	168	168.7	0.7	J004781	NQ 1/2 Cor Original	1.45
UB-2025-0	168.7	169.3	0.6	J004782	NQ 1/2 Cor Original	0.41
UB-2025-0	193.6	195	1.4	J004783	NQ 1/2 Cor Original	0.005

UB-2025-0	195	195.82	0.82	J004784	NQ 1/2 Cor Original	0.02
UB-2025-0	195.82	196.35	0.53	J004785	NQ 1/2 Cor Original	5.69
UB-2025-0	196.35	196.9	0.55	J004786	NQ 1/2 Cor Original	2.72
UB-2025-0	196.9	197.4	0.5	J004787	NQ 1/2 Cor Original	3.88
UB-2025-0	197.4	198.7	1.3	J004788	NQ 1/2 Cor Original	0.01
UB-2025-0	198.7	200	1.3	J004789	NQ 1/2 Cor Original	0.005
UB-2025-0	200	201.45	1.45	J004791	NQ 1/2 Cor Original	0.005
UB-2025-0	201.45	202.15	0.7	J004792	NQ 1/2 Cor Original	2.06
UB-2025-0	202.15	202.75	0.6	J004793	NQ 1/2 Cor Original	0.005
UB-2025-0	202.75	204	1.25	J004794	NQ 1/2 Cor Original	0.005
UB-2025-0	40.37	41.37	1	J004795	NQ 1/2 Cor Original	0.005
UB-2025-0	41.37	41.87	0.5	J004796	NQ 1/2 Cor Original	0.005
UB-2025-0	41.87	42.87	1	J004797	NQ 1/2 Cor Original	0.005
UB-2025-0	60.5	61.5	1	J004798	NQ 1/2 Cor Original	0.005
UB-2025-0	61.5	62.66	1.16	J004799	NQ 1/2 Cor Original	0.005
UB-2025-0	62.66	63.2	0.54	J004801	NQ 1/2 Cor Original	0.1
UB-2025-0	63.2	64.2	1	J004802	NQ 1/2 Cor Original	0.03
UB-2025-0	64.2	65.2	1	J004803	NQ 1/2 Cor Original	0.005
UB-2025-0	76.85	77.6	0.75	J004804	NQ 1/2 Cor Original	0.005
UB-2025-0	77.6	78.3	0.7	J004805	NQ 1/2 Cor Original	0.005
UB-2025-0	78.3	79.26	0.96	J004806	NQ 1/2 Cor Original	0.005
UB-2025-0	79.26	80	0.74	J004807	NQ 1/2 Cor Original	0.005
UB-2025-0	80	80.75	0.75	J004808	NQ 1/2 Cor Original	0.005
UB-2025-0	100	101	1	J004809	NQ 1/2 Cor Original	0.005
UB-2025-0	101	101.92	0.92	J004811	NQ 1/2 Cor Original	0.005
UB-2025-0	101.92	102.44	0.52	J004812	NQ 1/2 Cor Original	0.23
UB-2025-0	102.44	103.1	0.66	J004813	NQ 1/2 Cor Original	0.02
UB-2025-0	103.1	104	0.9	J004814	NQ 1/2 Cor Original	0.005
UB-2025-0	129	129.5	0.5	J004815	NQ 1/2 Cor Original	0.01
UB-2025-0	129.5	130	0.5	J004816	NQ 1/2 Cor Original	0.25
UB-2025-0	130	130.78	0.78	J004817	NQ 1/2 Cor Original	0.05
UB-2025-0	130.78	131.5	0.72	J004818	NQ 1/2 Cor Original	3.58
UB-2025-0	131.5	132	0.5	J004819	NQ 1/2 Cor Original	0.005
UB-2025-0	132	132.7	0.7	J004821	NQ 1/2 Cor Original	0.005
UB-2025-0	154	155	1	J004822	NQ 1/2 Cor Original	0.005
UB-2025-0	155	156	1	J004823	NQ 1/2 Cor Original	0.06
UB-2025-0	156	156.89	0.89	J004824	NQ 3/4 Cor Original	2.62
UB-2025-0	156.89	157.65	0.76	J004825	NQ 3/4 Cor Original	39.3
UB-2025-0	156.89	157.65	0.76	J004825D	NQ 3/4 Cor FieldDup	52.4
UB-2025-0	157.65	158.75	1.1	J004826	NQ 3/4 Cor Original	0.06
UB-2025-0	158.75	159.75	1	J004827	NQ 1/2 Cor Original	0.13
UB-2025-0	172.53	173.06	0.53	J004828	NQ 1/2 Cor Original	0.005
UB-2025-0	173.06	173.6	0.54	J004829	NQ 1/2 Cor Original	0.005
UB-2025-0	173.6	174.16	0.56	J004831	NQ 1/2 Cor Original	4.86

UB-2025-0	174.16	175.25	1.09	J004832	NQ 1/2 Cor Original	2.71
UB-2025-0	175.25	176	0.75	J004833	NQ 1/2 Cor Original	0.02
UB-2025-0	180.95	181.95	1	J004834	NQ 1/2 Cor Original	0.08
UB-2025-0	181.95	182.95	1	J004835	NQ 3/4 Cor Original	0.46
UB-2025-0	182.95	184	1.05	J004836	NQ 3/4 Cor Original	3.65
UB-2025-0	184	184.5	0.5	J004837	NQ 3/4 Cor Original	1.37
UB-2025-0	184.5	185.05	0.55	J004838	NQ 3/4 Cor Original	0.09
UB-2025-0	185.05	186.1	1.05	J004839	NQ 1/2 Cor Original	0.24
UB-2025-0	186.1	186.71	0.61	J004841	NQ 1/2 Cor Original	0.29
UB-2025-0	186.71	188	1.29	J004842	NQ 1/2 Cor Original	0.31
UB-2025-0	188	189.25	1.25	J004843	NQ 1/2 Cor Original	0.16
UB-2025-0	189.25	190.2	0.95	J004844	NQ 1/2 Cor Original	0.07
UB-2025-0	190.2	191.3	1.1	J004845	NQ 1/2 Cor Original	1.09
UB-2025-0	191.3	191.9	0.6	J004846	NQ 1/2 Cor Original	0.39
UB-2025-0	191.9	192.95	1.05	J004847	NQ 1/2 Cor Original	0.19
UB-2025-0	192.95	194.12	1.17	J004848	NQ 1/2 Cor Original	0.04
UB-2025-0	194.12	195.36	1.24	J004849	NQ 1/2 Cor Original	0.42
UB-2025-0	195.36	196.35	0.99	J004851	NQ 1/2 Cor Original	0.32
UB-2025-0	196.35	197.7	1.35	J004852	NQ 1/2 Cor Original	0.02
UB-2025-0	197.7	198.2	0.5	J004853	NQ 1/2 Cor Original	1
UB-2025-0	198.2	199	0.8	J004854	NQ 1/2 Cor Original	0.005
UB-2025-0	199	200	1	J004855	NQ 1/2 Cor Original	0.005
UB-2025-0	200	200.65	0.65	J004856	NQ 1/2 Cor Original	0.07
UB-2025-0	200.65	201.65	1	J004857	NQ 1/2 Cor Original	0.03
UB-2025-0	201.65	202.63	0.98	J004858	NQ 1/2 Cor Original	0.005
UB-2025-0	202.63	203.45	0.82	J004859	NQ 1/2 Cor Original	0.02
UB-2025-0	203.45	204	0.55	J004861	NQ 1/2 Cor Original	2.91
UB-2025-0	204	205.5	1.5	J004862	NQ 1/2 Cor Original	0.12
UB-2025-0	205.5	207	1.5	J004863	NQ 1/2 Cor Original	0.27
UB-2025-0	207	208.5	1.5	J004864	NQ 1/2 Cor Original	0.005
UB-2025-0	41.5	42.2	0.7	J004865	HQ 1/2 Cor Original	0.02
UB-2025-0	42.2	42.8	0.6	J004866	HQ 1/2 Cor Original	0.15
UB-2025-0	42.8	43.4	0.6	J004867	HQ 1/2 Cor Original	0.95
UB-2025-0	43.4	44.4	1	J004868	HQ 1/2 Cor Original	0.1
UB-2025-0	44.4	45	0.6	J004869	HQ 1/2 Cor Original	0.03
UB-2025-0	93	93.55	0.55	J004871	HQ 1/2 Cor Original	0.005
UB-2025-0	93.55	94.25	0.7	J004872	HQ 1/2 Cor Original	0.005
UB-2025-0	94.25	94.85	0.6	J004873	HQ 1/2 Cor Original	0.02
UB-2025-0	94.85	95.85	1	J004874	HQ 1/2 Cor Original	0.005
UB-2025-0	95.85	96.8	0.95	J004875	HQ 1/2 Cor Original	0.005
UB-2025-0	96.8	97.75	0.95	J004876	HQ 1/2 Cor Original	0.005
UB-2025-0	97.75	98.6	0.85	J004877	HQ 1/2 Cor Original	0.98
UB-2025-0	98.6	99.25	0.65	J004878	HQ 1/2 Cor Original	0.02
UB-2025-0	99.25	100.1	0.85	J004879	HQ 1/2 Cor Original	0.02

UB-2025-0	100.1	100.7	0.6	J004881	HQ 1/2 Cor Original	0.01
UB-2025-0	100.7	101.35	0.65	J004882	HQ 1/2 Cor Original	0.03
UB-2025-0	101.35	101.9	0.55	J004883	HQ 1/2 Cor Original	0.02
UB-2025-0	101.9	102.9	1	J004884	HQ 1/2 Cor Original	0.005
UB-2025-0	102.9	103.75	0.85	J004885	HQ 1/2 Cor Original	0.01
UB-2025-0	103.75	105	1.25	J004886	HQ 1/2 Cor Original	0.005
UB-2025-0	105	106	1	J004887	HQ 1/2 Cor Original	0.02
UB-2025-0	106	106.5	0.5	J004888	HQ 1/2 Cor Original	0.02
UB-2025-0	106.5	107.4	0.9	J004889	HQ 1/2 Cor Original	0.03
UB-2025-0	107.4	107.9	0.5	J004891	HQ 1/2 Cor Original	1.38
UB-2025-0	107.9	108.45	0.55	J004892	HQ 1/2 Cor Original	2.28
UB-2025-0	108.45	109	0.55	J004893	HQ 1/2 Cor Original	0.27
UB-2025-0	109	110	1	J004894	HQ 1/2 Cor Original	0.005
UB-2025-0	125.7	126.4	0.7	J004895	HQ 1/2 Cor Original	0.03
UB-2025-0	126.4	126.9	0.5	J004896	HQ 1/2 Cor Original	0.03
UB-2025-0	126.9	127.5	0.6	J004897	HQ 1/2 Cor Original	0.005
UB-2025-0	127.5	128.5	1	J004898	HQ 1/2 Cor Original	0.005
UB-2025-0	128.5	129.4	0.9	J004899	HQ 1/2 Cor Original	0.005
UB-2025-0	160.55	161.55	1	J004901	HQ 1/2 Cor Original	0.005
UB-2025-0	161.55	162.55	1	J004902	HQ 1/2 Cor Original	0.005
UB-2025-0	162.55	163.55	1	J004903	HQ 1/2 Cor Original	0.005
UB-2025-0	163.55	164.5	0.95	J004904	HQ 3/4 Cor Original	0.01
UB-2025-0	164.5	165.45	0.95	J004905	HQ 3/4 Cor Original	0.01
UB-2025-0	165.45	166.45	1	J004906	HQ 3/4 Cor Original	0.02
UB-2025-0	166.45	167.1	0.65	J004907	HQ 3/4 Cor Original	7.49
UB-2025-0	167.1	167.65	0.55	J004908	HQ 3/4 Cor Original	3.17
UB-2025-0	167.65	168.3	0.65	J004909	HQ 3/4 Cor Original	8.68
UB-2025-0	168.3	168.8	0.5	J004911	HQ 3/4 Cor Original	8.64
UB-2025-0	168.8	169.6	0.8	J004912	HQ 3/4 Cor Original	0.15
UB-2025-0	169.6	170.3	0.7	J004913	HQ 3/4 Cor Original	0.04
UB-2025-0	170.3	171.13	0.83	J004914	HQ 3/4 Cor Original	0.36
UB-2025-0	171.13	172.3	1.17	J004915	HQ 1/2 Cor Original	0.02
UB-2025-0	172.3	173.3	1	J004916	HQ 1/2 Cor Original	0.005
UB-2025-0	173.3	174.3	1	J004917	HQ 1/2 Cor Original	0.005
UB-2025-0	174.3	175.3	1	J004918	HQ 1/2 Cor Original	0.005
UB-2025-0	180.1	181.1	1	J004919	HQ 1/2 Cor Original	0.005
UB-2025-0	181.1	181.9	0.8	J004921	HQ 1/2 Cor Original	0.01
UB-2025-0	181.9	182.65	0.75	J004922	HQ 3/4 Cor Original	0.09
UB-2025-0	182.65	183.5	0.85	J004923	HQ 3/4 Cor Original	0.11
UB-2025-0	183.5	184	0.5	J004924	HQ 3/4 Cor Original	4.7
UB-2025-0	184	185	1	J004925	HQ 3/4 Cor Original	0.45
UB-2025-0	193.5	194.5	1	J004926	HQ 1/2 Cor Original	0.005
UB-2025-0	194.5	195	0.5	J004927	HQ 1/2 Cor Original	0.005
UB-2025-0	195	195.5	0.5	J004928	HQ 1/2 Cor Original	0.005

UB-2025-0	195.5	196.3	0.8	J004929	HQ 1/2 Cor Original	0.74
UB-2025-0	196.3	197	0.7	J004931	HQ 1/2 Cor Original	0.31
UB-2025-0	197	197.5	0.5	J004932	HQ 1/2 Cor Original	0.005
UB-2025-0	197.5	198	0.5	J004933	HQ 1/2 Cor Original	0.02
UB-2025-0	198	198.5	0.5	J004934	HQ 1/2 Cor Original	0.04
UB-2025-0	198.5	199.5	1	J004935	HQ 1/2 Cor Original	0.005
UB-2025-0	205	206	1	J004936	HQ 1/2 Cor Original	0.02
UB-2025-0	206	207	1	J004937	HQ 1/2 Cor Original	0.005
UB-2025-0	207	207.8	0.8	J004938	HQ 1/2 Cor Original	0.6
UB-2025-0	207.8	208.5	0.7	J004939	HQ 1/2 Cor Original	0.09
UB-2025-0	208.5	209.15	0.65	J004941	HQ 1/2 Cor Original	0.36
UB-2025-0	209.15	210	0.85	J004942	HQ 1/2 Cor Original	0.005
UB-2025-0	64	65	1	J004943	HQ 1/2 Cor Original	0.005
UB-2025-0	65	66	1	J004944	HQ 1/2 Cor Original	0.005
UB-2025-0	66	66.9	0.9	J004945	HQ 1/2 Cor Original	0.005
UB-2025-0	66.9	67.65	0.75	J004946	HQ 1/2 Cor Original	0.02
UB-2025-0	67.65	68.2	0.55	J004947	HQ 1/2 Cor Original	0.01
UB-2025-0	68.2	68.7	0.5	J004948	HQ 1/2 Cor Original	0.005
UB-2025-0	68.7	69.3	0.6	J004949	HQ 1/2 Cor Original	0.005
UB-2025-0	69.3	69.9	0.6	J004951	HQ 1/2 Cor Original	0.23
UB-2025-0	69.9	70.75	0.85	J004952	HQ 1/2 Cor Original	0.44
UB-2025-0	70.75	71.5	0.75	J004953	HQ 1/2 Cor Original	0.01
UB-2025-0	71.5	72	0.5	J004954	HQ 1/2 Cor Original	0.65
UB-2025-0	72	72.5	0.5	J004955	HQ 1/2 Cor Original	0.005
UB-2025-0	72.5	73.25	0.75	J004956	HQ 1/2 Cor Original	0.03
UB-2025-0	73.25	74	0.75	J004957	HQ 1/2 Cor Original	0.03
UB-2025-0	74	75	1	J004958	HQ 1/2 Cor Original	0.01
UB-2025-0	75	76	1	J004959	HQ 1/2 Cor Original	0.01
UB-2025-0	76	77	1	J004961	HQ 1/2 Cor Original	0.005
UB-2025-0	77	78	1	J004962	HQ 1/2 Cor Original	0.005
UB-2025-0	102	103	1	J004963	HQ 1/2 Cor Original	0.005
UB-2025-0	103	103.8	0.8	J004964	HQ 1/2 Cor Original	0.005
UB-2025-0	103.8	104.5	0.7	J004965	HQ 1/2 Cor Original	0.005
UB-2025-0	104.5	105.1	0.6	J004966	HQ 1/2 Cor Original	0.12
UB-2025-0	105.1	105.75	0.65	J004967	HQ 1/2 Cor Original	1.68
UB-2025-0	105.75	106.25	0.5	J004968	HQ 1/2 Cor Original	0.005
UB-2025-0	106.25	107	0.75	J004969	HQ 1/2 Cor Original	0.005
UB-2025-0	107	108	1	J004971	HQ 1/2 Cor Original	0.005
UB-2025-0	108	108.9	0.9	J004972	HQ 1/2 Cor Original	0.005
UB-2025-0	108.9	109.9	1	J004973	HQ 1/2 Cor Original	0.005
UB-2025-0	128.3	129.3	1	J004974	HQ 1/2 Cor Original	0.005
UB-2025-0	129.3	130.3	1	J004975	HQ 1/2 Cor Original	0.16
UB-2025-0	130.3	131.3	1	J004976	HQ 1/2 Cor Original	0.51
UB-2025-0	131.3	132	0.7	J004977	HQ 1/2 Cor Original	0.005

UB-2025-0	132	132.5	0.5	J004978	HQ 1/2 Cor Original	0.05
UB-2025-0	132.5	133.1	0.6	J004979	HQ 1/2 Cor Original	1.61
UB-2025-0	133.1	133.6	0.5	J004981	HQ 1/2 Cor Original	0.04
UB-2025-0	133.6	134.55	0.95	J004982	HQ 1/2 Cor Original	0.04
UB-2025-0	134.55	135.55	1	J004983	HQ 1/2 Cor Original	0.005
UB-2025-0	135.55	136.5	0.95	J004984	HQ 1/2 Cor Original	0.005
UB-2025-0	136.5	137.5	1	J004985	HQ 1/2 Cor Original	0.005
UB-2025-0	154.45	155.5	1.05	J005259	HQ 1/2 Cor Original	0.005
UB-2025-0	155.5	156.25	0.75	J005261	HQ 1/2 Cor Original	0.005
UB-2025-0	156.25	157	0.75	J005262	HQ 1/2 Cor Original	0.005
UB-2025-0	157	157.65	0.65	J005263	HQ 1/2 Cor Original	0.05
UB-2025-0	157.65	158.67	1.02	J005264	HQ 1/2 Cor Original	0.005
UB-2025-0	158.67	159.6	0.93	J005265	HQ 1/2 Cor Original	0.005
UB-2025-0	159.6	160.6	1	J004986	HQ 1/2 Cor Original	0.005
UB-2025-0	160.6	161.6	1	J004987	HQ 1/2 Cor Original	0.005
UB-2025-0	161.6	162.6	1	J004988	HQ 1/2 Cor Original	0.005
UB-2025-0	162.6	163.6	1	J004989	HQ 1/2 Cor Original	0.005
UB-2025-0	163.6	164.65	1.05	J004991	HQ 1/2 Cor Original	0.005
UB-2025-0	164.65	165.65	1	J004992	HQ 1/2 Cor Original	0.005
UB-2025-0	165.65	166.4	0.75	J004993	HQ 1/2 Cor Original	0.01
UB-2025-0	166.4	167.25	0.85	J004994	HQ 1/2 Cor Original	0.07
UB-2025-0	167.25	168.25	1	J004995	HQ 1/2 Cor Original	0.11
UB-2025-0	168.25	168.8	0.55	J004996	HQ 1/2 Cor Original	1.16
UB-2025-0	168.8	169.3	0.5	J004997	HQ 1/2 Cor Original	0.04
UB-2025-0	169.3	169.95	0.65	J004998	HQ 1/2 Cor Original	0.005
UB-2025-0	169.95	170.65	0.7	J004999	HQ 1/2 Cor Original	0.63
UB-2025-0	170.65	171.65	1	J005001	HQ 1/2 Cor Original	0.71
UB-2025-0	171.65	172.65	1	J005002	HQ 1/2 Cor Original	0.1
UB-2025-0	172.65	173.5	0.85	J005003	HQ 1/2 Cor Original	0.005
UB-2025-0	173.5	174	0.5	J005004	HQ 1/2 Cor Original	0.005
UB-2025-0	174	174.5	0.5	J005005	HQ 1/2 Cor Original	0.005
UB-2025-0	174.5	175.05	0.55	J005006	HQ 1/2 Cor Original	0.005
UB-2025-0	175.05	176	0.95	J005007	HQ 1/2 Cor Original	0.005
UB-2025-0	176	177	1	J005008	HQ 1/2 Cor Original	0.45
UB-2025-0	177	178	1	J005009	HQ 1/2 Cor Original	0.17
UB-2025-0	178	179	1	J005011	HQ 1/2 Cor Original	0.005
UB-2025-0	179	180	1	J005012	HQ 1/2 Cor Original	0.13
UB-2025-0	180	180.9	0.9	J005013	HQ 1/2 Cor Original	0.02
UB-2025-0	180.9	181.4	0.5	J005014	HQ 3/4 Cor Original	1.42
UB-2025-0	181.4	181.9	0.5	J005015	HQ 3/4 Cor Original	2.6
UB-2025-0	181.9	182.45	0.55	J005016	HQ 3/4 Cor Original	1.14
UB-2025-0	182.45	183	0.55	J005017	HQ 3/4 Cor Original	52.2
UB-2025-0	183	183.85	0.85	J005018	HQ 3/4 Cor Original	0.07
UB-2025-0	183.85	184.6	0.75	J005019	HQ 3/4 Cor Original	0.05

UB-2025-0	184.6	185.5	0.9	J005021	HQ 3/4 Cor Original	0.005
UB-2025-0	185.5	186.25	0.75	J005022	HQ 3/4 Cor Original	0.13
UB-2025-0	186.25	187.25	1	J005023	HQ 3/4 Cor Original	0.16
UB-2025-0	187.25	188.1	0.85	J005024	HQ 1/2 Cor Original	0.01
UB-2025-0	188.1	188.7	0.6	J005025	HQ 1/2 Cor Original	0.02
UB-2025-0	188.7	189.2	0.5	J005026	HQ 1/2 Cor Original	0.005
UB-2025-0	189.2	190	0.8	J005027	HQ 1/2 Cor Original	0.005
UB-2025-0	190	191	1	J005028	HQ 1/2 Cor Original	0.01
UB-2025-0	191	191.65	0.65	J005029	HQ 1/2 Cor Original	0.06
UB-2025-0	191.65	192.65	1	J005031	HQ 1/2 Cor Original	0.78
UB-2025-0	192.65	193.4	0.75	J005032	HQ 1/2 Cor Original	0.02
UB-2025-0	193.4	194.3	0.9	J005033	HQ 1/2 Cor Original	0.005
UB-2025-0	194.3	195	0.7	J005034	HQ 1/2 Cor Original	0.8
UB-2025-0	195	195.5	0.5	J005035	HQ 3/4 Cor Original	0.41
UB-2025-0	195.5	196	0.5	J005036	HQ 3/4 Cor Original	1.23
UB-2025-0	196	196.5	0.5	J005037	HQ 3/4 Cor Original	0.78
UB-2025-0	196.5	197.15	0.65	J005038	HQ 3/4 Cor Original	0.07
UB-2025-0	197.15	198	0.85	J005039	HQ 3/4 Cor Original	0.005
UB-2025-0	198	199	1	J005041	HQ 1/2 Cor Original	0.02
UB-2025-0	199	200	1	J005042	HQ 1/2 Cor Original	0.63
UB-2025-0	200	201	1	J005043	HQ 1/2 Cor Original	0.1
UB-2025-0	201	202	1	J005044	HQ 1/2 Cor Original	0.26
UB-2025-0	202	203	1	J005045	HQ 1/2 Cor Original	0.13
UB-2025-0	203	203.5	0.5	J005046	HQ 3/4 Cor Original	0.25
UB-2025-0	203.5	204	0.5	J005047	HQ 1/2 Cor Original	0.5
UB-2025-0	204	205	1	J005048	HQ 1/2 Cor Original	0.23
UB-2025-0	205	206	1	J005049	HQ 1/2 Cor Original	0.03
UB-2025-0	206	207	1	J005051	HQ 1/2 Cor Original	0.005
UB-2025-0	207	208	1	J005052	HQ 1/2 Cor Original	0.005
UB-2025-0	208	209	1	J005053	HQ 1/2 Cor Original	0.36
UB-2025-0	209	209.5	0.5	J005054	HQ 3/4 Cor Original	0.33
UB-2025-0	209.5	210	0.5	J005055	HQ 3/4 Cor Original	0.42
UB-2025-0	210	210.5	0.5	J005056	HQ 3/4 Cor Original	1.19
UB-2025-0	210.5	211	0.5	J005057	HQ 3/4 Cor Original	0.01
UB-2025-0	211	211.6	0.6	J005058	HQ 1/2 Cor Original	0.02
UB-2025-0	211.6	212.6	1	J005059	HQ 1/2 Cor Original	0.005
UB-2025-0	212.6	213.5	0.9	J005061	HQ 1/2 Cor Original	0.005
UB-2025-0	213.5	214.4	0.9	J005062	HQ 1/2 Cor Original	0.005
UB-2025-0	214.4	215.3	0.9	J005063	HQ 1/2 Cor Original	0.03
UB-2025-0	215.3	215.8	0.5	J005064	HQ 1/2 Cor Original	0.07
UB-2025-0	215.8	216.6	0.8	J005065	HQ 1/2 Cor Original	0.005
UB-2025-0	216.6	217.4	0.8	J005066	HQ 1/2 Cor Original	0.005
UB-2025-0	217.4	218	0.6	J005067	HQ 1/2 Cor Original	0.005
UB-2025-0	218	219	1	J005068	HQ 1/2 Cor Original	0.005

UB-2025-0	36	37	1	J005069	HQ 1/2 Cor Original	0.005
UB-2025-0	37	38	1	J005071	HQ 1/2 Cor Original	0.49
UB-2025-0	38	38.7	0.7	J005072	HQ 1/2 Cor Original	0.7
UB-2025-0	38.7	39.5	0.8	J005073	NQ 1/2 Cor Original	0.11
UB-2025-0	40.2	41	0.8	J005074	HQ 1/2 Cor Original	0.01
UB-2025-0	41	42	1	J005075	HQ 1/2 Cor Original	0.005
UB-2025-0	42	43	1	J005076	HQ 1/2 Cor Original	0.005
UB-2025-0	43	43.9	0.9	J005077	HQ 1/2 Cor Original	0.01
UB-2025-0	43.9	44.5	0.6	J005078	HQ 1/2 Cor Original	0.01
UB-2025-0	44.5	45.1	0.6	J005079	HQ 1/2 Cor Original	0.005
UB-2025-0	45.1	46.17	1.07	J005081	HQ 1/2 Cor Original	0.02
UB-2025-0	46.17	47	0.83	J005082	HQ 1/2 Cor Original	0.005
UB-2025-0	47	48	1	J005083	HQ 1/2 Cor Original	0.005
UB-2025-0	54.5	55.5	1	J005084	HQ 1/2 Cor Original	0.005
UB-2025-0	55.5	56.5	1	J005085	HQ 1/2 Cor Original	0.09
UB-2025-0	56.5	57.3	0.8	J005086	HQ 1/2 Cor Original	0.08
UB-2025-0	57.3	58	0.7	J005087	HQ 1/2 Cor Original	0.14
UB-2025-0	58	58.5	0.5	J005088	HQ 1/2 Cor Original	0.26
UB-2025-0	58.5	59	0.5	J005089	HQ 1/2 Cor Original	1.03
UB-2025-0	59	59.5	0.5	J005091	HQ 1/2 Cor Original	0.65
UB-2025-0	59.5	60	0.5	J005092	HQ 1/2 Cor Original	0.06
UB-2025-0	60	60.5	0.5	J005093	HQ 1/2 Cor Original	0.05
UB-2025-0	60.5	61.5	1	J005094	HQ 1/2 Cor Original	0.04
UB-2025-0	61.5	62.5	1	J005095	HQ 1/2 Cor Original	1.33
UB-2025-0	62.5	63	0.5	J005096	HQ 1/2 Cor Original	0.03
UB-2025-0	63	64	1	J005097	HQ 1/2 Cor Original	0.005
UB-2025-0	64	65	1	J005098	HQ 1/2 Cor Original	0.01
UB-2025-0	65	66	1	J005099	HQ 1/2 Cor Original	0.01
UB-2025-0	66	67	1	J005101	HQ 1/2 Cor Original	0.005
UB-2025-0	109.35	110.35	1	J005102	HQ 1/2 Cor Original	0.005
UB-2025-0	110.35	111.35	1	J005103	HQ 1/2 Cor Original	0.02
UB-2025-0	111.35	112.15	0.8	J005104	HQ 1/2 Cor Original	0.15
UB-2025-0	112.15	112.8	0.65	J005105	HQ 1/2 Cor Original	0.08
UB-2025-0	112.8	114	1.2	J005106	HQ 1/2 Cor Original	0.005
UB-2025-0	114	115	1	J005107	HQ 1/2 Cor Original	0.005
UB-2025-0	159	160	1	J005108	HQ 1/2 Cor Original	0.005
UB-2025-0	160	161	1	J005109	HQ 1/2 Cor Original	0.005
UB-2025-0	161	161.65	0.65	J005111	HQ 1/2 Cor Original	0.005
UB-2025-0	161.65	162.4	0.75	J005112	HQ 1/2 Cor Original	0.005
UB-2025-0	162.4	162.9	0.5	J005113	HQ 1/2 Cor Original	0.005
UB-2025-0	162.9	163.42	0.52	J005114	HQ 1/2 Cor Original	0.07
UB-2025-0	163.42	164	0.58	J005115	HQ 1/2 Cor Original	1.23
UB-2025-0	164	164.65	0.65	J005116	HQ 1/2 Cor Original	0.04
UB-2025-0	164.65	165.3	0.65	J005117	HQ 1/2 Cor Original	0.005

UB-2025-0	165.3	165.8	0.5	J005118	HQ 3/4 Cor Original	0.02
UB-2025-0	165.8	166.33	0.53	J005119	HQ 3/4 Cor Original	8.99
UB-2025-0	166.33	167.1	0.77	J005121	HQ 3/4 Cor Original	13.1
UB-2025-0	167.1	167.6	0.5	J005122	HQ 3/4 Cor Original	0.87
UB-2025-0	167.6	168.75	1.15	J005123	HQ 3/4 Cor Original	0.02
UB-2025-0	168.75	170	1.25	J005124	HQ 1/2 Cor Original	0.05
UB-2025-0	170	171.2	1.2	J005125	HQ 1/2 Cor Original	0.005
UB-2025-0	171.2	172.03	0.83	J005126	HQ 1/2 Cor Original	0.13
UB-2025-0	172.03	173	0.97	J005127	HQ 1/2 Cor Original	0.43
UB-2025-0	173	174	1	J005128	HQ 1/2 Cor Original	0.21
UB-2025-0	174	175.5	1.5	J005129	HQ 1/2 Cor Original	0.005
UB-2025-0	180.5	181.5	1	J005131	HQ 1/2 Cor Original	0.005
UB-2025-0	181.5	183	1.5	J005132	HQ 1/2 Cor Original	0.005
UB-2025-0	183	184.3	1.3	J005133	HQ 1/2 Cor Original	0.005
UB-2025-0	184.3	185.4	1.1	J005134	HQ 1/2 Cor Original	0.12
UB-2025-0	185.4	186	0.6	J005135	HQ 1/2 Cor Original	0.005
UB-2025-0	186	187	1	J005136	HQ 1/2 Cor Original	0.005
UB-2025-0	187	187.8	0.8	J005137	HQ 1/2 Cor Original	0.1
UB-2025-0	187.8	189	1.2	J005138	HQ 1/2 Cor Original	0.005
UB-2025-0	189	190.4	1.4	J005139	HQ 1/2 Cor Original	0.005
UB-2025-0	190.4	191.4	1	J005141	HQ 1/2 Cor Original	0.01
UB-2025-0	191.4	192.75	1.35	J005142	HQ 1/2 Cor Original	0.3
UB-2025-0	192.75	194.15	1.4	J005143	HQ 1/2 Cor Original	0.12
UB-2025-0	194.15	195	0.85	J005144	HQ 1/2 Cor Original	0.005
UB-2025-0	195	196	1	J005145	HQ 1/2 Cor Original	0.005
UB-2025-0	196	196.9	0.9	J005146	HQ 1/2 Cor Original	0.23
UB-2025-0	196.9	197.8	0.9	J005147	HQ 1/2 Cor Original	0.005
UB-2025-0	197.8	198.6	0.8	J005148	HQ 1/2 Cor Original	1.06
UB-2025-0	198.6	199.35	0.75	J005149	HQ 1/2 Cor Original	0.54
UB-2025-0	199.35	200	0.65	J005151	HQ 1/2 Cor Original	0.37
UB-2025-0	200	201	1	J005152	HQ 3/4 Cor Original	0.07
UB-2025-0	201	201.9	0.9	J005153	HQ 3/4 Cor Original	0.84
UB-2025-0	201.9	203.04	1.14	J005154	HQ 3/4 Cor Original	0.35
UB-2025-0	203.04	203.6	0.56	J005155	HQ 3/4 Cor Original	0.46
UB-2025-0	203.6	204.3	0.7	J005156	HQ 3/4 Cor Original	0.005
UB-2025-0	204.3	205.2	0.9	J005157	HQ 3/4 Cor Original	0.02
UB-2025-0	205.2	206	0.8	J005158	HQ 3/4 Cor Original	0.64
UB-2025-0	206	206.5	0.5	J005159	HQ 3/4 Cor Original	0.44
UB-2025-0	206.5	207.5	1	J005161	HQ 1/2 Cor Original	0.06
UB-2025-0	207.5	208.6	1.1	J005162	HQ 1/2 Cor Original	0.005
UB-2025-0	208.6	209.4	0.8	J005163	HQ 1/2 Cor Original	0.94
UB-2025-0	209.4	210.05	0.65	J005164	HQ 1/2 Cor Original	0.31
UB-2025-0	210.05	210.8	0.75	J005165	HQ 1/2 Cor Original	0.92
UB-2025-0	210.8	211.6	0.8	J005166	HQ 1/2 Cor Original	0.21

UB-2025-0	211.6	212.35	0.75	J005167	HQ 1/2 Cor Original	0.15
UB-2025-0	212.35	213	0.65	J005168	HQ 1/2 Cor Original	0.09
UB-2025-0	213	214.5	1.5	J005169	HQ 1/2 Cor Original	0.005
UB-2025-0	214.5	215.05	0.55	J005171	HQ 1/2 Cor Original	0.005
UB-2025-0	215.05	216	0.95	J005172	HQ 1/2 Cor Original	0.005
UB-2025-0	216	217	1	J005173	HQ 1/2 Cor Original	0.005
UB-2025-0	39.15	40	0.85	J005174	HQ 1/2 Cor Original	0.005
UB-2025-0	40	41	1	J005175	HQ 1/2 Cor Original	0.005
UB-2025-0	41	41.85	0.85	J005176	HQ 1/2 Cor Original	0.005
UB-2025-0	41.85	42.4	0.55	J005177	HQ 1/2 Cor Original	0.63
UB-2025-0	42.4	43	0.6	J005178	HQ 1/2 Cor Original	0.005
UB-2025-0	43	44	1	J005179	HQ 1/2 Cor Original	0.005
UB-2025-0	44	45	1	J005181	HQ 1/2 Cor Original	0.005
UB-2025-0	83.55	84.55	1	J005182	HQ 1/2 Cor Original	0.005
UB-2025-0	84.55	85.45	0.9	J005183	HQ 1/2 Cor Original	0.07
UB-2025-0	85.45	86	0.55	J005184	HQ 1/2 Cor Original	0.74
UB-2025-0	86	87	1	J005185	HQ 1/2 Cor Original	0.005
UB-2025-0	87	88	1	J005186	HQ 1/2 Cor Original	0.005
UB-2025-0	88	89	1	J005187	HQ 1/2 Cor Original	0.005
UB-2025-0	120	121.5	1.5	J005188	HQ 1/2 Cor Original	0.005
UB-2025-0	121.5	122.5	1	J005189	HQ 1/2 Cor Original	0.005
UB-2025-0	122.5	123.25	0.75	J005191	HQ 1/2 Cor Original	0.005
UB-2025-0	123.25	124.4	1.15	J005192	HQ 1/2 Cor Original	0.34
UB-2025-0	124.4	125	0.6	J005193	HQ 1/2 Cor Original	0.005
UB-2025-0	125	126	1	J005194	HQ 1/2 Cor Original	0.005
UB-2025-0	140.4	141	0.6	J005195	HQ 1/2 Cor Original	0.005
UB-2025-0	141	141.65	0.65	J005196	HQ 1/2 Cor Original	0.005
UB-2025-0	141.65	142.15	0.5	J005197	HQ 1/2 Cor Original	0.02
UB-2025-0	142.15	143	0.85	J005198	HQ 1/2 Cor Original	0.005
UB-2025-0	143	144	1	J005199	HQ 1/2 Cor Original	0.005
UB-2025-0	162.4	163.5	1.1	J005201	HQ 1/2 Cor Original	0.005
UB-2025-0	163.5	165	1.5	J005202	HQ 1/2 Cor Original	0.005
UB-2025-0	165	166	1	J005203	HQ 1/2 Cor Original	0.005
UB-2025-0	166	167	1	J005204	HQ 1/2 Cor Original	0.005
UB-2025-0	167	168.5	1.5	J005205	HQ 1/2 Cor Original	0.005
UB-2025-0	168.5	169.25	0.75	J005206	HQ 1/2 Cor Original	0.005
UB-2025-0	169.25	170	0.75	J005207	HQ 1/2 Cor Original	0.005
UB-2025-0	170	170.6	0.6	J005208	HQ 3/4 Cor Original	0.005
UB-2025-0	170.6	171.15	0.55	J005209	HQ 3/4 Cor Original	0.04
UB-2025-0	171.15	171.9	0.75	J005211	HQ 3/4 Cor Original	4.93
UB-2025-0	171.9	172.5	0.6	J005212	HQ 3/4 Cor Original	8.23
UB-2025-0	172.5	173.05	0.55	J005213	HQ 3/4 Cor Original	0.2
UB-2025-0	173.05	174	0.95	J005214	HQ 3/4 Cor Original	0.48
UB-2025-0	174	174.65	0.65	J005215	HQ 3/4 Cor Original	1.69

UB-2025-0	174.65	175.15	0.5	J005216	HQ 3/4 Cor Original	1.87
UB-2025-0	175.15	175.65	0.5	J005217	HQ 3/4 Cor Original	0.09
UB-2025-0	175.65	176.25	0.6	J005218	HQ 3/4 Cor Original	1
UB-2025-0	176.25	177	0.75	J005219	HQ 3/4 Cor Original	0.59
UB-2025-0	177	178	1	J005221	HQ 1/2 Cor Original	0.03
UB-2025-0	178	179	1	J005222	HQ 1/2 Cor Original	0.02
UB-2025-0	179	179.85	0.85	J005223	HQ 1/2 Cor Original	0.24
UB-2025-0	179.85	180.35	0.5	J005224	HQ 1/2 Cor Original	3.63
UB-2025-0	180.35	180.95	0.6	J005225	HQ 1/2 Cor Original	0.68
UB-2025-0	180.95	181.7	0.75	J005226	HQ 1/2 Cor Original	0.02
UB-2025-0	181.7	182.2	0.5	J005227	HQ 1/2 Cor Original	1.64
UB-2025-0	182.2	183	0.8	J005228	HQ 1/2 Cor Original	0.71
UB-2025-0	183	184	1	J005229	HQ 1/2 Cor Original	0.03
UB-2025-0	184	185	1	J005231	HQ 1/2 Cor Original	0.28
UB-2025-0	185	186	1	J005232	HQ 1/2 Cor Original	0.02
UB-2025-0	186	187	1	J005233	HQ 1/2 Cor Original	0.09
UB-2025-0	187	187.65	0.65	J005234	HQ 1/2 Cor Original	0.01
UB-2025-0	187.65	188.3	0.65	J005235	HQ 1/2 Cor Original	0.57
UB-2025-0	188.3	189	0.7	J005236	HQ 1/2 Cor Original	0.005
UB-2025-0	189	189.75	0.75	J005237	HQ 1/2 Cor Original	0.03
UB-2025-0	189.75	190.5	0.75	J005238	HQ 1/2 Cor Original	0.03
UB-2025-0	190.5	191.35	0.85	J005239	HQ 1/2 Cor Original	0.005
UB-2025-0	191.35	192	0.65	J005241	HQ 1/2 Cor Original	0.17
UB-2025-0	192	192.65	0.65	J005242	HQ 1/2 Cor Original	0.04
UB-2025-0	192.65	193.2	0.55	J005243	HQ 1/2 Cor Original	0.19
UB-2025-0	193.2	194	0.8	J005244	HQ 1/2 Cor Original	0.89
UB-2025-0	194	195	1	J005245	HQ 1/2 Cor Original	1.02
UB-2025-0	195	195.75	0.75	J005246	HQ 1/2 Cor Original	0.23
UB-2025-0	195.75	196.45	0.7	J005247	HQ 1/2 Cor Original	1.18
UB-2025-0	196.45	197.3	0.85	J005248	HQ 1/2 Cor Original	0.29
UB-2025-0	197.3	198.55	1.25	J005249	HQ 1/2 Cor Original	0.02
UB-2025-0	198.55	199.2	0.65	J005251	HQ 1/2 Cor Original	0.29
UB-2025-0	199.2	199.8	0.6	J005252	HQ 1/2 Cor Original	0.3
UB-2025-0	199.8	200.3	0.5	J005253	HQ 1/2 Cor Original	0.03
UB-2025-0	200.3	201	0.7	J005254	HQ 1/2 Cor Original	0.11
UB-2025-0	201	201.8	0.8	J005255	HQ 1/2 Cor Original	0.005
UB-2025-0	201.8	202.3	0.5	J005256	HQ 1/2 Cor Original	0.005
UB-2025-0	202.3	203	0.7	J005257	HQ 1/2 Cor Original	0.005
UB-2025-0	203	204	1	J005258	HQ 1/2 Cor Original	0.07
UB-2025-0	204	204.7	0.7	J005266	HQ 1/2 Cor Original	0.09
UB-2025-0	204.7	205.4	0.7	J005267	HQ 1/2 Cor Original	0.005
UB-2025-0	205.4	206.55	1.15	J005268	HQ 1/2 Cor Original	0.02
UB-2025-0	206.55	207.5	0.95	J005269	HQ 1/2 Cor Original	0.06
UB-2025-0	207.5	208	0.5	J005271	HQ 1/2 Cor Original	0.15

UB-2025-0	208	208.5	0.5	J005272	HQ 1/2 Cor Original	0.34
UB-2025-0	208.5	209.45	0.95	J005273	HQ 1/2 Cor Original	0.07
UB-2025-0	209.45	209.95	0.5	J005274	HQ 1/2 Cor Original	1.14
UB-2025-0	209.95	210.5	0.55	J005275	HQ 1/2 Cor Original	0.12
UB-2025-0	210.5	211.05	0.55	J005276	HQ 1/2 Cor Original	0.11
UB-2025-0	211.05	211.55	0.5	J005277	HQ 1/2 Cor Original	0.005
UB-2025-0	211.55	212.3	0.75	J005278	HQ 1/2 Cor Original	0.005
UB-2025-0	212.3	212.8	0.5	J005279	HQ 1/2 Cor Original	0.01
UB-2025-0	212.8	213.35	0.55	J005281	HQ 1/2 Cor Original	0.6
UB-2025-0	213.35	214	0.65	J005282	HQ 1/2 Cor Original	0.03
UB-2025-0	214	214.5	0.5	J005283	HQ 1/2 Cor Original	0.12
UB-2025-0	214.5	215	0.5	J005284	HQ 1/2 Cor Original	0.005
UB-2025-0	215	215.65	0.65	J005285	HQ 1/2 Cor Original	0.005
UB-2025-0	215.65	216.55	0.9	J005286	HQ 1/2 Cor Original	0.47
UB-2025-0	216.55	217.25	0.7	J005287	HQ 1/2 Cor Original	0.005
UB-2025-0	217.25	218.05	0.8	J005288	HQ 1/2 Cor Original	0.04
UB-2025-0	218.05	218.9	0.85	J005289	HQ 1/2 Cor Original	0.7
UB-2025-0	218.9	219.4	0.5	J005291	HQ 1/2 Cor Original	0.18
UB-2025-0	219.4	220	0.6	J005292	HQ 1/2 Cor Original	0.48
UB-2025-0	220	220.7	0.7	J005293	HQ 1/2 Cor Original	0.18
UB-2025-0	220.7	221.3	0.6	J005294	HQ 1/2 Cor Original	0.62
UB-2025-0	221.3	222.25	0.95	J005295	HQ 1/2 Cor Original	0.005
UB-2025-0	222.25	222.75	0.5	J005296	HQ 1/2 Cor Original	0.005
UB-2025-0	222.75	223.3	0.55	J005297	HQ 1/2 Cor Original	0.005
UB-2025-0	223.3	223.8	0.5	J005298	HQ 1/2 Cor Original	1.16
UB-2025-0	223.8	224.3	0.5	J005299	HQ 1/2 Cor Original	0.41
UB-2025-0	224.3	224.8	0.5	J005301	HQ 1/2 Cor Original	0.14
UB-2025-0	224.8	225.3	0.5	J005302	HQ 1/2 Cor Original	0.22
UB-2025-0	225.3	225.8	0.5	J005303	HQ 1/2 Cor Original	0.45
UB-2025-0	225.8	226.5	0.7	J005304	HQ 1/2 Cor Original	0.005
UB-2025-0	226.5	227.25	0.75	J005305	HQ 1/2 Cor Original	0.005
UB-2025-0	227.25	228	0.75	J005306	HQ 1/2 Cor Original	0.005
UB-2025-0	40	41	1	J005307	HQ 1/2 Cor Original	0.005
UB-2025-0	41	42	1	J005308	HQ 1/2 Cor Original	0.005
UB-2025-0	42	42.5	0.5	J005309	HQ 1/2 Cor Original	0.005
UB-2025-0	42.5	43.35	0.85	J005311	HQ 1/2 Cor Original	0.01
UB-2025-0	43.35	44	0.65	J005312	HQ 1/2 Cor Original	0.005
UB-2025-0	44	44.5	0.5	J005313	HQ 1/2 Cor Original	0.005
UB-2025-0	44.5	45.5	1	J005314	HQ 1/2 Cor Original	0.005
UB-2025-0	45.5	46	0.5	J005315	HQ 1/2 Cor Original	0.03
UB-2025-0	46	47	1	J005316	HQ 1/2 Cor Original	0.005
UB-2025-0	47	48	1	J005317	HQ 1/2 Cor Original	0.11
UB-2025-0	48	49.1	1.1	J005318	HQ 1/2 Cor Original	0.01
UB-2025-0	49.1	49.65	0.55	J005319	HQ 1/2 Cor Original	0.01

UB-2025-0	49.65	50.25	0.6	J005321	HQ 1/2 Cor Original	0.38
UB-2025-0	50.25	50.75	0.5	J005322	HQ 1/2 Cor Original	0.56
UB-2025-0	50.75	51.3	0.55	J005323	HQ 1/2 Cor Original	0.005
UB-2025-0	51.3	52	0.7	J005324	HQ 1/2 Cor Original	0.005
UB-2025-0	52	52.65	0.65	J005325	HQ 1/2 Cor Original	0.005
UB-2025-0	52.65	53.5	0.85	J005326	HQ 1/2 Cor Original	0.005
UB-2025-0	53.5	54	0.5	J005327	HQ 1/2 Cor Original	0.005
UB-2025-0	54	54.7	0.7	J005328	HQ 1/2 Cor Original	0.005
UB-2025-0	91	92	1	J005329	HQ 1/2 Cor Original	0.005
UB-2025-0	92	93	1	J005331	HQ 1/2 Cor Original	0.005
UB-2025-0	93	94	1	J005332	HQ 1/2 Cor Original	0.005
UB-2025-0	94	94.6	0.6	J005333	HQ 1/2 Cor Original	0.005
UB-2025-0	94.6	95.15	0.55	J005334	HQ 1/2 Cor Original	0.005
UB-2025-0	95.15	95.7	0.55	J005335	HQ 1/2 Cor Original	0.74
UB-2025-0	95.7	96.2	0.5	J005336	HQ 1/2 Cor Original	0.005
UB-2025-0	96.2	97.05	0.85	J005337	HQ 1/2 Cor Original	0.005
UB-2025-0	97.05	98	0.95	J005338	HQ 1/2 Cor Original	0.005
UB-2025-0	98	99	1	J005339	HQ 1/2 Cor Original	0.005
UB-2025-0	99	100	1	J005341	HQ 1/2 Cor Original	0.005
UB-2025-0	100	100.7	0.7	J005342	HQ 1/2 Cor Original	0.005
UB-2025-0	100.7	101.5	0.8	J005343	HQ 1/2 Cor Original	0.005
UB-2025-0	101.5	102.15	0.65	J005344	HQ 1/2 Cor Original	0.005
UB-2025-0	102.15	102.7	0.55	J005345	HQ 1/2 Cor Original	0.005
UB-2025-0	102.7	103.2	0.5	J005346	HQ 1/2 Cor Original	0.005
UB-2025-0	103.2	104.2	1	J005347	HQ 1/2 Cor Original	0.005
UB-2025-0	104.2	105.2	1	J005348	HQ 1/2 Cor Original	0.005
UB-2025-0	105.2	106.2	1	J005349	HQ 3/4 Cor Original	0.005
UB-2025-0	106.2	107.2	1	J005351	HQ 3/4 Cor Original	0.04
UB-2025-0	107.2	108	0.8	J005352	HQ 3/4 Cor Original	1.26
UB-2025-0	108	108.75	0.75	J005353	HQ 3/4 Cor Original	0.74
UB-2025-0	108.75	109.25	0.5	J005354	HQ 3/4 Cor Original	0.94
UB-2025-0	109.25	109.75	0.5	J005355	HQ 3/4 Cor Original	0.56
UB-2025-0	109.75	110.4	0.65	J005356	HQ 3/4 Cor Original	1.51
UB-2025-0	110.4	111	0.6	J005357	HQ 3/4 Cor Original	0.31
UB-2025-0	111	111.5	0.5	J005358	HQ 3/4 Cor Original	0.02
UB-2025-0	111.5	112	0.5	J005359	HQ 3/4 Cor Original	0.14
UB-2025-0	112	112.5	0.5	J005361	HQ 3/4 Cor Original	0.06
UB-2025-0	112.5	113.5	1	J005362	HQ 1/2 Cor Original	0.005
UB-2025-0	113.5	114.5	1	J005363	HQ 1/2 Cor Original	0.005
UB-2025-0	114.5	115.5	1	J005364	HQ 1/2 Cor Original	0.01
UB-2025-0	115.5	116.15	0.65	J005365	HQ 1/2 Cor Original	0.005
UB-2025-0	116.15	116.9	0.75	J005366	HQ 1/2 Cor Original	0.01
UB-2025-0	116.9	118	1.1	J005367	HQ 1/2 Cor Original	0.005
UB-2025-0	118	119	1	J005368	HQ 1/2 Cor Original	0.005

UB-2025-0	119	120	1	J005369	HQ 1/2 Cor Original	0.005
UB-2025-0	120	121	1	J005371	HQ 1/2 Cor Original	0.005
UB-2025-0	121	122	1	J005372	HQ 1/2 Cor Original	0.005
UB-2025-0	122	122.5	0.5	J005373	HQ 1/2 Cor Original	0.005
UB-2025-0	122.5	123.3	0.8	J005374	HQ 1/2 Cor Original	0.38
UB-2025-0	123.3	123.85	0.55	J005375	HQ 1/2 Cor Original	0.52
UB-2025-0	123.85	124.35	0.5	J005376	HQ 1/2 Cor Original	0.03
UB-2025-0	124.35	125.15	0.8	J005377	HQ 1/2 Cor Original	0.005
UB-2025-0	125.15	126	0.85	J005378	HQ 1/2 Cor Original	0.005
UB-2025-0	126	127	1	J005379	HQ 1/2 Cor Original	0.005
UB-2025-0	127	127.8	0.8	J005381	HQ 1/2 Cor Original	0.005
UB-2025-0	127.8	128.8	1	J005382	HQ 1/2 Cor Original	0.005
UB-2025-0	128.8	129.8	1	J005383	HQ 1/2 Cor Original	0.005
UB-2025-0	129.8	130.8	1	J005384	HQ 1/2 Cor Original	0.005
UB-2025-0	143.15	144.15	1	J005385	HQ 1/2 Cor Original	0.005
UB-2025-0	144.15	145.15	1	J005386	HQ 1/2 Cor Original	0.005
UB-2025-0	145.15	145.65	0.5	J005387	HQ 1/2 Cor Original	0.005
UB-2025-0	145.65	146.15	0.5	J005388	HQ 1/2 Cor Original	0.59
UB-2025-0	146.15	146.65	0.5	J005389	HQ 1/2 Cor Original	0.005
UB-2025-0	146.65	147.65	1	J005391	HQ 1/2 Cor Original	0.005
UB-2025-0	147.65	148.65	1	J005392	HQ 1/2 Cor Original	0.005
UB-2025-0	172.5	173.5	1	J005393	HQ 1/2 Cor Original	0.005
UB-2025-0	173.5	174.5	1	J005394	HQ 1/2 Cor Original	0.005
UB-2025-0	174.5	175.45	0.95	J005395	HQ 1/2 Cor Original	0.005
UB-2025-0	175.45	176.1	0.65	J005396	HQ 1/2 Cor Original	0.005
UB-2025-0	176.1	176.8	0.7	J005397	HQ 1/2 Cor Original	0.005
UB-2025-0	176.8	177.3	0.5	J005398	HQ 1/2 Cor Original	0.62
UB-2025-0	177.3	177.8	0.5	J005399	HQ 3/4 Cor Original	0.03
UB-2025-0	177.8	178.4	0.6	J005401	HQ 3/4 Cor Original	0.37
UB-2025-0	178.4	179.05	0.65	J005402	HQ 3/4 Cor Original	10.8
UB-2025-0	179.05	179.6	0.55	J005403	HQ 3/4 Cor Original	0.89
UB-2025-0	179.6	180.2	0.6	J005404	HQ 3/4 Cor Original	0.16
UB-2025-0	180.2	181	0.8	J005405	HQ 1/2 Cor Original	0.17
UB-2025-0	181	182	1	J005406	HQ 1/2 Cor Original	0.13
UB-2025-0	182	182.6	0.6	J005407	HQ 1/2 Cor Original	1.38
UB-2025-0	182.6	183.6	1	J005408	HQ 1/2 Cor Original	1.09
UB-2025-0	183.6	184.2	0.6	J005409	HQ 1/2 Cor Original	0.005
UB-2025-0	184.2	184.7	0.5	J005411	HQ 1/2 Cor Original	0.005
UB-2025-0	184.7	185.5	0.8	J005412	HQ 1/2 Cor Original	0.17
UB-2025-0	185.5	186.05	0.55	J005413	HQ 1/2 Cor Original	0.02
UB-2025-0	186.05	187	0.95	J005414	HQ 1/2 Cor Original	0.005
UB-2025-0	187	188.5	1.5	J005415	HQ 1/2 Cor Original	0.005
UB-2025-0	188.5	190	1.5	J005416	HQ 1/2 Cor Original	0.005
UB-2025-0	190	191.5	1.5	J005417	HQ 1/2 Cor Original	0.005

UB-2025-0	191.5	192.4	0.9	J005418	HQ 1/2 Cor Original	0.005
UB-2025-0	192.4	192.9	0.5	J005419	HQ 1/2 Cor Original	0.005
UB-2025-0	192.9	194	1.1	J005421	HQ 1/2 Cor Original	0.005
UB-2025-0	194	194.5	0.5	J005422	HQ 1/2 Cor Original	0.005
UB-2025-0	194.5	195.45	0.95	J005423	HQ 1/2 Cor Original	0.005
UB-2025-0	195.45	196	0.55	J005424	HQ 1/2 Cor Original	0.005
UB-2025-0	196	197	1	J005425	HQ 1/2 Cor Original	0.005
UB-2025-0	197	198	1	J005426	HQ 1/2 Cor Original	0.005
UB-2025-0	210.3	211.3	1	J005427	HQ 1/2 Cor Original	0.005
UB-2025-0	211.3	212.3	1	J005428	HQ 1/2 Cor Original	0.005
UB-2025-0	212.3	213.3	1	J005429	HQ 1/2 Cor Original	0.14
UB-2025-0	213.3	214.3	1	J005431	HQ 3/4 Cor Original	0.05
UB-2025-0	214.3	215.05	0.75	J005432	HQ 3/4 Cor Original	1.35
UB-2025-0	215.05	215.55	0.5	J005433	HQ 3/4 Cor Original	11.6
UB-2025-0	215.55	216.05	0.5	J005434	HQ 3/4 Cor Original	15.6
UB-2025-0	216.05	216.65	0.6	J005435	HQ 3/4 Cor Original	12.6
UB-2025-0	216.65	217.2	0.55	J005436	HQ 3/4 Cor Original	12
UB-2025-0	217.2	217.9	0.7	J005437	HQ 3/4 Cor Original	0.79
UB-2025-0	217.9	218.45	0.55	J005438	HQ 3/4 Cor Original	0.01
UB-2025-0	218.45	219	0.55	J005439	HQ 1/2 Cor Original	0.04
UB-2025-0	219	219.75	0.75	J005441	HQ 1/2 Cor Original	0.29
UB-2025-0	219.75	220.5	0.75	J005442	HQ 1/2 Cor Original	0.13
UB-2025-0	220.5	221	0.5	J005443	HQ 1/2 Cor Original	0.02
UB-2025-0	221	222	1	J005444	HQ 1/2 Cor Original	0.005
UB-2025-0	222	223	1	J005445	HQ 1/2 Cor Original	0.005
UB-2025-0	223	223.65	0.65	J005446	HQ 1/2 Cor Original	0.005
UB-2025-0	223.65	224.6	0.95	J005447	HQ 1/2 Cor Original	0.005
UB-2025-0	224.6	225.5	0.9	J005448	HQ 1/2 Cor Original	0.005
UB-2025-0	225.5	226.5	1	J005449	HQ 1/2 Cor Original	0.08
UB-2025-0	226.5	227	0.5	J005451	HQ 1/2 Cor Original	0.005
UB-2025-0	227	227.5	0.5	J005452	HQ 1/2 Cor Original	0.6
UB-2025-0	227.5	228	0.5	J005453	HQ 1/2 Cor Original	0.15
UB-2025-0	228	229	1	J005454	HQ 1/2 Cor Original	0.005
UB-2025-0	229	230	1	J005455	HQ 1/2 Cor Original	0.005
UB-2025-0	230	231	1	J005456	HQ 1/2 Cor Original	0.04
UB-2025-0	231	232	1	J005457	HQ 1/2 Cor Original	0.4
UB-2025-0	232	232.5	0.5	J005458	HQ 1/2 Cor Original	0.39
UB-2025-0	232.5	233.25	0.75	J005459	HQ 1/2 Cor Original	2.72
UB-2025-0	233.25	234.1	0.85	J005461	HQ 1/2 Cor Original	0.05
UB-2025-0	234.1	234.8	0.7	J005462	HQ 1/2 Cor Original	0.005
UB-2025-0	234.8	235.8	1	J005463	HQ 1/2 Cor Original	0.005
UB-2025-0	235.8	236.8	1	J005464	HQ 1/2 Cor Original	0.005
UB-2025-0	236.8	237.8	1	J005465	HQ 1/2 Cor Original	0.005
UB-2025-0	237.8	238.85	1.05	J005466	HQ 1/2 Cor Original	0.005

UB-2025-0	238.85	239.35	0.5	J005467	HQ 1/2 Cor Original	0.06
UB-2025-0	239.35	239.9	0.55	J005468	HQ 1/2 Cor Original	0.29
UB-2025-0	239.9	240.4	0.5	J005469	HQ 1/2 Cor Original	0.12
UB-2025-0	240.4	241.05	0.65	J005471	HQ 1/2 Cor Original	0.01
UB-2025-0	241.05	242.05	1	J005472	HQ 1/2 Cor Original	0.05
UB-2025-0	242.05	243	0.95	J005473	HQ 1/2 Cor Original	0.01
UB-2025-0	243	243.9	0.9	J005474	HQ 1/2 Cor Original	0.11
UB-2025-0	243.9	244.5	0.6	J005475	HQ 1/2 Cor Original	0.005
UB-2025-0	244.5	245.3	0.8	J005476	HQ 1/2 Cor Original	0.55
UB-2025-0	245.3	245.8	0.5	J005477	HQ 1/2 Cor Original	2.07
UB-2025-0	245.8	246.3	0.5	J005478	HQ 1/2 Cor Original	0.97
UB-2025-0	246.3	247.3	1	J005479	HQ 1/2 Cor Original	0.02
UB-2025-0	247.3	248	0.7	J005481	HQ 1/2 Cor Original	0.8
UB-2025-0	248	248.5	0.5	J005482	HQ 1/2 Cor Original	4.67
UB-2025-0	248.5	249	0.5	J005483	HQ 1/2 Cor Original	3.86
UB-2025-0	249	249.6	0.6	J005484	HQ 1/2 Cor Original	1.27
UB-2025-0	249.6	250.1	0.5	J005485	HQ 1/2 Cor Original	9.04
UB-2025-0	250.1	250.85	0.75	J005486	HQ 1/2 Cor Original	4.08
UB-2025-0	250.85	251.35	0.5	J005487	HQ 1/2 Cor Original	1.28
UB-2025-0	251.35	252	0.65	J005488	HQ 1/2 Cor Original	0.04
UB-2025-0	252	253.05	1.05	J005489	HQ 1/2 Cor Original	0.005
UB-2025-0	253.05	253.55	0.5	J005491	HQ 1/2 Cor Original	0.67
UB-2025-0	253.55	254.05	0.5	J005492	HQ 1/2 Cor Original	0.9
UB-2025-0	254.05	254.55	0.5	J005493	HQ 1/2 Cor Original	0.19
UB-2025-0	254.55	255.4	0.85	J005494	HQ 1/2 Cor Original	0.03
UB-2025-0	255.4	256	0.6	J005495	HQ 1/2 Cor Original	1.04
UB-2025-0	256	256.5	0.5	J005496	HQ 1/2 Cor Original	0.77
UB-2025-0	256.5	257	0.5	J005497	HQ 1/2 Cor Original	0.005
UB-2025-0	257	257.5	0.5	J005498	HQ 1/2 Cor Original	0.3
UB-2025-0	257.5	258	0.5	J005499	HQ 1/2 Cor Original	0.51
UB-2025-0	258	258.5	0.5	J005501	HQ 1/2 Cor Original	0.14
UB-2025-0	258.5	259	0.5	J005502	HQ 1/2 Cor Original	0.98
UB-2025-0	259	259.65	0.65	J005503	HQ 1/2 Cor Original	0.94
UB-2025-0	259.65	260.15	0.5	J005504	HQ 1/2 Cor Original	2.26
UB-2025-0	260.15	261	0.85	J005505	HQ 1/2 Cor Original	0.28
UB-2025-0	261	262	1	J005506	HQ 1/2 Cor Original	0.005
UB-2025-0	262	262.95	0.95	J005507	HQ 1/2 Cor Original	0.005
UB-2025-0	262.95	264	1.05	J005508	HQ 1/2 Cor Original	0.005
UB-2025-0	4	5	1	J005509	NQ 1/2 Cor Original	0.005
UB-2025-0	5	5.6	0.6	J005511	NQ 1/2 Cor Original	0.005
UB-2025-0	5.6	6.1	0.5	J005512	NQ 1/2 Cor Original	0.005
UB-2025-0	6.1	6.6	0.5	J005513	NQ 1/2 Cor Original	0.37
UB-2025-0	6.6	7.3	0.7	J005514	NQ 1/2 Cor Original	0.005
UB-2025-0	7.3	8	0.7	J005515	NQ 1/2 Cor Original	0.005

UB-2025-0	8	9	1	J005516	NQ 1/2 Cor Original	0.005
UB-2025-0	9	9.75	0.75	J005517	NQ 1/2 Cor Original	0.005
UB-2025-0	24.5	25.5	1	J005518	NQ 1/2 Cor Original	0.005
UB-2025-0	25.5	26.45	0.95	J005519	NQ 1/2 Cor Original	0.005
UB-2025-0	26.45	27	0.55	J005521	NQ 1/2 Cor Original	0.02
UB-2025-0	27	27.5	0.5	J005522	NQ 1/2 Cor Original	0.25
UB-2025-0	27.5	28	0.5	J005523	NQ 1/2 Cor Original	0.005
UB-2025-0	28	29	1	J005524	NQ 1/2 Cor Original	0.005
UB-2025-0	29	30	1	J005525	NQ 1/2 Cor Original	0.005
UB-2025-0	30	30.5	0.5	J005526	NQ 1/2 Cor Original	0.005
UB-2025-0	30.5	31	0.5	J005527	NQ 1/2 Cor Original	0.005
UB-2025-0	31	32	1	J005528	NQ 1/2 Cor Original	0.005
UB-2025-0	32	33	1	J005529	NQ 1/2 Cor Original	0.005
UB-2025-0	33	34	1	J005531	NQ 1/2 Cor Original	0.005
UB-2025-0	34	35	1	J005532	NQ 1/2 Cor Original	0.005
UB-2025-0	35	36	1	J005533	NQ 1/2 Cor Original	0.005
UB-2025-0	36	37	1	J005534	NQ 1/2 Cor Original	0.005
UB-2025-0	37	37.5	0.5	J005535	NQ 1/2 Cor Original	0.005
UB-2025-0	37.5	38	0.5	J005536	NQ 1/2 Cor Original	0.01
UB-2025-0	38	38.5	0.5	J005537	NQ 1/2 Cor Original	0.09
UB-2025-0	38.5	39.5	1	J005538	NQ 1/2 Cor Original	0.005
UB-2025-0	39.5	40.5	1	J005539	NQ 1/2 Cor Original	0.005
UB-2025-0	40.5	41.25	0.75	J005541	NQ 1/2 Cor Original	0.25
UB-2025-0	41.25	41.9	0.65	J005542	NQ 1/2 Cor Original	0.73
UB-2025-0	41.9	42.9	1	J005543	NQ 1/2 Cor Original	0.005
UB-2025-0	42.9	43.9	1	J005544	NQ 1/2 Cor Original	0.005
UB-2025-0	66	67	1	J005545	NQ 1/2 Cor Original	0.005
UB-2025-0	67	68	1	J005546	NQ 1/2 Cor Original	0.005
UB-2025-0	68	68.5	0.5	J005547	NQ 1/2 Cor Original	0.005
UB-2025-0	68.5	69.1	0.6	J005548	NQ 1/2 Cor Original	0.005
UB-2025-0	69.1	69.6	0.5	J005549	NQ 1/2 Cor Original	0.07
UB-2025-0	69.6	70.2	0.6	J005551	NQ 1/2 Cor Original	7.57
UB-2025-0	70.2	70.7	0.5	J005552	NQ 1/2 Cor Original	0.67
UB-2025-0	71.35	72	0.65	J005553	NQ 1/2 Cor Original	0.04
UB-2025-0	72	73	1	J005554	NQ 1/2 Cor Original	0.005
UB-2025-0	73	73.95	0.95	J005555	NQ 1/2 Cor Original	0.005
UB-2025-0	73.95	74.5	0.55	J005556	NQ 1/2 Cor Original	0.005
UB-2025-0	74.5	75	0.5	J005557	NQ 1/2 Cor Original	0.005
UB-2025-0	75	75.75	0.75	J005558	NQ 3/4 Cor Original	0.005
UB-2025-0	75.75	76.5	0.75	J005559	NQ 3/4 Cor Original	1.82
UB-2025-0	76.5	77	0.5	J005561	NQ 3/4 Cor Original	2.61
UB-2025-0	77	78	1	J005562	NQ 3/4 Cor Original	0.09
UB-2025-0	78	79	1	J005563	NQ 3/4 Cor Original	0.005
UB-2025-0	79	80	1	J005564	NQ 1/2 Cor Original	0.005

UB-2025-0	97.4	98.4	1	J005565	NQ 1/2 Cor Original	0.005
UB-2025-0	98.4	99	0.6	J005566	NQ 1/2 Cor Original	0.005
UB-2025-0	99	99.5	0.5	J005567	NQ 1/2 Cor Original	0.005
UB-2025-0	99.5	100	0.5	J005568	NQ 1/2 Cor Original	0.97
UB-2025-0	100	101	1	J005569	NQ 1/2 Cor Original	0.01
UB-2025-0	101	102	1	J005571	NQ 1/2 Cor Original	0.005
UB-2025-0	102	103	1	J005572	NQ 1/2 Cor Original	0.005
UB-2025-0	113.6	114.6	1	J005573	NQ 1/2 Cor Original	0.005
UB-2025-0	114.6	115.4	0.8	J005574	NQ 1/2 Cor Original	0.005
UB-2025-0	115.4	116.4	1	J005575	NQ 1/2 Cor Original	0.02
UB-2025-0	116.4	117.3	0.9	J005576	NQ 1/2 Cor Original	0.61
UB-2025-0	117.3	117.8	0.5	J005577	NQ 1/2 Cor Original	5.93
UB-2025-0	117.8	118.3	0.5	J005578	NQ 1/2 Cor Original	5.08
UB-2025-0	118.3	118.8	0.5	J005579	NQ 1/2 Cor Original	1.03
UB-2025-0	118.8	119.3	0.5	J005581	NQ 1/2 Cor Original	0.27
UB-2025-0	119.3	120	0.7	J005582	NQ 1/2 Cor Original	5.07
UB-2025-0	120	120.93	0.93	No Sample No Sample - LC		
UB-2025-0	120.93	121.53	0.6	J005583	NQ 1/2 Cor Original	5.55
UB-2025-0	121.53	122.93	1.4	J005584	NQ 1/2 Cor Original	0.02
UB-2025-0	122.93	124	1.07	J005585	NQ 1/2 Cor Original	0.08
UB-2025-0	124	125	1	J005586	NQ 1/2 Cor Original	0.005
UB-2025-0	125	125.85	0.85	J005587	NQ 1/2 Cor Original	0.005
UB-2025-0	125.85	127.35	1.5	J005588	NQ 1/2 Cor Original	0.005
UB-2025-0	127.35	128.3	0.95	J005589	NQ 1/2 Cor Original	0.005
UB-2025-0	128.3	129.25	0.95	J005591	NQ 1/2 Cor Original	0.005
UB-2025-0	129.25	130.2	0.95	J005592	NQ 1/2 Cor Original	0.15
UB-2025-0	130.2	131.2	1	J005593	NQ 1/2 Cor Original	0.1
UB-2025-0	131.2	131.85	0.65	J005594	NQ 1/2 Cor Original	5.2
UB-2025-0	131.85	132.8	0.95	J005595	NQ 1/2 Cor Original	0.49
UB-2025-0	132.8	133.5	0.7	J005596	NQ 1/2 Cor Original	0.3
UB-2025-0	133.5	134.55	1.05	J005597	NQ 1/2 Cor Original	0.005
UB-2025-0	134.55	135.55	1	J005598	NQ 1/2 Cor Original	0.005
UB-2025-0	135.55	136.6	1.05	J005599	NQ 1/2 Cor Original	0.005
UB-2025-0	17	18	1	J005601	NQ 1/2 Cor Original	0.005
UB-2025-0	18	18.8	0.8	J005602	NQ 1/2 Cor Original	0.005
UB-2025-0	18.8	19.5	0.7	J005603	NQ 1/2 Cor Original	0.01
UB-2025-0	19.5	20	0.5	J005604	NQ 1/2 Cor Original	0.54
UB-2025-0	20	20.9	0.9	J005605	NQ 1/2 Cor Original	0.005
UB-2025-0	20.9	22	1.1	J005606	NQ 1/2 Cor Original	0.005
UB-2025-0	22	23	1	J005607	NQ 1/2 Cor Original	0.005
UB-2025-0	37.63	39	1.37	J005608	NQ 1/2 Cor Original	0.005
UB-2025-0	39	40	1	J005609	NQ 1/2 Cor Original	0.005
UB-2025-0	40	41	1	J005611	NQ 1/2 Cor Original	0.005
UB-2025-0	41	41.5	0.5	J005612	NQ 1/2 Cor Original	0.005

UB-2025-0	41.5	42	0.5	J005613	NQ 1/2 Cor Original	0.005
UB-2025-0	42	42.6	0.6	J005614	NQ 1/2 Cor Original	0.8
UB-2025-0	42.6	43.13	0.53	J005615	NQ 1/2 Cor Original	0.9
UB-2025-0	43.13	44.1	0.97	J005616	NQ 1/2 Cor Original	0.03
UB-2025-0	44.1	45	0.9	J005617	NQ 1/2 Cor Original	0.005
UB-2025-0	45	46	1	J005618	NQ 1/2 Cor Original	0.005
UB-2025-0	46	47	1	J005619	NQ 1/2 Cor Original	0.005
UB-2025-0	47	48	1	J005621	NQ 1/2 Cor Original	0.005
UB-2025-0	63	64	1	J005622	NQ 1/2 Cor Original	0.005
UB-2025-0	64	65	1	J005623	NQ 1/2 Cor Original	0.005
UB-2025-0	65	66	1	J005624	NQ 1/2 Cor Original	0.005
UB-2025-0	66	67	1	J005625	NQ 1/2 Cor Original	0.005
UB-2025-0	67	68	1	J005626	NQ 1/2 Cor Original	0.005
UB-2025-0	68	69	1	J005627	NQ 1/2 Cor Original	0.005
UB-2025-0	69	70	1	J005628	NQ 1/2 Cor Original	0.03
UB-2025-0	70	71	1	J005629	NQ 1/2 Cor Original	0.005
UB-2025-0	71	71.5	0.5	J005631	NQ 1/2 Cor Original	0.005
UB-2025-0	71.5	72.1	0.6	J005632	NQ 3/4 Cor Original	0.48
UB-2025-0	72.1	72.6	0.5	J005633	NQ 3/4 Cor Original	0.005
UB-2025-0	72.6	73.25	0.65	J005634	NQ 3/4 Cor Original	0.03
UB-2025-0	73.25	73.75	0.5	J005635	NQ 3/4 Cor Original	1.69
UB-2025-0	73.75	74.5	0.75	J005636	NQ 3/4 Cor Original	1.31
UB-2025-0	74.5	75	0.5	J005637	NQ 3/4 Cor Original	3.22
UB-2025-0	75	75.5	0.5	J005638	NQ 3/4 Cor Original	0.01
UB-2025-0	75.5	76.05	0.55	J005639	NQ 3/4 Cor Original	0.005
UB-2025-0	76.05	77	0.95	J005641	NQ 1/2 Cor Original	0.005
UB-2025-0	77	78	1	J005642	NQ 1/2 Cor Original	0.005
UB-2025-0	93	94.15	1.15	J005643	NQ 1/2 Cor Original	0.005
UB-2025-0	94.15	95	0.85	J005644	NQ 1/2 Cor Original	0.005
UB-2025-0	95	96	1	J005645	NQ 1/2 Cor Original	0.06
UB-2025-0	96	97	1	J005646	NQ 1/2 Cor Original	0.02
UB-2025-0	97	97.53	0.53	No Sample No Sample - LC		
UB-2025-0	97.53	98.15	0.62	J005647	NQ 1/2 Cor Original	0.05
UB-2025-0	98.15	99	0.85	J005648	NQ 1/2 Cor Original	0.005
UB-2025-0	99	100	1	J005649	NQ 3/4 Cor Original	0.005
UB-2025-0	100	100.6	0.6	J005651	NQ 3/4 Cor Original	0.32
UB-2025-0	100.6	101.1	0.5	J005652	NQ 3/4 Cor Original	0.59
UB-2025-0	101.1	101.65	0.55	J005653	NQ 3/4 Cor Original	0.41
UB-2025-0	101.65	102.6	0.95	J005654	NQ 3/4 Cor Original	2.95
UB-2025-0	102.6	103.25	0.65	No Sample No Sample - LC		
UB-2025-0	103.25	104	0.75	J005655	NQ 3/4 Cor Original	0.005
UB-2025-0	104	105	1	J005656	NQ 3/4 Cor Original	0.005
UB-2025-0	105	106	1	J005657	NQ 1/2 Cor Original	0.02
UB-2025-0	106	107	1	J005658	NQ 1/2 Cor Original	0.32

UB-2025-0	107	108	1	J005659	NQ 1/2 Cor Original	0.005
UB-2025-0	108	109	1	J005661	NQ 1/2 Cor Original	0.14
UB-2025-0	109	110	1	J005662	NQ 1/2 Cor Original	0.52
UB-2025-0	110	111	1	J005663	NQ 1/2 Cor Original	0.18
UB-2025-0	111	112	1	J005664	NQ 1/2 Cor Original	0.03
UB-2025-0	112	112.5	0.5	J005665	NQ 1/2 Cor Original	0.17
UB-2025-0	112.5	113.5	1	J005666	NQ 1/2 Cor Original	0.01
UB-2025-0	113.5	114.5	1	J005667	NQ 1/2 Cor Original	0.005
UB-2025-0	114.5	115.5	1	J005668	NQ 1/2 Cor Original	0.005
UB-2025-0	115.5	116.35	0.85	J005669	NQ 1/2 Cor Original	0.005
UB-2025-0	116.35	117.05	0.7	J005671	NQ 1/2 Cor Original	0.62
UB-2025-0	117.05	118	0.95	J005672	NQ 1/2 Cor Original	0.005
UB-2025-0	4	5	1	J005673	NQ 1/2 Cor Original	0.005
UB-2025-0	5	6	1	J005674	NQ 1/2 Cor Original	0.005
UB-2025-0	6	6.5	0.5	J005675	NQ 1/2 Cor Original	0.005
UB-2025-0	6.5	7	0.5	J005676	NQ 1/2 Cor Original	0.17
UB-2025-0	7	8	1	J005677	NQ 1/2 Cor Original	0.01
UB-2025-0	8	8.8	0.8	J005678	NQ 1/2 Cor Original	0.005
UB-2025-0	8.8	10.3	1.5	J005679	NQ 1/2 Cor Original	0.005
UB-2025-0	10.3	11	0.7	J005681	NQ 1/2 Cor Original	0.04
UB-2025-0	11	11.5	0.5	J005682	NQ 1/2 Cor Original	0.09
UB-2025-0	11.5	12	0.5	J005683	NQ 1/2 Cor Original	0.27
UB-2025-0	12	12.5	0.5	J005684	NQ 1/2 Cor Original	2.24
UB-2025-0	12.5	13	0.5	J005685	NQ 1/2 Cor Original	1.14
UB-2025-0	13	13.5	0.5	J005686	NQ 1/2 Cor Original	0.005
UB-2025-0	13.5	15	1.5	J005687	NQ 1/2 Cor Original	0.005
UB-2025-0	29	29.6	0.6	J005688	NQ 1/2 Cor Original	0.005
UB-2025-0	29.6	30.1	0.5	J005689	NQ 1/2 Cor Original	0.005
UB-2025-0	30.1	30.8	0.7	J005691	NQ 1/2 Cor Original	1.36
UB-2025-0	30.8	31.3	0.5	J005692	NQ 1/2 Cor Original	0.08
UB-2025-0	31.3	32.5	1.2	J005693	NQ 1/2 Cor Original	0.005
UB-2025-0	32.5	34	1.5	J005694	NQ 1/2 Cor Original	0.005
UB-2025-0	34	35	1	J005695	NQ 1/2 Cor Original	0.005
UB-2025-0	35	36	1	J005696	NQ 1/2 Cor Original	0.55
UB-2025-0	36	36.75	0.75	J005697	NQ 1/2 Cor Original	0.69
UB-2025-0	36.75	38	1.25	J005698	NQ 1/2 Cor Original	0.005
UB-2025-0	38	38.6	0.6	J005699	NQ 1/2 Cor Original	0.005
UB-2025-0	38.6	39.4	0.8	J005701	NQ 1/2 Cor Original	4.43
UB-2025-0	39.4	40	0.6	J005702	NQ 1/2 Cor Original	0.63
UB-2025-0	40	41	1	J005703	NQ 1/2 Cor Original	0.005
UB-2025-0	59	60	1	J005704	NQ 1/2 Cor Original	0.005
UB-2025-0	60	60.5	0.5	J005705	NQ 1/2 Cor Original	0.11
UB-2025-0	60.5	61	0.5	J005706	NQ 1/2 Cor Original	4.38
UB-2025-0	61	61.5	0.5	J005707	NQ 1/2 Cor Original	0.01

UB-2025-0	61.5	62	0.5	J005708	NQ 1/2 Cor Original	0.005
UB-2025-0	62	63	1	J005709	NQ 1/2 Cor Original	0.005
UB-2025-0	69	69.5	0.5	J005711	NQ 1/2 Cor Original	0.005
UB-2025-0	69.5	70.6	1.1	J005712	NQ 1/2 Cor Original	0.02
UB-2025-0	70.6	71.5	0.9	J005713	NQ 1/2 Cor Original	0.005
UB-2025-0	71.5	72.35	0.85	J005714	NQ 1/2 Cor Original	0.005
UB-2025-0	72.35	73	0.65	J005715	NQ 1/2 Cor Original	0.13
UB-2025-0	73	73.5	0.5	J005716	NQ 3/4 Cor Original	0.06
UB-2025-0	73.5	74.06	0.56	J005717	NQ 3/4 Cor Original	0.11
UB-2025-0	74.06	75	0.94	J005718	NQ 3/4 Cor Original	1.29
UB-2025-0	75	75.57	0.57	J005719	NQ 3/4 Cor Original	13.8
UB-2025-0	75.57	76.1	0.53	J005721	NQ 3/4 Cor Original	1.55
UB-2025-0	76.1	76.6	0.5	J005722	NQ 3/4 Cor Original	0.01
UB-2025-0	76.6	77.5	0.9	J005723	NQ 3/4 Cor Original	0.01
UB-2025-0	86.35	87	0.65	J005724	NQ 1/2 Cor Original	0.005
UB-2025-0	87	88	1	J005725	NQ 1/2 Cor Original	0.005
UB-2025-0	88	88.75	0.75	J005726	NQ 1/2 Cor Original	0.02
UB-2025-0	88.75	89.4	0.65	J005727	NQ 1/2 Cor Original	1.18
UB-2025-0	89.4	90.2	0.8	J005728	NQ 1/2 Cor Original	3.66
UB-2025-0	90.2	91	0.8	J005729	NQ 1/2 Cor Original	0.75
UB-2025-0	91	92	1	J005731	NQ 1/2 Cor Original	0.005
UB-2025-0	92	93	1	J005732	NQ 1/2 Cor Original	0.005
UB-2025-0	121	122	1	J005733	NQ 1/2 Cor Original	0.005
UB-2025-0	122	123	1	J005734	NQ 1/2 Cor Original	0.005
UB-2025-0	123	123.7	0.7	J005735	NQ 1/2 Cor Original	1.92
UB-2025-0	123.7	124.5	0.8	J005736	NQ 3/4 Cor Original	0.22
UB-2025-0	124.5	125	0.5	J005737	NQ 3/4 Cor Original	0.2
UB-2025-0	125	125.5	0.5	J005738	NQ 3/4 Cor Original	0.42
UB-2025-0	125.5	126	0.5	J005739	NQ 3/4 Cor Original	1.01
UB-2025-0	126	127	1	J005741	NQ 3/4 Cor Original	1.09
UB-2025-0	129	129.9	0.9	J005742	NQ 3/4 Cor Original	0.22
UB-2025-0	129.9	130.4	0.5	J005743	NQ 3/4 Cor Original	0.3
UB-2025-0	130.4	131	0.6	J005744	NQ 3/4 Cor Original	0.005
UB-2025-0	131	132	1	J005745	NQ 1/2 Cor Original	0.005
UB-2025-0	132	133	1	J005746	NQ 1/2 Cor Original	0.005
UB-2025-0	6	6.75	0.75	J005747	NQ 1/2 Cor Original	0.005
UB-2025-0	6.75	7.75	1	J005748	NQ 1/2 Cor Original	0.005
UB-2025-0	7.75	8.25	0.5	J005749	NQ 1/2 Cor Original	0.55
UB-2025-0	8.25	9	0.75	J005751	NQ 1/2 Cor Original	0.005
UB-2025-0	9	10.15	1.15	J005752	NQ 1/2 Cor Original	0.005
UB-2025-0	10.15	11	0.85	J005753	NQ 1/2 Cor Original	0.06
UB-2025-0	11	12	1	J005754	NQ 1/2 Cor Original	0.005
UB-2025-0	12	13	1	J005755	NQ 1/2 Cor Original	0.03
UB-2025-0	13	13.75	0.75	J005756	NQ 1/2 Cor Original	0.005

UB-2025-0	28	28.95	0.95	J005757	NQ 1/2 Cor Original	0.005
UB-2025-0	28.95	29.6	0.65	J005758	NQ 1/2 Cor Original	0.02
UB-2025-0	29.6	30.3	0.7	J005759	NQ 1/2 Cor Original	0.005
UB-2025-0	30.3	31	0.7	J005761	NQ 1/2 Cor Original	0.005
UB-2025-0	31	32	1	J005762	NQ 1/2 Cor Original	0.005
UB-2025-0	32	33	1	J005763	NQ 1/2 Cor Original	0.01
UB-2025-0	33	33.5	0.5	J005764	NQ 1/2 Cor Original	0.005
UB-2025-0	33.5	34	0.5	J005765	NQ 1/2 Cor Original	2.57
UB-2025-0	34	35	1	J005766	NQ 1/2 Cor Original	0.02
UB-2025-0	35	35.5	0.5	J005767	NQ 1/2 Cor Original	0.04
UB-2025-0	35.5	36	0.5	J005768	NQ 1/2 Cor Original	0.02
UB-2025-0	36	37.1	1.1	J005769	NQ 1/2 Cor Original	1.37
UB-2025-0	37.1	37.7	0.6	J005771	NQ 1/2 Cor Original	0.6
UB-2025-0	37.7	38.2	0.5	J005772	NQ 1/2 Cor Original	0.02
UB-2025-0	38.2	39	0.8	J005773	NQ 1/2 Cor Original	0.05
UB-2025-0	39	40.5	1.5	J005774	NQ 1/2 Cor Original	0.005
UB-2025-0	40.5	42	1.5	J005775	NQ 1/2 Cor Original	0.005
UB-2025-0	42	42.75	0.75	J005776	NQ 1/2 Cor Original	0.005
UB-2025-0	42.75	43.35	0.6	J005777	NQ 1/2 Cor Original	0.005
UB-2025-0	43.35	43.95	0.6	J005778	NQ 1/2 Cor Original	0.07
UB-2025-0	43.95	44.5	0.55	J005779	NQ 1/2 Cor Original	0.005
UB-2025-0	44.5	45.6	1.1	J005781	NQ 1/2 Cor Original	0.005
UB-2025-0	56	57	1	J005782	NQ 1/2 Cor Original	0.005
UB-2025-0	57	58	1	J005783	NQ 1/2 Cor Original	0.04
UB-2025-0	58	59	1	J005784	NQ 1/2 Cor Original	0.06
UB-2025-0	59	59.6	0.6	J005785	NQ 1/2 Cor Original	0.37
UB-2025-0	59.6	60.15	0.55	J005786	NQ 1/2 Cor Original	0.16
UB-2025-0	60.15	60.65	0.5	J005787	NQ 1/2 Cor Original	2.07
UB-2025-0	60.65	61.25	0.6	J005788	NQ 1/2 Cor Original	0.15
UB-2025-0	61.25	62	0.75	J005789	NQ 1/2 Cor Original	0.62
UB-2025-0	62	62.85	0.85	J005791	NQ 1/2 Cor Original	0.46
UB-2025-0	62.85	64	1.15	J005792	NQ 1/2 Cor Original	0.005
UB-2025-0	119	120	1	J005793	NQ 1/2 Cor Original	0.005
UB-2025-0	120	121.25	1.25	J005794	NQ 1/2 Cor Original	0.005
UB-2025-0	121.25	122	0.75	J005795	NQ 3/4 Cor Original	0.005
UB-2025-0	122	122.5	0.5	J005796	NQ 3/4 Cor Original	0.005
UB-2025-0	122.5	123.05	0.55	J005797	NQ 3/4 Cor Original	4.76
UB-2025-0	123.05	123.55	0.5	J005798	NQ 3/4 Cor Original	0.03
UB-2025-0	123.55	124.35	0.8	J005799	NQ 3/4 Cor Original	0.005
UB-2025-0	124.35	125	0.65	J005801	NQ 1/2 Cor Original	0.005
UB-2025-0	125	126	1	J005802	NQ 1/2 Cor Original	0.005
UB-2025-0	126	127	1	J005803	NQ 1/2 Cor Original	0.02
UB-2025-0	127	128	1	J005804	NQ 1/2 Cor Original	0.02
UB-2025-0	136	137.45	1.45	J005805	NQ 1/2 Cor Original	0.005

UB-2025-0	137.45	138.5	1.05	J005806	NQ 1/2 Cor Original	0.005
UB-2025-0	138.5	139.15	0.65	J005807	NQ 1/2 Cor Original	0.005
UB-2025-0	139.15	139.9	0.75	J005808	NQ 3/4 Cor Original	0.03
UB-2025-0	139.9	140.4	0.5	J005809	NQ 3/4 Cor Original	0.06
UB-2025-0	140.4	140.95	0.55	J005811	NQ 3/4 Cor Original	0.48
UB-2025-0	140.95	141.6	0.65	J005812	NQ 3/4 Cor Original	0.02
UB-2025-0	141.6	142.25	0.65	J005813	NQ 3/4 Cor Original	0.005
UB-2025-0	142.25	142.95	0.7	J005814	NQ 1/2 Cor Original	0.005
UB-2025-0	142.95	144	1.05	J005815	NQ 1/2 Cor Original	0.005
UB-2025-0	4	5.25	1.25	J005816	NQ 1/2 Cor Original	0.005
UB-2025-0	5.25	6	0.75	J005817	NQ 1/2 Cor Original	0.005
UB-2025-0	6	6.5	0.5	J005818	NQ 1/2 Cor Original	0.005
UB-2025-0	6.5	7	0.5	J005819	NQ 1/2 Cor Original	0.21
UB-2025-0	7	7.5	0.5	J005821	NQ 1/2 Cor Original	0.005
UB-2025-0	7.5	8	0.5	J005822	NQ 1/2 Cor Original	0.005
UB-2025-0	8	9	1	J005823	NQ 1/2 Cor Original	0.005
UB-2025-0	9	10.5	1.5	J005824	NQ 1/2 Cor Original	0.005
UB-2025-0	10.5	12	1.5	J005825	NQ 1/2 Cor Original	0.005
UB-2025-0	12	12.5	0.5	J005826	NQ 1/2 Cor Original	0.02
UB-2025-0	12.5	13.1	0.6	J005827	NQ 1/2 Cor Original	0.99
UB-2025-0	13.1	14	0.9	J005828	NQ 1/2 Cor Original	0.56
UB-2025-0	14	15	1	J005829	NQ 1/2 Cor Original	0.005
UB-2025-0	15	15.7	0.7	J005831	NQ 1/2 Cor Original	0.005
UB-2025-0	15.7	16.5	0.8	J005832	NQ 1/2 Cor Original	0.005
UB-2025-0	26	27	1	J005833	NQ 1/2 Cor Original	0.005
UB-2025-0	27	28	1	J005834	NQ 1/2 Cor Original	0.005
UB-2025-0	28	28.6	0.6	J005835	NQ 1/2 Cor Original	0.005
UB-2025-0	28.6	29.18	0.58	J005836	NQ 1/2 Cor Original	0.005
UB-2025-0	29.18	29.85	0.67	J005837	NQ 1/2 Cor Original	0.03
UB-2025-0	29.85	30.6	0.75	J005838	NQ 1/2 Cor Original	0.66
UB-2025-0	30.6	31.1	0.5	J005839	NQ 1/2 Cor Original	0.2
UB-2025-0	31.1	31.6	0.5	J005841	NQ 1/2 Cor Original	0.05
UB-2025-0	31.6	33	1.4	J005842	NQ 1/2 Cor Original	0.005
UB-2025-0	33	34	1	J005843	NQ 1/2 Cor Original	0.005
UB-2025-0	34	35	1	J005844	NQ 1/2 Cor Original	0.06
UB-2025-0	35	36	1	J005845	NQ 1/2 Cor Original	0.005
UB-2025-0	36	37	1	J005846	NQ 1/2 Cor Original	0.005
UB-2025-0	37	37.7	0.7	J005847	NQ 1/2 Cor Original	0.005
UB-2025-0	37.7	39	1.3	J005848	NQ 1/2 Cor Original	0.005
UB-2025-0	39	40	1	J005849	NQ 1/2 Cor Original	0.005
UB-2025-0	40	40.5	0.5	J005851	NQ 1/2 Cor Original	0.02
UB-2025-0	40.5	41	0.5	J005852	NQ 1/2 Cor Original	1.05
UB-2025-0	41	41.5	0.5	J005853	NQ 1/2 Cor Original	0.005
UB-2025-0	41.5	42	0.5	J005854	NQ 1/2 Cor Original	0.005

UB-2025-0	81.5	82.65	1.15	J005855	NQ 1/2 Cor Original	0.005
UB-2025-0	82.65	83.5	0.85	J005856	NQ 1/2 Cor Original	0.06
UB-2025-0	83.5	84.5	1	J005857	NQ 1/2 Cor Original	0.005
UB-2025-0	84.5	85.5	1	J005858	NQ 1/2 Cor Original	0.01
UB-2025-0	85.5	86.5	1	J005859	NQ 1/2 Cor Original	0.005
UB-2025-0	86.5	87.15	0.65	J005861	NQ 3/4 Cor Original	0.01
UB-2025-0	87.15	87.65	0.5	J005862	NQ 3/4 Cor Original	0.82
UB-2025-0	87.65	88.16	0.51	J005863	NQ 3/4 Cor Original	2.56
UB-2025-0	88.16	88.7	0.54	J005864	NQ 3/4 Cor Original	14
UB-2025-0	88.7	89.25	0.55	J005865	NQ 3/4 Cor Original	0.25
UB-2025-0	89.25	90	0.75	J005866	NQ 3/4 Cor Original	0.03
UB-2025-0	90	91	1	J005867	NQ 1/2 Cor Original	0.005
UB-2025-0	91	91.5	0.5	J005868	NQ 1/2 Cor Original	0.005
UB-2025-0	91.5	92	0.5	J005869	NQ 1/2 Cor Original	0.005
UB-2025-0	92	92.75	0.75	J005871	NQ 1/2 Cor Original	0.11
UB-2025-0	92.75	93.35	0.6	J005872	NQ 1/2 Cor Original	0.005
UB-2025-0	93.35	94	0.65	J005873	NQ 1/2 Cor Original	0.005
UB-2025-0	94	95	1	J005874	NQ 1/2 Cor Original	0.005
UB-2025-0	95	96	1	J005875	NQ 1/2 Cor Original	0.005
UB-2025-0	134	135	1	J005876	NQ 1/2 Cor Original	0.005
UB-2025-0	135	135.5	0.5	J005877	NQ 1/2 Cor Original	0.005
UB-2025-0	135.5	136	0.5	J005878	NQ 1/2 Cor Original	0.005
UB-2025-0	136	136.5	0.5	J005879	NQ 1/2 Cor Original	0.005
UB-2025-0	136.5	137.5	1	J005881	NQ 1/2 Cor Original	0.005
UB-2025-0	146.7	148.2	1.5	J005882	NQ 3/4 Cor Original	0.005
UB-2025-0	148.2	149.2	1	J005883	NQ 3/4 Cor Original	0.03
UB-2025-0	149.2	149.7	0.5	J005884	NQ 3/4 Cor Original	0.14
UB-2025-0	149.7	150.5	0.8	J005885	NQ 3/4 Cor Original	0.11
UB-2025-0	150.5	151	0.5	J005886	NQ 3/4 Cor Original	1.98
UB-2025-0	151	152	1	J005887	NQ 3/4 Cor Original	0.19
UB-2025-0	152	153.5	1.5	J005888	NQ 3/4 Cor Original	0.005
UB-2025-0	182.5	184	1.5	J005889	NQ 3/4 Cor Original	0.005
UB-2025-0	184	185.25	1.25	J005891	NQ 3/4 Cor Original	0.005
UB-2025-0	185.25	185.75	0.5	J005892	NQ 3/4 Cor Original	1.14
UB-2025-0	185.75	186.25	0.5	J005893	NQ 3/4 Cor Original	13.8
UB-2025-0	186.25	186.75	0.5	J005894	NQ 3/4 Cor Original	2.32
UB-2025-0	186.75	187.75	1	J005895	NQ 3/4 Cor Original	0.21
UB-2025-0	187.75	189.25	1.5	J005896	NQ 3/4 Cor Original	0.01
UB-2025-0	211.87	212.87	1	J005897	NQ 1/2 Cor Original	0.005
UB-2025-0	212.87	213.82	0.95	J005898	NQ 1/2 Cor Original	0.005
UB-2025-0	213.82	214.32	0.5	J005899	NQ 1/2 Cor Original	0.01
UB-2025-0	214.32	214.82	0.5	J005901	NQ 1/2 Cor Original	0.27
UB-2025-0	214.82	215.52	0.7	J005902	NQ 1/2 Cor Original	0.03
UB-2025-0	215.52	216.52	1	J005903	NQ 1/2 Cor Original	0.01

UB-2025-0	216.52	218	1.48	J005904	NQ 3/4 Cor Original	0.005
UB-2025-0	218	218.95	0.95	J005905	NQ 3/4 Cor Original	0.01
UB-2025-0	218.95	219.45	0.5	J005906	NQ 3/4 Cor Original	0.05
UB-2025-0	219.45	219.95	0.5	J005907	NQ 3/4 Cor Original	0.74
UB-2025-0	219.95	220.45	0.5	J005908	NQ 3/4 Cor Original	0.7
UB-2025-0	220.45	221.4	0.95	J005909	NQ 3/4 Cor Original	1.73
UB-2025-0	221.4	222.4	1	J005911	NQ 3/4 Cor Original	0.04
UB-2025-0	222.4	223.25	0.85	J005912	NQ 1/2 Cor Original	0.73
UB-2025-0	223.25	223.75	0.5	J005913	NQ 1/2 Cor Original	0.005
UB-2025-0	223.75	224.25	0.5	J005914	NQ 1/2 Cor Original	0.66
UB-2025-0	224.25	224.75	0.5	J005915	NQ 1/2 Cor Original	0.01
UB-2025-0	224.75	225.75	1	J005916	NQ 1/2 Cor Original	0.19
UB-2025-0	225.75	226.75	1	J005917	NQ 1/2 Cor Original	0.12
UB-2025-0	226.75	228	1.25	J005963	NQ 1/2 Cor Original	0.05
UB-2025-0	20.35	21.35	1	J005918	NQ 1/2 Cor Original	0.005
UB-2025-0	21.35	21.85	0.5	J005919	NQ 1/2 Cor Original	0.005
UB-2025-0	21.85	22.35	0.5	J005921	NQ 1/2 Cor Original	0.005
UB-2025-0	22.35	22.85	0.5	J005922	NQ 1/2 Cor Original	2.65
UB-2025-0	22.85	23.35	0.5	J005923	NQ 1/2 Cor Original	0.2
UB-2025-0	23.35	24.35	1	J005924	NQ 1/2 Cor Original	0.01
UB-2025-0	24.35	25.85	1.5	J005925	NQ 1/2 Cor Original	0.01
UB-2025-0	25.85	26.5	0.65	J005926	NQ 1/2 Cor Original	0.005
UB-2025-0	38.3	39.8	1.5	J005927	NQ 1/2 Cor Original	0.005
UB-2025-0	39.8	40.9	1.1	J005928	NQ 1/2 Cor Original	0.03
UB-2025-0	40.9	41.4	0.5	J005929	NQ 1/2 Cor Original	0.04
UB-2025-0	41.4	42	0.6	J005931	NQ 1/2 Cor Original	0.2
UB-2025-0	42	42.6	0.6	J005932	NQ 1/2 Cor Original	0.41
UB-2025-0	42.6	43.15	0.55	J005933	NQ 1/2 Cor Original	0.05
UB-2025-0	43.15	44.15	1	J005934	NQ 1/2 Cor Original	0.005
UB-2025-0	44.15	45.65	1.5	J005935	NQ 1/2 Cor Original	0.02
UB-2025-0	74.6	76.1	1.5	J005964	NQ 1/2 Cor Original	0.005
UB-2025-0	76.1	77.6	1.5	J005965	NQ 1/2 Cor Original	0.01
UB-2025-0	77.6	78.6	1	J005936	NQ 3/4 Cor Original	0.19
UB-2025-0	78.6	79.6	1	J005937	NQ 3/4 Cor Original	0.12
UB-2025-0	79.6	80.1	0.5	J005938	NQ 3/4 Cor Original	2.5
UB-2025-0	80.1	80.7	0.6	J005939	NQ 3/4 Cor Original	1.71
UB-2025-0	80.7	81.2	0.5	J005941	NQ 3/4 Cor Original	3.22
UB-2025-0	81.2	81.7	0.5	J005942	NQ 3/4 Cor Original	0.15
UB-2025-0	81.7	82.7	1	J005943	NQ 3/4 Cor Original	0.2
UB-2025-0	82.7	83.3	0.6	J005944	NQ 3/4 Cor Original	0.25
UB-2025-0	83.3	83.8	0.5	J005945	NQ 3/4 Cor Original	0.08
UB-2025-0	83.8	84.8	1	J005946	NQ 3/4 Cor Original	0.01
UB-2025-0	84.8	86	1.2	J005947	NQ 3/4 Cor Original	0.01
UB-2025-0	86	87	1	J005948	NQ 3/4 Cor Original	0.97

UB-2025-0	87	87.53	0.53	J005949	NQ 3/4 Cor Original	2.29
UB-2025-0	87.53	88.03	0.5	J005951	NQ 3/4 Cor Original	1.14
UB-2025-0	88.03	88.6	0.57	J005952	NQ 3/4 Cor Original	0.55
UB-2025-0	88.6	89.6	1	J005953	NQ 3/4 Cor Original	0.01
UB-2025-0	89.6	91.1	1.5	J005954	NQ 3/4 Cor Original	0.005
UB-2025-0	108	108.58	0.58		No Sample No Sample - LC	
UB-2025-0	124.3	125.8	1.5	J005955	NQ 1/2 Cor Original	0.005
UB-2025-0	125.8	126.8	1	J005956	NQ 1/2 Cor Original	0.005
UB-2025-0	126.8	127.3	0.5	J005957	NQ 1/2 Cor Original	0.01
UB-2025-0	127.3	128.05	0.75	J005958	NQ 1/2 Cor Original	0.65
UB-2025-0	128.05	128.55	0.5	J005959	NQ 1/2 Cor Original	0.005
UB-2025-0	128.55	129.05	0.5	J005961	NQ 1/2 Cor Original	0.005
UB-2025-0	129.05	129.55	0.5	J005962	NQ 1/2 Cor Original	0.01
UB-2025-0	134.2	135.7	1.5	J005966	NQ 1/2 Cor Original	0.02
UB-2025-0	135.7	137.2	1.5	J005967	NQ 1/2 Cor Original	0.005
UB-2025-0	137.2	138.2	1	J005968	NQ 1/2 Cor Original	0.04
UB-2025-0	138.2	138.7	0.5	J005969	NQ 1/2 Cor Original	0.15
UB-2025-0	138.7	139.3	0.6	J005971	NQ 1/2 Cor Original	0.52
UB-2025-0	139.3	139.8	0.5	J005972	NQ 1/2 Cor Original	0.05
UB-2025-0	139.8	141	1.2	J005973	NQ 1/2 Cor Original	0.09
UB-2025-0	141	142.5	1.5	J005974	NQ 3/4 Cor Original	0.39
UB-2025-0	142.5	143.5	1	J005975	NQ 3/4 Cor Original	0.51
UB-2025-0	143.5	144	0.5	J005976	NQ 3/4 Cor Original	1.29
UB-2025-0	144	144.5	0.5	J005977	NQ 3/4 Cor Original	0.78
UB-2025-0	144.5	145	0.5	J005978	NQ 3/4 Cor Original	6.73
UB-2025-0	145	145.5	0.5	J005979	NQ 3/4 Cor Original	6.15
UB-2025-0	145.5	146	0.5	J005981	NQ 3/4 Cor Original	0.77
UB-2025-0	146	146.5	0.5	J005982	NQ 3/4 Cor Original	0.77
UB-2025-0	146.5	147.5	1	J005983	NQ 3/4 Cor Original	0.01
UB-2025-0	147.5	149	1.5	J005984	NQ 3/4 Cor Original	0.005
UB-2025-0	155.4	156.4	1	J005985	NQ 1/2 Cor Original	0.76
UB-2025-0	156.4	157.5	1.1	J005986	NQ 1/2 Cor Original	0.01
UB-2025-0	157.5	158	0.5	J005987	NQ 1/2 Cor Original	0.005
UB-2025-0	158	158.5	0.5	J005988	NQ 1/2 Cor Original	0.005
UB-2025-0	158.5	159	0.5	J005989	NQ 1/2 Cor Original	0.005
UB-2025-0	159	160	1	J005991	NQ 1/2 Cor Original	0.005
UB-2025-0	160	161	1	J005992	NQ 1/2 Cor Original	0.03
UB-2025-0	161	162.5	1.5	J005993	NQ 1/2 Cor Original	0.005
UB-2025-0	162.5	163.25	0.75	J005994	NQ 1/2 Cor Original	0.005
UB-2025-0	163.25	163.85	0.6	J005995	NQ 1/2 Cor Original	0.005
UB-2025-0	163.85	164.5	0.65	J005996	NQ 1/2 Cor Original	0.005
UB-2025-0	164.5	166	1.5	J005997	NQ 1/2 Cor Original	0.005
UB-2025-0	166	167	1	J005998	NQ 1/2 Cor Original	0.005
UB-2025-0	167	168	1	J005999	NQ 1/2 Cor Original	0.005

UB-2025-0	168	169.5	1.5	J006001	NQ 3/4 Cor Original	0.005
UB-2025-0	169.5	170.5	1	J006002	NQ 3/4 Cor Original	0.005
UB-2025-0	170.5	171	0.5	J006003	NQ 3/4 Cor Original	0.005
UB-2025-0	171	171.5	0.5	J006004	NQ 3/4 Cor Original	0.3
UB-2025-0	171.5	172	0.5	J006005	NQ 3/4 Cor Original	1.56
UB-2025-0	172	172.5	0.5	J006006	NQ 3/4 Cor Original	3.13
UB-2025-0	172.5	173	0.5	J006007	NQ 3/4 Cor Original	2.61
UB-2025-0	173	173.55	0.55	J006008	NQ 3/4 Cor Original	1.08
UB-2025-0	173.55	174.05	0.5	J006009	NQ 3/4 Cor Original	0.98
UB-2025-0	174.05	174.55	0.5	J006023	NQ 3/4 Cor Original	3.44
UB-2025-0	174.55	175.05	0.5	J006011	NQ 3/4 Cor Original	0.14
UB-2025-0	175.05	176.05	1	J006012	NQ 3/4 Cor Original	0.005
UB-2025-0	176.05	177.55	1.5	J006013	NQ 3/4 Cor Original	0.005
UB-2025-0	189.35	190.85	1.5	J006014	NQ 3/4 Cor Original	0.005
UB-2025-0	190.85	191.85	1	J006015	NQ 3/4 Cor Original	0.005
UB-2025-0	191.85	192.9	1.05	J006016	NQ 3/4 Cor Original	0.005
UB-2025-0	192.9	193.4	0.5	J006017	NQ 3/4 Cor Original	0.04
UB-2025-0	193.4	193.9	0.5	J006018	NQ 3/4 Cor Original	1.72
UB-2025-0	193.9	194.4	0.5	J006019	NQ 3/4 Cor Original	0.005
UB-2025-0	194.4	195.5	1.1	J006024	NQ 3/4 Cor Original	0.005
UB-2025-0	195.5	197	1.5	J006021	NQ 3/4 Cor Original	0.005
UB-2025-0	197	198.5	1.5	J006022	NQ 3/4 Cor Original	0.05
UB-2025-0	214.25	215.75	1.5	J006025	NQ 3/4 Cor Original	0.07
UB-2025-0	215.75	216.75	1	J006026	NQ 3/4 Cor Original	0.005
UB-2025-0	216.75	217.25	0.5	J006027	NQ 3/4 Cor Original	0.05
UB-2025-0	217.25	217.75	0.5	J006028	NQ 3/4 Cor Original	3.02
UB-2025-0	217.75	218.4	0.65	J006029	NQ 3/4 Cor Original	5.18
UB-2025-0	218.4	219	0.6	J006031	NQ 3/4 Cor Original	2.53
UB-2025-0	219	219.5	0.5	J006032	NQ 3/4 Cor Original	0.27
UB-2025-0	219.5	220	0.5	J006033	NQ 3/4 Cor Original	0.005
UB-2025-0	220	220.5	0.5	J006034	NQ 3/4 Cor Original	0.005
UB-2025-0	220.5	221	0.5	J006035	NQ 3/4 Cor Original	0.005
UB-2025-0	221	221.5	0.5	J006036	NQ 3/4 Cor Original	0.43
UB-2025-0	221.5	222	0.5	J006037	NQ 3/4 Cor Original	2.29
UB-2025-0	222	222.5	0.5	J006038	NQ 3/4 Cor Original	3.22
UB-2025-0	222.5	223.2	0.7	J006039	NQ 3/4 Cor Original	2.86
UB-2025-0	223.2	223.7	0.5	J006041	NQ 3/4 Cor Original	0.08
UB-2025-0	223.7	224.2	0.5	J006042	NQ 3/4 Cor Original	0.005
UB-2025-0	224.2	224.85	0.65	J006043	NQ 3/4 Cor Original	0.005
UB-2025-0	224.85	225.85	1	J006044	NQ 3/4 Cor Original	0.1
UB-2025-0	225.85	227.35	1.5	J006045	NQ 3/4 Cor Original	0.005
UB-2025-0	227.35	228.75	1.4	J006046	NQ 3/4 Cor Original	0.005
UB-2025-0	228.75	230.25	1.5	J006047	NQ 3/4 Cor Original	0.005
UB-2025-0	230.25	231.75	1.5	J006048	NQ 3/4 Cor Original	0.005

UB-2025-0	231.75	232.75	1	J006049	NQ 3/4 Cor Original	0.005
UB-2025-0	232.75	233.25	0.5	J006051	NQ 3/4 Cor Original	0.04
UB-2025-0	233.25	234.05	0.8	J006052	NQ 3/4 Cor Original	0.81
UB-2025-0	234.05	234.55	0.5	J006053	NQ 3/4 Cor Original	0.08
UB-2025-0	234.55	235.55	1	J006054	NQ 3/4 Cor Original	0.08
UB-2025-0	235.55	237	1.45	J006055	NQ 3/4 Cor Original	0.18
UB-2025-0	237	237.6	0.6	J006056	NQ 3/4 Cor Original	0.005
UB-2025-0	237.6	238.1	0.5	J006057	NQ 3/4 Cor Original	0.005
UB-2025-0	238.1	239.6	1.5	J006058	NQ 3/4 Cor Original	0.005
UB-2025-0	3	4.5	1.5	J006059	NQ 1/2 Cor Original	0.005
UB-2025-0	4.5	5.5	1	J006061	NQ 1/2 Cor Original	0.005
UB-2025-0	5.5	6	0.5	J006062	NQ 1/2 Cor Original	0.005
UB-2025-0	6	6.5	0.5	J006063	NQ 1/2 Cor Original	0.92
UB-2025-0	6.5	7	0.5	J006064	NQ 1/2 Cor Original	0.005
UB-2025-0	7	8	1	J006065	NQ 1/2 Cor Original	0.005
UB-2025-0	8	9.5	1.5	J006066	NQ 1/2 Cor Original	0.005
UB-2025-0	9.5	10	0.5	J006067	NQ 1/2 Cor Original	0.005
UB-2025-0	10	11	1	J006068	NQ 1/2 Cor Original	0.005
UB-2025-0	11	11.5	0.5	J006069	NQ 1/2 Cor Original	0.005
UB-2025-0	11.5	12	0.5	J006071	NQ 1/2 Cor Original	0.77
UB-2025-0	12	12.5	0.5	J006072	NQ 1/2 Cor Original	0.08
UB-2025-0	12.5	13.5	1	J006073	NQ 1/2 Cor Original	0.02
UB-2025-0	13.5	15	1.5	J006074	NQ 1/2 Cor Original	0.005
UB-2025-0	21.5	23	1.5	J006075	NQ 1/2 Cor Original	0.005
UB-2025-0	23	24	1	J006076	NQ 1/2 Cor Original	0.005
UB-2025-0	24	24.5	0.5	J006077	NQ 1/2 Cor Original	0.005
UB-2025-0	24.5	25	0.5	J006078	NQ 1/2 Cor Original	0.09
UB-2025-0	25	25.5	0.5	J006079	NQ 1/2 Cor Original	0.005
UB-2025-0	25.5	26	0.5	J006081	NQ 1/2 Cor Original	0.005
UB-2025-0	26	27	1	J006082	NQ 1/2 Cor Original	0.005
UB-2025-0	27	28	1	J006083	NQ 1/2 Cor Original	0.005
UB-2025-0	28	28.5	0.5	J006084	NQ 1/2 Cor Original	0.01
UB-2025-0	28.5	29	0.5	J006085	NQ 1/2 Cor Original	0.02
UB-2025-0	29	29.5	0.5	J006086	NQ 1/2 Cor Original	0.005
UB-2025-0	29.5	30.5	1	J006087	NQ 1/2 Cor Original	0.005
UB-2025-0	30.5	31	0.5	J006088	NQ 1/2 Cor Original	0.44
UB-2025-0	31	31.5	0.5	J006089	NQ 1/2 Cor Original	0.005
UB-2025-0	31.5	32.5	1	J006091	NQ 1/2 Cor Original	0.01
UB-2025-0	32.5	34	1.5	J006092	NQ 1/2 Cor Original	0.07
UB-2025-0	34	35.5	1.5	J006093	NQ 1/2 Cor Original	0.005
UB-2025-0	57.5	59	1.5	J006094	NQ 1/2 Cor Original	0.01
UB-2025-0	59	60.5	1.5	J006095	NQ 1/2 Cor Original	0.005
UB-2025-0	60.5	61.5	1	J006096	NQ 1/2 Cor Original	0.005
UB-2025-0	61.5	62	0.5	J006097	NQ 1/2 Cor Original	0.005

UB-2025-0	62	62.5	0.5	J006098	NQ 1/2 Cor Original	0.005
UB-2025-0	62.5	63	0.5	J006099	NQ 1/2 Cor Original	0.005
UB-2025-0	63	64	1	J006101	NQ 1/2 Cor Original	0.005
UB-2025-0	64	65.5	1.5	J006102	NQ 1/2 Cor Original	0.005
UB-2025-0	80.85	82.35	1.5	J006103	NQ 3/4 Cor Original	0.02
UB-2025-0	82.35	83.35	1	J006104	NQ 3/4 Cor Original	0.12
UB-2025-0	83.35	83.85	0.5	J006105	NQ 3/4 Cor Original	0.4
UB-2025-0	83.85	84.45	0.6	J006106	NQ 3/4 Cor Original	2.52
UB-2025-0	84.45	85.1	0.65	J006107	NQ 3/4 Cor Original	2.75
UB-2025-0	85.1	85.6	0.5	J006108	NQ 3/4 Cor Original	0.01
UB-2025-0	85.6	86.6	1	J006109	NQ 3/4 Cor Original	0.005
UB-2025-0	86.6	88.1	1.5	J006111	NQ 3/4 Cor Original	0.01
UB-2025-0	146.4	147	0.6	J006112	NQ 1/2 Cor Original	0.01
UB-2025-0	147	148.66	1.66		No Sample No Sample - LC	
UB-2025-0	148.66	150	1.34	J006113	NQ 1/2 Cor Original	0.005
UB-2025-0	150	151.76	1.76		No Sample No Sample - LC	
UB-2025-0	151.76	153	1.24	J006114	NQ 1/2 Cor Original	0.03
UB-2025-0	153	154.26	1.26		No Sample No Sample - LC	
UB-2025-0	154.26	154.97	0.71	J006115	NQ 1/2 Cor Original	0.005
UB-2025-0	176.15	177	0.85	J006116	NQ 1/2 Cor Original	0.005
UB-2025-0	177	177.57	0.57	J006117	NQ 1/2 Cor Original	0.005
UB-2025-0	177.57	178.8	1.23	J006118	NQ 3/4 Cor Original	0.42
UB-2025-0	178.8	179.8	1	J006119	NQ 3/4 Cor Original	0.67
UB-2025-0	179.8	180.5	0.7	J006121	NQ 3/4 Cor Original	0.04
UB-2025-0	180.5	181.5	1	J006122	NQ 1/2 Cor Original	0.005
UB-2025-0	181.5	182.6	1.1	J006123	NQ 1/2 Cor Original	0.005
UB-2025-0	202	202.9	0.9	J006124	NQ 1/2 Cor Original	0.005
UB-2025-0	202.9	204	1.1	J006125	NQ 1/2 Cor Original	0.005
UB-2025-0	204	205.5	1.5	J006126	NQ 1/2 Cor Original	0.005
UB-2025-0	205.5	206.9	1.4	J006127	NQ 3/4 Cor Original	0.005
UB-2025-0	206.9	207.95	1.05	J006128	NQ 3/4 Cor Original	2.14
UB-2025-0	207.95	209.45	1.5	J006129	NQ 3/4 Cor Original	1.81
UB-2025-0	209.45	210.5	1.05	J006131	NQ 3/4 Cor Original	7.33
UB-2025-0	210.5	211	0.5	J006132	NQ 3/4 Cor Original	0.49
UB-2025-0	211	212	1	J006133	NQ 3/4 Cor Original	0.56
UB-2025-0	212	212.5	0.5	J006134	NQ 3/4 Cor Original	0.01
UB-2025-0	212.5	213	0.5	J006135	NQ 3/4 Cor Original	0.82
UB-2025-0	213	214	1	J006136	NQ 3/4 Cor Original	2.4
UB-2025-0	214	214.55	0.55	J006137	NQ 3/4 Cor Original	2.86
UB-2025-0	214.55	216	1.45	J006138	NQ 1/2 Cor Original	0.13
UB-2025-0	216	217	1	J006139	NQ 1/2 Cor Original	0.005
UB-2025-0	217	218	1	J006141	NQ 1/2 Cor Original	0.3
UB-2025-0	218	219	1	J006142	NQ 1/2 Cor Original	0.005
UB-2025-0	3	4.5	1.5	J006143	NQ 1/2 Cor Original	0.005

UB-2025-0	4.5	5.5	1 J006144	NQ 1/2 Cor Original	0.005
UB-2025-0	5.5	6	0.5 J006145	NQ 1/2 Cor Original	0.005
UB-2025-0	6	6.5	0.5 J006146	NQ 1/2 Cor Original	0.47
UB-2025-0	6.5	7	0.5 J006147	NQ 1/2 Cor Original	0.005
UB-2025-0	7	7.5	0.5 J006148	NQ 1/2 Cor Original	0.005
UB-2025-0	7.5	9	1.5 J006149	NQ 1/2 Cor Original	0.005
UB-2025-0	9	10.5	1.5 J006151	NQ 1/2 Cor Original	0.005
UB-2025-0	10.5	11.5	1 J006152	NQ 1/2 Cor Original	0.005
UB-2025-0	11.5	12	0.5 J006153	NQ 1/2 Cor Original	0.005
UB-2025-0	12	12.5	0.5 J006154	NQ 1/2 Cor Original	0.005
UB-2025-0	12.5	13	0.5 J006155	NQ 1/2 Cor Original	0.005
UB-2025-0	13	13.5	0.5 J006156	NQ 1/2 Cor Original	0.39
UB-2025-0	13.5	14	0.5 J006157	NQ 1/2 Cor Original	0.02
UB-2025-0	14	15	1 J006158	NQ 1/2 Cor Original	0.005
UB-2025-0	15	16.5	1.5 J006159	NQ 1/2 Cor Original	0.005
UB-2025-0	26.4	27.9	1.5 J006161	NQ 1/2 Cor Original	0.005
UB-2025-0	27.9	28.9	1 J006162	NQ 1/2 Cor Original	0.02
UB-2025-0	28.9	29.4	0.5 J006163	NQ 1/2 Cor Original	0.01
UB-2025-0	29.4	30	0.6 J006164	NQ 1/2 Cor Original	0.52
UB-2025-0	30	30.5	0.5 J006165	NQ 1/2 Cor Original	0.005
UB-2025-0	30.5	31.5	1 J006166	NQ 1/2 Cor Original	0.005
UB-2025-0	31.5	33	1.5 J006167	NQ 1/2 Cor Original	0.005
UB-2025-0	33	34.5	1.5 J006168	NQ 1/2 Cor Original	0.005
UB-2025-0	34.5	36	1.5 J006169	NQ 1/2 Cor Original	0.005
UB-2025-0	36	37.5	1.5 J006171	NQ 1/2 Cor Original	0.04
UB-2025-0	37.5	39	1.5 J006172	NQ 1/2 Cor Original	0.005
UB-2025-0	39	40	1 J006173	NQ 1/2 Cor Original	0.005
UB-2025-0	40	40.5	0.5 J006174	NQ 1/2 Cor Original	0.02
UB-2025-0	40.5	41	0.5 J006175	NQ 1/2 Cor Original	0.06
UB-2025-0	41	41.5	0.5 J006176	NQ 1/2 Cor Original	0.005
UB-2025-0	41.5	42.5	1 J006177	NQ 1/2 Cor Original	0.005
UB-2025-0	42.5	44	1.5 J006178	NQ 1/2 Cor Original	0.005
UB-2025-0	60	61	1 J006179	NQ 1/2 Cor Original	0.01
UB-2025-0	61	62.5	1.5 J006181	NQ 1/2 Cor Original	0.03
UB-2025-0	62.5	63.5	1 J006182	NQ 1/2 Cor Original	0.005
UB-2025-0	63.5	64	0.5 J006183	NQ 1/2 Cor Original	0.005
UB-2025-0	64	64.5	0.5 J006184	NQ 1/2 Cor Original	0.005
UB-2025-0	64.5	65	0.5 J006185	NQ 1/2 Cor Original	0.005
UB-2025-0	65	66	1 J006186	NQ 1/2 Cor Original	0.005
UB-2025-0	66	67.5	1.5 J006187	NQ 1/2 Cor Original	0.005
UB-2025-0	77	78.5	1.5 J006188	NQ 3/4 Cor Original	0.01
UB-2025-0	78.5	79.5	1 J006189	NQ 3/4 Cor Original	0.05
UB-2025-0	79.5	80	0.5 J006191	NQ 3/4 Cor Original	0.71
UB-2025-0	80	80.5	0.5 J006192	NQ 3/4 Cor Original	1.43

UB-2025-0	80.5	81	0.5	J006193	NQ 3/4 Cor Original	0.02
UB-2025-0	81	81.5	0.5	J006194	NQ 3/4 Cor Original	0.005
UB-2025-0	81.5	82.5	1	J006195	NQ 3/4 Cor Original	0.005
UB-2025-0	82.5	84	1.5	J006196	NQ 3/4 Cor Original	0.005
UB-2025-0	84	84.5	0.5	J006197	NQ 3/4 Cor Original	0.005
UB-2025-0	84.5	85	0.5	J006198	NQ 3/4 Cor Original	0.27
UB-2025-0	85	85.5	0.5	J006199	NQ 3/4 Cor Original	0.005
UB-2025-0	85.5	87	1.5	J006201	NQ 3/4 Cor Original	0.005
UB-2025-0	92.4	93.9	1.5	J006202	NQ 1/2 Cor Original	0.005
UB-2025-0	93.9	94.9	1	J006203	NQ 1/2 Cor Original	0.005
UB-2025-0	94.9	95.4	0.5	J006204	NQ 1/2 Cor Original	0.005
UB-2025-0	95.4	95.9	0.5	J006205	NQ 1/2 Cor Original	0.005
UB-2025-0	95.9	96.4	0.5	J006206	NQ 1/2 Cor Original	0.005
UB-2025-0	96.4	97.4	1	J006207	NQ 1/2 Cor Original	0.005
UB-2025-0	97.4	98.9	1.5	J006208	NQ 1/2 Cor Original	0.005
UB-2025-0	110.9	112.4	1.5	J006209	NQ 3/4 Cor Original	0.005
UB-2025-0	112.4	113.4	1	J006211	NQ 3/4 Cor Original	0.005
UB-2025-0	113.4	113.9	0.5	J006212	NQ 3/4 Cor Original	0.1
UB-2025-0	113.9	114.4	0.5	J006213	NQ 3/4 Cor Original	0.11
UB-2025-0	114.4	114.9	0.5	J006214	NQ 3/4 Cor Original	1.48
UB-2025-0	114.9	115.4	0.5	J006215	NQ 3/4 Cor Original	0.07
UB-2025-0	115.4	115.9	0.5	J006216	NQ 3/4 Cor Original	0.05
UB-2025-0	115.9	116.45	0.55	J006217	NQ 3/4 Cor Original	0.44
UB-2025-0	116.45	117.95	1.5	J006218	NQ 3/4 Cor Original	0.005
UB-2025-0	117.95	119.45	1.5	J006219	NQ 3/4 Cor Original	0.005
UB-2025-0	157.35	158.85	1.5	J006221	NQ 3/4 Cor Original	0.005
UB-2025-0	158.85	160.3	1.45	J006222	NQ 3/4 Cor Original	0.005
UB-2025-0	160.3	161.3	1	J006223	NQ 3/4 Cor Original	0.26
UB-2025-0	161.3	161.8	0.5	J006224	NQ 3/4 Cor Original	0.65
UB-2025-0	161.8	162.3	0.5	J006225	NQ 3/4 Cor Original	2.08
UB-2025-0	162.3	162.8	0.5	J006226	NQ 3/4 Cor Original	0.96
UB-2025-0	162.8	163.3	0.5	J006227	NQ 3/4 Cor Original	2.59
UB-2025-0	163.3	163.9	0.6	J006228	NQ 3/4 Cor Original	2.2
UB-2025-0	163.9	164.4	0.5	J006229	NQ 3/4 Cor Original	1.57
UB-2025-0	164.4	165	0.6	J006231	NQ 3/4 Cor Original	1.34
UB-2025-0	165	165.5	0.5	J006232	NQ 3/4 Cor Original	0.68
UB-2025-0	165.5	166.5	1	J006233	NQ 3/4 Cor Original	0.005
UB-2025-0	166.5	168	1.5	J006234	NQ 3/4 Cor Original	0.005
UB-2025-0	185.6	187.1	1.5	J006235	NQ 3/4 Cor Original	0.01
UB-2025-0	187.1	188	0.9	J006236	NQ 3/4 Cor Original	0.48
UB-2025-0	188	188.7	0.7	J006237	NQ 3/4 Cor Original	0.28
UB-2025-0	188.7	189.2	0.5	J006238	NQ 3/4 Cor Original	0.74
UB-2025-0	189.2	189.79	0.59	J006239	NQ 3/4 Cor Original	0.68
UB-2025-0	189.79	190.14	0.35	No Sample No Sample - LC		

UB-2025-0	190.14	190.84	0.7	J006241	NQ 3/4 Cor Original	0.46
UB-2025-0	190.84	191.2	0.36		No Sample No Sample - LC	
UB-2025-0	191.2	191.7	0.5	J006242	NQ 3/4 Cor Original	0.78
UB-2025-0	191.7	192.2	0.5	J006243	NQ 3/4 Cor Original	0.005
UB-2025-0	192.2	192.7	0.5	J006244	NQ 3/4 Cor Original	0.005
UB-2025-0	192.7	193.2	0.5	J006245	NQ 3/4 Cor Original	0.09
UB-2025-0	193.2	193.7	0.5	J006246	NQ 3/4 Cor Original	2.66
UB-2025-0	193.7	194.2	0.5	J006247	NQ 3/4 Cor Original	2.12
UB-2025-0	194.2	194.8	0.6	J006248	NQ 3/4 Cor Original	1.02
UB-2025-0	194.8	195.3	0.5	J006249	NQ 3/4 Cor Original	0.16
UB-2025-0	195.3	196.3	1	J006251	NQ 3/4 Cor Original	0.06
UB-2025-0	196.3	197.8	1.5	J006252	NQ 3/4 Cor Original	0.15
UB-2025-0	197.8	199.3	1.5	J006253	NQ 1/2 Cor Original	0.96
UB-2025-0	199.3	200.7	1.4	J006254	NQ 1/2 Cor Original	0.005
UB-2025-0	200.7	201.3	0.6	J006255	NQ 1/2 Cor Original	0.23
UB-2025-0	201.3	201.8	0.5	J006256	NQ 1/2 Cor Original	0.13
UB-2025-0	201.8	202.3	0.5	J006257	NQ 1/2 Cor Original	0.005
UB-2025-0	202.3	203.3	1	J006258	NQ 1/2 Cor Original	0.005
UB-2025-0	203.3	204.8	1.5	J006259	NQ 1/2 Cor Original	0.005
UB-2025-0	204.8	206.3	1.5	J006261	NQ 1/2 Cor Original	0.005
UB-2025-0	206.3	207.8	1.5	J006262	NQ 1/2 Cor Original	0.005
UB-2025-0	207.8	208.8	1	J006263	NQ 1/2 Cor Original	0.005
UB-2025-0	208.8	209.9	1.1	J006264	NQ 1/2 Cor Original	0.005
UB-2025-0	209.9	211.4	1.5	J006265	NQ 1/2 Cor Original	0.005
UB-2025-0	211.4	212.4	1	J006266	NQ 1/2 Cor Original	0.005
UB-2025-0	212.4	212.9	0.5	J006267	NQ 1/2 Cor Original	0.31
UB-2025-0	212.9	213.4	0.5	J006268	NQ 1/2 Cor Original	0.96
UB-2025-0	213.4	213.9	0.5	J006269	NQ 1/2 Cor Original	0.02
UB-2025-0	213.9	214.9	1	J006271	NQ 1/2 Cor Original	0.1
UB-2025-0	214.9	216.4	1.5	J006272	NQ 1/2 Cor Original	0.005
UB-2025-0	216.4	217.9	1.5	J006273	NQ 1/2 Cor Original	0.005
UB-2025-0	217.9	219	1.1	J006274	NQ 1/2 Cor Original	0.005
UB-2025-0	219	219.5	0.5	J006275	NQ 1/2 Cor Original	0.02
UB-2025-0	219.5	220	0.5	J006276	NQ 1/2 Cor Original	0.005
UB-2025-0	220	221	1	J006277	NQ 1/2 Cor Original	0.005
UB-2025-0	221	222	1	J006278	NQ 1/2 Cor Original	0.01
UB-2025-0	26.9	28.4	1.5	J006279	NQ 1/2 Cor Original	0.005
UB-2025-0	28.4	29.4	1	J006281	NQ 1/2 Cor Original	0.005
UB-2025-0	29.4	30	0.6	J006282	NQ 1/2 Cor Original	0.04
UB-2025-0	30	30.55	0.55	J006283	NQ 1/2 Cor Original	0.74
UB-2025-0	30.55	31.15	0.6	J006284	NQ 1/2 Cor Original	0.09
UB-2025-0	31.15	31.65	0.5	J006285	NQ 1/2 Cor Original	0.08
UB-2025-0	31.65	32.65	1	J006286	NQ 1/2 Cor Original	0.005
UB-2025-0	32.65	34.15	1.5	J006287	NQ 1/2 Cor Original	0.005

UB-2025-0	56.3	57.8	1.5	J006288	NQ 1/2 Cor Original	0.07
UB-2025-0	57.8	59.3	1.5	J006289	NQ 1/2 Cor Original	0.005
UB-2025-0	59.3	60.3	1	J006291	NQ 1/2 Cor Original	0.005
UB-2025-0	60.3	60.85	0.55	J006292	NQ 1/2 Cor Original	0.08
UB-2025-0	60.85	61.35	0.5	J006293	NQ 1/2 Cor Original	1.38
UB-2025-0	61.35	61.85	0.5	J006294	NQ 1/2 Cor Original	0.02
UB-2025-0	61.85	62.85	1	J006295	NQ 1/2 Cor Original	0.005
UB-2025-0	62.85	64.35	1.5	J006296	NQ 1/2 Cor Original	0.005
UB-2025-0	64.35	65.85	1.5	J006297	NQ 1/2 Cor Original	0.03
UB-2025-0	65.85	66.5	0.65	J006298	NQ 1/2 Cor Original	0.16
UB-2025-0	66.5	67	0.5	J006299	NQ 1/2 Cor Original	0.02
UB-2025-0	67	67.5	0.5	J006301	NQ 1/2 Cor Original	0.02
UB-2025-0	67.5	68	0.5	J006302	NQ 1/2 Cor Original	0.005
UB-2025-0	68	69	1	J006303	NQ 1/2 Cor Original	0.005
UB-2025-0	69	70.5	1.5	J006304	NQ 1/2 Cor Original	0.005
UB-2025-0	100	101.5	1.5	J006305	NQ 1/2 Cor Original	0.005
UB-2025-0	101.5	102.5	1	J006306	NQ 1/2 Cor Original	0.03
UB-2025-0	102.5	103.1	0.6	J006307	NQ 1/2 Cor Original	0.1
UB-2025-0	103.1	103.6	0.5	J006308	NQ 1/2 Cor Original	1.52
UB-2025-0	103.6	104.1	0.5	J006309	NQ 1/2 Cor Original	0.26
UB-2025-0	104.1	105.1	1	J006311	NQ 1/2 Cor Original	0.15
UB-2025-0	105.1	106	0.9	J006312	NQ 1/2 Cor Original	0.29
UB-2025-0	106	106.7	0.7	J006313	NQ 1/2 Cor Original	1.05
UB-2025-0	106.7	107.5	0.8	J006314	NQ 1/2 Cor Original	0.64
UB-2025-0	107.5	108	0.5	J006315	NQ 1/2 Cor Original	1.64
UB-2025-0	108	108.5	0.5	J006316	NQ 1/2 Cor Original	2.48
UB-2025-0	108.5	109.3	0.8	J006317	NQ 1/2 Cor Original	3.68
UB-2025-0	109.3	109.85	0.55	J006318	NQ 1/2 Cor Original	26.9
UB-2025-0	109.85	110.4	0.55	J006319	NQ 1/2 Cor Original	2.63
UB-2025-0	110.4	110.9	0.5	J006321	NQ 1/2 Cor Original	0.28
UB-2025-0	110.9	111.4	0.5	J006322	NQ 1/2 Cor Original	0.68
UB-2025-0	111.4	111.9	0.5	J006323	NQ 1/2 Cor Original	0.3
UB-2025-0	111.9	112.4	0.5	J006324	NQ 1/2 Cor Original	0.05
UB-2025-0	112.4	112.9	0.5	J006325	NQ 1/2 Cor Original	0.02
UB-2025-0	112.9	113.9	1	J006326	NQ 1/2 Cor Original	0.16
UB-2025-0	113.9	115.4	1.5	J006327	NQ 1/2 Cor Original	1.34
UB-2025-0	115.4	116.4	1	J006328	NQ 1/2 Cor Original	0.005
UB-2025-0	165.15	166.65	1.5	J006329	NQ 3/4 Cor Original	0.005
UB-2025-0	166.65	167.65	1	J006331	NQ 3/4 Cor Original	0.005
UB-2025-0	167.65	168.25	0.6	J006332	NQ 1/2 Cor Original	0.04
UB-2025-0	167.65	168.25	0.6	J006333	NQ 1/2 Cor FieldDup	0.03
UB-2025-0	168.25	168.9	0.65	J006334	NQ 3/4 Cor Original	15.5
UB-2025-0	168.9	169.5	0.6	J006335	NQ 1/2 Cor Original	0.79
UB-2025-0	168.9	169.5	0.6	J006336	NQ 1/2 Cor FieldDup	0.76

UB-2025-0	169.5	170.5	1	J006337	NQ 3/4 Cor Original	0.005
UB-2025-0	170.5	172	1.5	J006338	NQ 3/4 Cor Original	0.005
UB-2025-0	195.1	196.6	1.5	J006339	NQ 1/2 Cor Original	0.005
UB-2025-0	196.6	198.1	1.5	J006341	NQ 1/2 Cor Original	0.005
UB-2025-0	198.1	199.3	1.2	J006342	NQ 1/2 Cor Original	0.2
UB-2025-0	199.3	200.2	0.9	J006343	NQ 1/2 Cor Original	0.02
UB-2025-0	200.2	200.7	0.5	J006344	NQ 1/2 Cor Original	0.34
UB-2025-0	200.7	201.25	0.55	J006345	NQ 1/2 Cor Original	0.3
UB-2025-0	201.25	201.75	0.5	J006346	NQ 1/2 Cor Original	2.02
UB-2025-0	201.75	202.35	0.6	J006347	NQ 1/2 Cor Original	12.1
UB-2025-0	202.35	202.85	0.5	J006348	NQ 1/2 Cor Original	0.97
UB-2025-0	202.85	203.8	0.95	J006349	NQ 1/2 Cor Original	0.03
UB-2025-0	203.8	204.8	1	J006351	NQ 1/2 Cor Original	0.005
UB-2025-0	204.8	206.3	1.5	J006352	NQ 1/2 Cor Original	0.005
UB-2025-0	229.4	230.9	1.5	J006353	NQ 1/2 Cor Original	0.005
UB-2025-0	230.9	231.9	1	J006354	NQ 1/2 Cor Original	0.005
UB-2025-0	231.9	232.4	0.5	J006355	NQ 1/2 Cor Original	0.11
UB-2025-0	232.4	232.9	0.5	J006356	NQ 1/2 Cor Original	0.59
UB-2025-0	232.9	233.4	0.5	J006357	NQ 1/2 Cor Original	3.55
UB-2025-0	233.4	233.9	0.5	J006358	NQ 1/2 Cor Original	0.03
UB-2025-0	233.9	234.9	1	J006359	NQ 1/2 Cor Original	0.01
UB-2025-0	234.9	236.4	1.5	J006361	NQ 1/2 Cor Original	0.005
UB-2025-0	5.6	7.1	1.5	J006362	NQ 1/2 Cor Original	0.005
UB-2025-0	7.1	8.1	1	J006363	NQ 1/2 Cor Original	0.005
UB-2025-0	8.1	8.6	0.5	J006364	NQ 1/2 Cor Original	0.03
UB-2025-0	8.6	9.1	0.5	J006365	NQ 1/2 Cor Original	0.14
UB-2025-0	9.1	9.6	0.5	J006366	NQ 1/2 Cor Original	0.005
UB-2025-0	9.6	10.6	1	J006367	NQ 1/2 Cor Original	0.005
UB-2025-0	10.6	12.1	1.5	J006368	NQ 1/2 Cor Original	0.005
UB-2025-0	29.3	30.8	1.5	J006369	NQ 1/2 Cor Original	0.005
UB-2025-0	30.8	31.8	1	J006371	NQ 1/2 Cor Original	0.005
UB-2025-0	31.8	32.3	0.5	J006372	NQ 1/2 Cor Original	0.005
UB-2025-0	32.3	32.8	0.5	J006373	NQ 1/2 Cor Original	4.83
UB-2025-0	32.8	33.3	0.5	J006374	NQ 1/2 Cor Original	0.06
UB-2025-0	33.3	33.8	0.5	J006375	NQ 1/2 Cor Original	0.005
UB-2025-0	33.8	34.8	1	J006376	NQ 1/2 Cor Original	0.005
UB-2025-0	34.8	36.3	1.5	J006377	NQ 1/2 Cor Original	0.005
UB-2025-0	74	75.5	1.5	J006378	NQ 1/2 Cor Original	0.005
UB-2025-0	75.5	76.5	1	J006379	NQ 1/2 Cor Original	0.005
UB-2025-0	76.5	77	0.5	J006381	NQ 1/2 Cor Original	0.05
UB-2025-0	77	77.5	0.5	J006382	NQ 1/2 Cor Original	0.2
UB-2025-0	77.5	78	0.5	J006383	NQ 1/2 Cor Original	0.02
UB-2025-0	78	79	1	J006384	NQ 1/2 Cor Original	0.005
UB-2025-0	79	80.5	1.5	J006385	NQ 1/2 Cor Original	0.005

UB-2025-0	80.5	82	1.5	J006386	NQ 1/2 Cor Original	0.005
UB-2025-0	82	83	1	J006387	NQ 1/2 Cor Original	0.005
UB-2025-0	109.3	110.8	1.5	J006388	NQ 1/2 Cor Original	0.005
UB-2025-0	110.8	111.5	0.7	J006389	NQ 1/2 Cor Original	0.005
UB-2025-0	111.5	112.2	0.7	J006391	NQ 1/2 Cor Original	0.005
UB-2025-0	111.5	112.2	0.7	J006392	NQ 1/2 Cor FieldDup	0.005
UB-2025-0	112.2	112.7	0.5	J006393	NQ 3/4 Cor Original	0.04
UB-2025-0	112.7	113.2	0.5	J006394	NQ 3/4 Cor Original	1.57
UB-2025-0	113.2	113.7	0.5	J006395	NQ 3/4 Cor Original	1.14
UB-2025-0	113.7	114.2	0.5	J006396	NQ 3/4 Cor Original	1.57
UB-2025-0	114.2	114.7	0.5	J006397	NQ 3/4 Cor Original	0.14
UB-2025-0	114.7	115.7	1	J006398	NQ 1/2 Cor Original	0.02
UB-2025-0	114.7	115.7	1	J006399	NQ 1/2 Cor FieldDup	0.11
UB-2025-0	115.7	116.3	0.6	J006401	NQ 1/2 Cor Original	0.005
UB-2025-0	116.3	117.35	1.05	J006402	NQ 1/2 Cor Original	0.005
UB-2025-0	116.3	117.35	1.05	J006403	NQ 1/2 Cor FieldDup	0.005
UB-2025-0	117.35	117.85	0.5	J006404	NQ 3/4 Cor Original	0.17
UB-2025-0	117.85	118.45	0.6	J006405	NQ 3/4 Cor Original	6.19
UB-2025-0	118.45	119	0.55	J006406	NQ 3/4 Cor Original	2.72
UB-2025-0	119	120	1	J006407	NQ 1/2 Cor Original	0.98
UB-2025-0	119	120	1	J006408	NQ 1/2 Cor FieldDup	1.41
UB-2025-0	120	121.5	1.5	J006409	NQ 1/2 Cor Original	0.005
UB-2025-0	121.5	123	1.5	J006411	NQ 1/2 Cor Original	0.02
UB-2025-0	169.85	171.35	1.5	J006412	NQ 1/2 Cor Original	0.05
UB-2025-0	171.35	172.85	1.5	J006413	NQ 1/2 Cor Original	0.02
UB-2025-0	172.85	173.85	1	J006414	NQ 1/2 Cor Original	0.005
UB-2025-0	173.85	174.35	0.5	J006415	NQ 1/2 Cor Original	0.01
UB-2025-0	174.35	174.85	0.5	J006416	NQ 1/2 Cor Original	5.18
UB-2025-0	174.85	175.35	0.5	J006417	NQ 1/2 Cor Original	0.005
UB-2025-0	175.35	176.35	1	J006418	NQ 1/2 Cor Original	0.005
UB-2025-0	176.35	177.85	1.5	J006419	NQ 1/2 Cor Original	0.005
UB-2025-0	205.85	207.35	1.5	J006421	NQ 1/2 Cor Original	0.005
UB-2025-0	207.35	208.35	1	J006422	NQ 1/2 Cor Original	0.005
UB-2025-0	208.35	208.85	0.5	J006423	NQ 1/2 Cor Original	0.005
UB-2025-0	208.85	209.4	0.55	J006424	NQ 1/2 Cor Original	0.04
UB-2025-0	209.4	209.9	0.5	J006425	NQ 1/2 Cor Original	0.005
UB-2025-0	209.9	210.9	1	J006426	NQ 1/2 Cor Original	0.005
UB-2025-0	210.9	211.7	0.8	J006427	NQ 1/2 Cor Original	0.005
UB-2025-0	211.7	212.2	0.5	J006428	NQ 1/2 Cor Original	0.005
UB-2025-0	212.2	212.85	0.65	J006429	NQ 1/2 Cor Original	0.01
UB-2025-0	212.85	213.45	0.6	J006431	NQ 1/2 Cor Original	0.005
UB-2025-0	213.45	214.45	1	J006432	NQ 1/2 Cor Original	0.005
UB-2025-0	214.45	215.45	1	J006433	NQ 1/2 Cor Original	0.02
UB-2025-0	215.45	215.95	0.5	J006434	NQ 1/2 Cor Original	1.08

UB-2025-0	215.95	216.75	0.8	J006435	NQ 1/2 Cor Original	0.01
UB-2025-0	216.75	218	1.25	J006436	NQ 1/2 Cor Original	0.03
UB-2025-0	218	219.5	1.5	J006437	NQ 1/2 Cor Original	0.005
UB-2025-0	219.5	221	1.5	J006438	NQ 1/2 Cor Original	0.005
UB-2025-0	221	222.5	1.5	J006439	NQ 1/2 Cor Original	0.005
UB-2025-0	222.5	224	1.5	J006441	NQ 1/2 Cor Original	0.005
UB-2025-0	224	224.5	0.5	J006442	NQ 1/2 Cor Original	0.005
UB-2025-0	224.5	225	0.5	J006443	NQ 1/2 Cor Original	0.02
UB-2025-0	225	225.6	0.6	J006444	NQ 1/2 Cor Original	43.8
UB-2025-0	225.6	226.2	0.6	J006445	NQ 1/2 Cor Original	0.4
UB-2025-0	226.2	227	0.8	J006446	NQ 1/2 Cor Original	0.03
UB-2025-0	227	227.55	0.55	J006447	NQ 1/2 Cor Original	0.02
UB-2025-0	227.55	229.05	1.5	J006448	NQ 1/2 Cor Original	0.01
UB-2025-0	229.05	230.55	1.5	J006449	NQ 1/2 Cor Original	0.01
UB-2025-0	230.55	232.05	1.5	J006451	NQ 1/2 Cor Original	0.005
UB-2025-0	232.05	233.55	1.5	J006452	NQ 1/2 Cor Original	0.005
UB-2025-0	233.55	234.65	1.1	J006453	NQ 1/2 Cor Original	0.005
UB-2025-0	234.65	235.85	1.2	J006454	NQ 1/2 Cor Original	0.005
UB-2025-0	235.85	237	1.15	J006455	NQ 1/2 Cor Original	0.005